



GC-TOFMS Articles & Reference Materials

LECO®
Delivering the Right Results

GC-TOF LECO References

2018- Total-2

- Errington, I., King, C. K., Houlahan, S., George, S. C., Michie, A., & Hose, G. C. (2018). The influence of vegetation and soil properties on springtail communities in a diesel-contaminated soil. *Science of The Total Environment*, 619, 1098-1104.
<https://www.sciencedirect.com/science/article/pii/S0048969717332448>
- Marsol-Vall, A., Balcells, M., Eras, J., and Canela-Garayoa, R. (2018). Development of a SBSE-TD method coupled to GC-MS and chemometrics for the differentiation of variety and processing conditions in peach juices. *Food Chemistry*, 239:119–125.
<http://www.sciencedirect.com/science/article/pii/S030881461731052X>

2017-Total-101

- Ahn, J. K., Kim, J., Hwang, J., Song, J., Kim, K. H., and Cha, H.-S. (2017). Potential metabolomic biomarkers for reliable diagnosis of behcet's disease using gas chromatography with time-of-flight mass spectrometry. *Joint Bone Spine*.
- Ahn, J., Kim, J., Hwang, J., Song, J., Kim, K., and Cha, H.-S. (2017). Urinary metabolomic profiling to identify potential biomarkers for the diagnosis of behcet's disease by gas Chromatography/Time-of-Flight–mass spectrometry. *International Journal of Molecular Sciences*, 18(11):2309+.
<http://www.mdpi.com/1422-0067/18/11/2309>
- Andersen, U. B., Kjaer, K. H., Erban, A., Alpers, J., Hincha, D. K., Kopka, J., Zuther, E., and Pagter, M. (2017). Impact of seasonal warming on overwintering and spring phenology of blackcurrant. *Environmental and Experimental Botany*, 140:96–109.
<http://www.sciencedirect.com/science/article/pii/S0098847217301387?via%3Dihub>
- Anstett, A., Chu, F., Alonso, D. E., & Smith, R. W. (2017). Characterization of 2C-Phenethylamines using High-Resolution Mass Spectrometry and Kendrick Mass Defect Filters. *Forensic Chemistry*.
<https://www.sciencedirect.com/science/article/pii/S2468170917301169>
- Arrivault, S. and Obata, T. (2017). Quantification of photorespiratory intermediates by mass Spectrometry-Based approaches. In Fernie, A. R., Bauwe, H., and Weber, A. P. M., editors, *Photorespiration*, volume 1653 of *Methods in Molecular Biology*, pages 97–104. Springer New York.
https://link.springer.com/protocol/10.1007%2F978-1-4939-7225-8_7
- Chen, M., Yang, F., Kang, J., Gan, H., Lai, X., & Gao, Y. (2017). Metabolomic investigation into molecular mechanisms of a clinical herb prescription against metabolic syndrome by a systematic approach. *RSC Advances*, 7(87),

- 55389-55399. <http://pubs.rsc.org/en/content/articlehtml/2017/ra/c7ra09779d>
- Cheng, W., Lu, J., Li, B., Lin, W., Zhang, Z., Wei, X., ... & Jiang, A. (2017). Effect of Functional Oligosaccharides and Ordinary Dietary Fiber on Intestinal Microbiota Diversity. *Frontiers in Microbiology*, 8, 1750. <https://www.frontiersin.org/articles/10.3389/fmicb.2017.01750/full>
- Cho, S. H., Lee, S. K., & Kim, C. H. (2017). The determination of polycyclic aromatic hydrocarbons (PAHs) in human urine by high-resolution gas chromatography-mass spectrometry. *Biomedical Chromatography*. <http://onlinelibrary.wiley.com/doi/10.1002/bmc.4166/full>
- Cho, Y. U., Lee, D., Lee, J.-E., Kim, K. H., Lee, D. Y., and Jung, Y.-C. (2017). Exploratory metabolomics of biomarker identification for the internet gaming disorder in young korean males. *Journal of Chromatography B*, 1057:24–31. <http://www.sciencedirect.com/science/article/pii/S1570023217301496>
- da Silva, A. C., de Oliveira Silva, F. M., Milagre, J. C., Omena-Garcia, R. P., Abreu, M. C., Mafia, R. G., ... & Alfenas, A. C. (2017). Eucalypt plants are physiologically and metabolically affected by infection with Ceratocystis fimbriata. *Plant Physiology and Biochemistry*. <https://www.sciencedirect.com/science/article/pii/S0981942817303959>
- Davies, L. C., Rice, C. M., Palmieri, E. M., Taylor, P. R., Kuhns, D. B., & McVicar, D. W. (2017). Peritoneal tissue-resident macrophages are metabolically poised to engage microbes using tissue-niche fuels. *Nature Communications*, 8(1), 2074. <https://www.nature.com/articles/s41467-017-02092-0>
- Dethloff, F., Orf, I., & Kopka, J. (2017). Rapid in situ ¹³C tracing of sucrose utilization in *Arabidopsis* sink and source leaves. *Plant Methods*, 13(1), 87. <https://plantmethods.biomedcentral.com/articles/10.1186/s13007-017-0239-6>
- Du, X., Smirnov, A., & Jia, W. (2017). A preparatory study of how to construct consensus mass spectra of recurrent unknown metabolites from untargeted GC-MS metabolomics data. *International Journal of Mass Spectrometry*. <https://www.sciencedirect.com/science/article/pii/S1387380617302269>
- Duvane, J., Jorge, T. F., Maquia, I., Ribeiro, N., Ribeiro-Barros, A. I., & Antonio, C. (2017). Characterization of the primary metabolome of *Brachystegia boehmii* and *Colophospermum mopane* under different fire regimes in Miombo and Mopane African woodlands. *Frontiers in Plant Science*, 8, 2130. <https://www.frontiersin.org/articles/10.3389/fpls.2017.02130/full>
- Escandón-Rivera, S., Pérez-Vásquez, A., Navarrete, A., Hernández, M., Linares, E., Bye, R., and Mata, R. (2017). Anti-Hyperglycemic activity of major compounds from calea ternifolia. *Molecules*, 22(2):289+. <http://www.mdpi.com/1420-3049/22/2/289>
- Farnese, F. S., Oliveira, J. A., Paiva, E. A., Menezes-Silva, P. E., da Silva, A. A., Campos, F. V., & Ribeiro, C. (2017). The involvement of nitric oxide in integration of plant physiological and ultrastructural adjustments in

- response to arsenic. *Frontiers in plant science*, 8.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5395577/>
- Gross, J. (2017). Practical aspects of electron ionization. In *Mass Spectrometry*, pages 293–324. Springer International Publishing.
https://link.springer.com/chapter/10.1007%2F978-3-319-54398-7_5
- Han, B., Wang, J. H., Geng, Y., Shen, L., Wang, H. L., Wang, Y. Y., & Wang, M. W. (2017). Chronic Stress Contributes to Cognitive Dysfunction and Hippocampal Metabolic Abnormalities in APP/PS1 Mice. *Cellular Physiology and Biochemistry*, 41(5), 1766-1776.
<https://www.karger.com/Article/Abstract/471869>
- Han, D. J., Jo, Y. S., Shin, B. S., Jang, M., Kang, J. W., Han, J. H., Nam, S. W., and Yoon, C. W. A novel eutectic mixture of biphenyl and diphenylmethane as a potential liquid organic hydrogen carrier: Catalytic hydrogenation. *Energy Technol.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/ente.201700694/abstract?systemMessage=Wiley+Online+Library+usage+report+download+page+will+be+unavailable+on+Friday+24th+November+2017+at+21%3A00+EST+%2F+02.00+GMT+%2F+10%3A00+SGT+%28Saturday+25th+Nov+for+SGT+>
- Hashiguchi, A., Zhu, W., Tian, J., and Komatsu, S. (2017). Datasets of mung bean proteins and metabolites from four different cultivars. *Data in Brief*.
<http://www.sciencedirect.com/science/article/pii/S2352340917302950?via%3Dihub>
- Hashiguchi, A., Zhu, W., Tian, J., and Komatsu, S. (2017). Proteomics and metabolomics-driven pathway reconstruction of mung bean for nutraceutical evaluation. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*.
<http://www.sciencedirect.com/science/article/pii/S1570963917300882>
- Heidenreich, S., Witte, N., Weber, P., Goehring, I., Tolkachov, A., von Loeffelholz, C., ... & Birkenfeld, A. L. (2017). Retinol saturase coordinates liver metabolism by regulating ChREBP activity. *Nature Communications*, 8. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5577314/>
- Hou, Y., Wang, X., Ping, J., Lei, Z., Gao, Y., Ma, Z., ... & Li, X. (2017). Metabonomics Approach to Assessing the Modulatory Effects of Kisspeptin-10 on Liver Injury Induced by Heat Stress in Rats. *Scientific Reports*, 7. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5539146/>
- Jang, S.-h., Jang, S.-r., Lee, G.-m., Ryu, J.-h., Park, S.-i., and Park, N.-h. (2017). Halloysite nanocapsules containing thyme essential oil: Preparation, characterization, and application in packaging materials. *Journal of Food Science*, 82(9):2113–2120.
<http://onlinelibrary.wiley.com/doi/10.1111/1750-3841.13835/abstract;jsessionid=E5103ECCB56D3149BECB857399817275.f04t03?systemMessage=Wiley+Online+Library+will+be+unavailable+on+Saturday+7th+Oct+from+03.00+EDT+%2F+08%3A00+BST+%2F+12%3A30+IST+%2F+15.00+SGT+to+08.00+EDT+%2F+13.00+BST+%2F+17%3A30+IST+%2F+20.00+SGT+and+Sunday+8th+Oct+from+03.00+EDT>

[+%2F+08%3A00+BST+%2F+12%3A30+IST+%2F+15.00+SGT+to+06.00
+EDT+%2F+11.00+BST+%2F+15%3A30+IST+%2F+18.00+SGT+for+ess
ential+maintenance.+Apologies+for+the+inconvenience+caused+.](#)

Jeong, S. and Yoo, S. Preparation and properties of sodium bicarbonate-incorporated LDPE films with deodorizing function for kimchi packaging. *Packag Technol Sci*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/pts.2333/abstract>

Ji, Y., Rao, J., Rong, X., Lou, S., Zheng, Z., and Lu, Y. (2017). Metabolic characterization of human aqueous humor in relation to high myopia. *Experimental Eye Research*.

<http://www.sciencedirect.com/science/article/pii/S0014483516302482>

Johnsen, L. G., Skou, P. B., Khakimov, B., and Bro, R. (2017). Gas chromatography – mass spectrometry data processing made easy. *Journal of Chromatography A*, 1503:57–64.
<http://www.sciencedirect.com/science/article/pii/S0021967317306489>

Jorge, T., Duro, N., da Costa, M., Florian, A., Ramalho, J., Ribeiro-Barros, A., Fernie, A., and António, C. (2017). GC-TOF-MS analysis reveals salt stress-responsive primary metabolites in casuarina glauca tissues. 13(8):1–13. <https://link.springer.com/article/10.1007%2Fs11306-017-1234-7>

Kazmi, R., Willems, L., Joosen, R., Khan, N., Ligterink, W., and Hilhorst, H. (2017). Metabolomic analysis of tomato seed germination. 13(12):1–17. <https://link.springer.com/article/10.1007%2Fs11306-017-1284-x>

Khokhani, D., Lowe-Power, T. M., Tran, T. M., and Allen, C. (2017). A single regulator mediates strategic switching between Attachment/Spread and Growth/Virulence in the plant pathogen ralstonia solanacearum. *mBio*, 8(5):e00895–17+. <http://mbio.asm.org/content/8/5/e00895-17>

Kim, M., Chiu, Y.-C., Kim, N., Park, H., Lee, C., Juvik, J., and Ku, K.-M. (2017). Cultivar-Specific changes in primary and secondary metabolites in pak choi (brassica rapa, chinensis group) by methyl jasmonate. *International Journal of Molecular Sciences*, 18(5):1004+.
<http://www.mdpi.com/1422-0067/18/5/1004>

Kim, S., Hwang, J., Kim, J., Ahn, J. K., Cha, H. S., & Kim, K. H. (2017). Metabolite profiles of synovial fluid change with the radiographic severity of knee osteoarthritis. *Joint Bone Spine*, 84(5), 605–610.
<http://www.sciencedirect.com/science/article/pii/S1297319X16301130>

Kralj, M. B., Divanović, H., Košenina, S., Kete, M., Lebedev, A. T., Artaev, V. B., & Trebše, P. (2017). Effect of humic acids, nitrate and oxygen on the photodegradation of the flubendiamide insecticide: identification of products. *Environmental Chemistry Letters*, 1-7. <https://link.springer.com/article/10.1007/s10311-017-0691-6>

Lai, Z., Kind, T., and Fiehn, O. (2017). Using accurate mass gas Chromatography–Mass spectrometry with the MINE database for epimetabolite annotation. *Anal. Chem.*
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.7b01134>

- Laiakis, E. C., Pannkuk, E. L., Chauthe, S. K., Wang, Y.-W., Lian, M., Mak, T. D., Barker, C. A., Astarita, G., and Fornace, A. J. (2017). A serum small molecule biosignature of radiation exposure from total body irradiated patients. *J. Proteome Res.*, *7b*, 00468
<http://pubs.acs.org/doi/abs/10.1021/acs.jproteome.7b00468>
- Lee, M. Y., Kim, H. Y., Lee, D. E., Singh, D., Yeo, S. H., Baek, S. Y., Park, Y. K., and Lee, C. H. (2017). Construing temporal metabolomes for acetous fermentative production of rubus coreanus vinegar and its in vivo nutraceutical effects. *Journal of Functional Foods*, *34*:311–318.
<http://www.sciencedirect.com/science/article/pii/S175646461730227X>
- Lee, W., Yeo, Y., Oh, S., Cho, K. S., Park, Y. E., Park, S. K., ... & Park, S. Y. Compositional analyses of diverse phytochemicals and polar metabolites from different-colored potato (*Solanum tuberosum* L.) tubers. *Food Science and Biotechnology*, *1*-11. <https://link.springer.com/article/10.1007/s10068-017-0167-2>
- Lee, W., Yeo, Y., Oh, S., Cho, K.-S., Park, Y.-E., Park, S., Lee, S., Cho, H., and Park, S.-Y. (2017). Compositional analyses of diverse phytochemicals and polar metabolites from different-colored potato (*solanum tuberosum* l.) tubers. pages 1–11. <https://link.springer.com/article/10.1007%2Fs10068-017-0167-2>
- Li, B., Song, K., Meng, J., Li, L., & Zhang, G. (2017). Integrated application of transcriptomics and metabolomics provides insights into glycogen content regulation in the Pacific oyster *Crassostrea gigas*. *BMC genomics*, *18*(1), 713. <https://www.frontiersin.org/articles/10.3389/fpls.2017.01101/full>
- Li, L., Wang, C., Yang, H., Liu, S., Lu, Y., Fu, P., & Liu, J. (2017). Metabolomics reveal mitochondrial and fatty acid metabolism disorders that contribute to the development of DKD in T2DM patients. *Molecular BioSystems*. [http://pubs.rsc.org/content/articlelanding/2017\(mb/c7mb00167c/unauth#!divAbstract](http://pubs.rsc.org/content/articlelanding/2017(mb/c7mb00167c/unauth#!divAbstract)
- Li, M., Guo, R., Jiao, Y., Jin, X., Zhang, H., & Shi, L. (2017). Comparison of Salt Tolerance in Soja Based on Metabolomics of Seedling Roots. *Frontiers in Plant Science*, *8*.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5481370/>
- Li, Q., Kang, J., Ma, Z., Li, X., Liu, L., and Hu, X. (2017). Microbial succession and metabolite changes during traditional serofluid dish fermentation. *LWT - Food Science and Technology*, *84*:771–779.
<http://www.sciencedirect.com/science/article/pii/S0023643817304553>
- Li, T., Li, E., Suo, Y., Xu, Z., Jia, Y., Qin, J. G., Chen, L., and Gu, Z. (2017). Energy metabolism and metabolomics response of pacific white shrimp *litopenaeus vannamei* to sulfide toxicity. *Aquatic Toxicology*, *183*:28–37.
<http://www.sciencedirect.com/science/article/pii/S0166445X16303617>
- Liu, F., Jiao, C., Bi, C., Xu, Q., Chen, P., Heuberger, A. L., and Krishnan, H. B. (2017). Metabolomics approach to understand mechanisms of β -N-oxalyl-L- α,β -diaminopropionic acid (β -ODAP) biosynthesis in grass pea (*lathyrus*

- sativus l.). *J. Agric. Food Chem.*
<http://pubs.acs.org/doi/10.1021/acs.jafc.7b04037>
- Ma, Q.-Q., Chen, Q., Shen, Z.-H., Li, D.-L., Han, T., Qin, J.-G., Chen, L.-Q., and Du, Z.-Y. (2017). The metabolomics responses of chinese mitten-hand crab (eriocheir sinensis) to different dietary oils. *Aquaculture*, 479:188–199. <http://www.sciencedirect.com/science/article/pii/S0044848616311577>
- Majcher, M. A., Myszka, K., Gracka, A., Grygier, A., and Jeleń, H. H. (2017). Key odorants of lazur, a polish Mold-Ripened cheese. *J. Agric. Food Chem.*
<http://pubs.acs.org/doi/abs/10.1021/acs.jafc.6b04911>
- Marsol-Vall, A., Balcells, M., Eras, J., & Canela-Garayoa, R. (2018). Development of a SBSE-TD method coupled to GC–MS and chemometrics for the differentiation of variety and processing conditions in peach juices. *Food Chemistry*, 239, 119-125.
<http://www.sciencedirect.com/science/article/pii/S030881461731052X>
- Martin, A. K., & Zhou, Z. (2017). Academic Content and Language Evaluation of This Article CrossCheck and Google Search of This Article Academic Rules and Norms of This Article Citation of This Article Corresponding Author of This Article. *World J Gastroenterol*, 23(20), 3643-3654.
<https://www.wjgnet.com/1007-9327/full/v23/i20/3643.htm>
- Martin, F. P., Su, M. M., Xie, G. X., Guiraud, S. P., Kussmann, M., Godin, J. P., ... & Nydegger, A. (2017). Urinary metabolic insights into host-gut microbial interactions in healthy and IBD children. *World Journal of Gastroenterology*, 23(20), 3643.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5449421/>
- Mazur, D. M., Grishina, G. V., and Lebedev, A. T. (2017). Molecular recognition of pseudodistamine isomeric precursors trans- 3(4)-aminopiperidin-4(3)-ols by EI mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 140:322–326.
<http://www.sciencedirect.com/science/article/pii/S0731708517303138>
- Mkhize, D., Nyoni, H., Quinn, L., Mamba, B., and Msagati, T. (2017). Molecularly imprinted membranes (MIMs) for selective removal of polychlorinated biphenyls (PCBs) in environmental waters: fabrication and characterization. pages 1–14.
<http://link.springer.com/article/10.1007%2Fs11356-017-8829-4>
- Moradi, P., Ford-Lloyd, B., and Pritchard, J. (2017). Metabolomic approach reveals the biochemical mechanisms underlying drought stress tolerance in thyme. *Analytical Biochemistry*.
<http://www.sciencedirect.com/science/article/pii/S0003269717300660>
- Morris, J. K., Piccolo, B. D., Shankar, K., Thyfault, J. P., & Adams, S. H. (2017). The serum metabolomics signature of Type 2 Diabetes is obscured in Alzheimer's Disease. *American Journal of Physiology-Endocrinology and Metabolism*.
<http://www.physiology.org/doi/abs/10.1152/ajpendo.00377.2017>

- Mu, F., Duan, J., Bian, H., Zhai, X., Shang, P., Lin, R., Zhao, M., Hu, D., Yin, Y., Wen, A., and Xi, M. (2017). Metabonomic strategy to the evaluation of chinese medicine salvia miltiorrhiza and dalbergia odorifera interfering myocardial Ischemia/Reperfusion injury in rats. *Rejuvenation Research*.
<http://online.liebertpub.com/doi/10.1089/rej.2016.1884>
- Ncube, S., Kunene, P., Tavengwa, N. T., Tutu, H., Richards, H., Cukrowska, E., and Chimuka, L. (2017). Synthesis and characterization of a molecularly imprinted polymer for the isolation of the 16 US-EPA priority polycyclic aromatic hydrocarbons (PAHs) in solution. *Journal of Environmental Management*, 199:192–200.
<http://www.sciencedirect.com/science/article/pii/S0301479717305005>
- Ning, W., Li, H., Meng, F., Cheng, J., Song, X., Zhang, G., Wang, W., Wu, S., Fang, J., Ma, K., Yang, J., Pei, D., and Dong, F. Identification of differential metabolic characteristics between tumor and normal tissue from colorectal cancer patients by gas chromatography-mass spectrometry. *Biomed. Chromatogr.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/bmc.3999/abstract;jsessionid=966F175BDCBFD732EFEB6EDBE38224A6.f02t01>
- Park, C., Yeo, H., Kim, N., Eun, P., Kim, S.-J., Arasu, M., Al-Dhabi, N., Park, S.-Y., Kim, J., and Park, S. (2017). Metabolic profiling of pale green and purple kohlrabi (*brassica oleracea* var. *gongylodes*). pages 1–9.
<http://link.springer.com/article/10.1007%2Fs13765-017-0274-z>
- Pinkerton, D. K., Reaser, B. C., Berrier, K. L., and Synovec, R. E. (2017). Determining the probability of achieving a successful quantitative analysis for gas Chromatography–Mass spectrometry. *Anal. Chem.*
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.7b02230>
- Ponzio, C., Papazian, S., Albrectsen, B. R., Dicke, M., and Gols, R. (2017). Dual herbivore attack and herbivore density affect metabolic profiles of *brassica nigra* leaves. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12926/abstract;jsessionid=53F772A8DE61F26CA9F62EEE528FEE53.f04t02>
- Prajitno, H., Zeb, H., Park, J., Ryu, C., and Kim, J. (2017). Efficient renewable fuel production from sewage sludge using a supercritical fluid route. *Fuel*, 200:146–152.
<http://www.sciencedirect.com/science/article/pii/S001623611730337X>
- Qiao, S., Wu, W., Chen, M., Tang, Q., Xia, Y., Jia, W., and Wang, X. (2017). Seminal plasma metabolomics approach for the diagnosis of unexplained male infertility. *PLOS ONE*, 12(8):e0181115+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0181115>
- Regnell, S. E., Hessner, M. J., Jia, S., Åkesson, L., Stenlund, H., Moritz, T., La Torre, D., and Lernmark, A. (2017). Longitudinal analysis of hepatic transcriptome and serum metabolome demonstrates altered lipid metabolism following the onset of hyperglycemia in spontaneously diabetic biobreeding rats. *PLOS ONE*, 12(2):e0171372+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0171372>

- Romero-Munar, A., Fernández Del-Saz, N., Ribas-Carbó, M., Flexas, J., Baraza, E., Florez-Sarasa, I., Fernie, A. R., and Gulías, J. (2017). Arbuscular mycorrhizal symbiosis with arundo donax decreases root respiration and increases both photosynthesis and plant biomass accumulation. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12902/abstract;jsessionid=BCFD5D6877F79D7EF3E46F27F969864.f04t04>
- Schaker, P. D., Peters, L. P., Cataldi, T. R., Labate, C. A., Caldana, C., & Monteiro-Vitorello, C. B. (2017). Metabolome Dynamics of Smutted Sugarcane Reveals Mechanisms Involved in Disease Progression and Whip Emission. *Frontiers in Plant Science*, 8.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5450380/>
- Schmidt, M. H. W., Vogel, A., Denton, A. K., Istance, B., Wormit, A., van de Geest, H., Bolger, M. E., Alseekh, S., Maß, J., Pfaff, C., Schurr, U., Chetelat, R. T., Maumus, F., Aury, J.-M., Koren, S., Fernie, A. R., Zamir, D., Bolger, A., and Usadel, B. (2017). De novo assembly of a new solanum pennellii accession using nanopore sequencing. *The Plant Cell*, pages tpc.00521.2017+.
<http://www.plantcell.org/content/early/2017/10/12/tpc.17.00521>
- Schmidt, M. H. W., Vogel, A., Denton, A., Istance, B., Wormit, A., van de Geest, H., Bolger, M. E., Alseekh, S., Mass, J., Pfaff, C., Schurr, U., Chetelat, R., Maumus, F., Aury, J.-M., Fernie, A. R., Zamir, D., Bolger, A. M., and Usadel, B. (2017). Reconstructing the gigabase plant genome of solanum pennellii using nanopore sequencing. *bioRxiv*, pages 129148+.
<http://biorkxiv.org/content/early/2017/04/21/129148>
- Shen, L., Han, B., Geng, Y., Wang, J., Wang, Z., and Wang, M. (2017). Amelioration of cognitive impairments in APPswe/PS1dE9 mice is associated with metabolites alteration induced by total salvianolic acid. *PLOS ONE*, 12(3):e0174763+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0174763>
- Skou, P. B., Khakimov, B., Hansen, T. H., Aunsbjerg, S. D., Knøchel, S., Thaysen, D., & van den Berg, F. (2017). Chemical characterization by gas chromatography-mass spectrometry and inductively coupled plasma-optical emission spectroscopy of membrane permeates from an industrial dairy ingredient production used as process water. *Journal of Dairy Science*.
<http://www.sciencedirect.com/science/article/pii/S0022030217309311>
- Smirnov, A., Jia, W., Walker, D. I., Jones, D. P., and Du, X. (2017). ADAP-GC 3.2: Graphical software tool for efficient spectral deconvolution of gas Chromatography-High resolution mass spectrometry metabolomics data. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/acs.jproteome.7b00633>
- Song, C., Zhu, C., Wu, Q., Qi, J., Gao, Y., Zhang, Z., Gaur, U., Yang, D., Fan, X., and Yang, M. (2017). Metabolome analysis of effect of aspirin on drosophila lifespan extension. *Experimental Gerontology*, 95:54–62.
<http://www.sciencedirect.com/science/article/pii/S0531556516306271>

- Song, H.-N., Kim, C. H., Lee, W.-Y., and Cho, S.-H. (2017). Simultaneous determination of volatile organic compounds (VOCs) with a wide range of polarities in urine by headspace solid-phase microextraction (HS-SPME) coupled to gas chromatography-mass spectrometry. *Rapid Commun. Mass Spectrom.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.7827/abstract>
- Studabaker, W. B., Puckett, K. J., Percy, K. E., and Landis, M. S. (2017). Determination of polycyclic aromatic hydrocarbons, dibenzothiophene, and alkylated homologs in the lichen hypogymnia physodes by gas chromatography using single quadrupole mass spectrometry and time-of-flight mass spectrometry. *Journal of Chromatography A*.
<http://www.sciencedirect.com/science/article/pii/S0021967317303102>
- Šulniūtė, V., Baranauskienė, R., Ragažinskienė, O., and Venskutonis, P. R. Comparison of composition of volatile compounds in ten salvia species isolated by different methods. *Flavour Fragr J*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/ffj.3389/abstract>
- Tauber, S., Lauber, B. A., Paulsen, K., Layer, L. E., Lehmann, M., Hauschild, S., Shepherd, N. R., Polzer, J., Segerer, J., Thiel, C. S., and Ullrich, O. (2017). Cytoskeletal stability and metabolic alterations in primary human macrophages in long-term microgravity. *PLOS ONE*, 12(4):e0175599+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0175599>
- Tiek, D. M., Rone, J. D., Graham, G. T., Pannkuk, E. L., Haddad, B. R., & Riggins, R. B. (2017). Alterations in Cell Motility, Proliferation, and Metabolism in Novel Models of Acquired Temozolomide Resistant Glioblastoma. *bioRxiv*, 232447. <https://www.biorxiv.org/content/early/2017/12/14/232447>
- Tong, K., Li, Z. L., Sun, X., Yan, S., Jiang, M. J., Deng, M. S., ... & Tian, M. L. (2017). Metabolomics approach reveals annual metabolic variation in roots of Cyathula officinalis Kuan based on gas chromatography–mass spectrum. *Chinese medicine*, 12(1), 12.
<https://cmjournal.biomedcentral.com/articles/10.1186/s13020-017-0133-1>
- Treves, H., Murik, O., Kedem, I., Eisenstadt, D., Meir, S., Rogachev, I., ... & Alcázar, R. (2017). Metabolic Flexibility Underpins Growth Capabilities of the Fastest Growing Alga. *Current Biology*.
<http://www.sciencedirect.com/science/article/pii/S0960982217308722>
- Trimigno, A., Khakimov, B., Mejia, J., Mikkelsen, M., Kristensen, M., Jespersen, B., and Engelsen, S. (2017). Identification of weak and gender specific effects in a short 3 weeks intervention study using barley and oat mixed linkage β -glucan dietary supplements: a human fecal metabolome study by GC-MS. 13(10):1–13.
<https://link.springer.com/article/10.1007%2Fs11306-017-1247-2>
- van Oort, P. M. P., Nijsen, T., Weda, H., Knobel, H., Dark, P., Felton, T., Rattray, N. J. W., Lawal, O., Ahmed, W., Portsmouth, C., Sterk, P. J., Schultz, M. J., Zakharkina, T., Artigas, A., Povo, P., Martin-Lloches, I., Fowler, S. J., and Bos, L. D. J. (2017). BreathDx – molecular analysis of exhaled breath as a diagnostic test for ventilator-associated pneumonia:

- protocol for a european multicentre observational study. *BMC Pulmonary Medicine*, 17(1).
<http://bmcpulmmed.biomedcentral.com/articles/10.1186/s12890-016-0353-7>
- van Stee, L. L. P. (2017). Analysis of complex samples using multidimensional gas chromatography and selective detection.
<http://dare.uvbu.vu.nl/bitstream/handle/1871/55202/table?sequence=5>
- Velez-Ramirez, A. I., Carreño-Quintero, N., Vreugdenhil, D., Millenaar, F. F., & van Ieperen, W. (2017). Sucrose and Starch Content Negatively Correlates with PSII Maximum Quantum Efficiency in Tomato (*Solanum lycopersicum*) Exposed to Abnormal Light/Dark Cycles and Continuous Light. *Plant and Cell Physiology*. <https://academic.oup.com/pcp/article-abstract/doi/10.1093/pcp/pcx068/3811178/Sucrose-and-Starch-Content-Negatively-Correlates>
- Wagner, C., Bonte, A., Brühl, L., Niehaus, K., Bednarz, H., and Matthäus, B. Microorganisms growing on rapeseed during storage affect the profile of volatile compounds of virgin rapeseed oil. *J. Sci. Food Agric.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/jsfa.8699/abstract;jsessionid=98AFD1403A0278CF6B8413F83323C7AE.f04t04>
- Wang, C., Bavcon Kralj, M., Košmrlj, B., Yao, J., Košenina, S., Polyakova, O. V., Artaev, V. B., Lebedev, A. T., and Trebše, P. (2017a). Stability and removal of selected avobenzone's chlorination products. *Chemosphere*, 182:238–244.
<http://www.sciencedirect.com/science/article/pii/S0045653517306203>
- Wang, H., Zhang, H., Yao, L., Cui, L., Zhang, L., Gao, B., ... & Ji, A. (2017). Serum metabolic profiling of type 2 diabetes mellitus in Chinese adults using an untargeted GC/TOFMS. *Clinica Chimica Acta*. <https://www.sciencedirect.com/science/article/pii/S0009898117304795>
- Wang, H., Zhong, H., Hou, R., Ayala, J., Liu, G., Yuan, S., ... & Cai, Z. (2017). A Diet Diverse in Bamboo Parts is Important for Giant Panda (*Ailuropoda melanoleuca*) Metabolism and Health. *Scientific Reports*, 7. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5469786/>
- Wang, L., Qu, L., Hu, J., Zhang, L., Tang, F., and Lu, M. (2017). Metabolomics reveals constitutive metabolites that contribute resistance to fall webworm (*hyphantria cunea*) in *populus deltoids*. *Environmental and Experimental Botany*. <http://www.sciencedirect.com/science/article/pii/S0098847217300023>
- Wang, X. J., Sun, D. L., Bian, N. F., Shen, Y., Zhang, Z. M., Wang, X., Xu, Z. J., and Qi, Y. J. (2017b). Metabolic changes of peanut (*arachis hypogaea* l.) buds in response to low temperature (LT). *South African Journal of Botany*, 111:341–345.
<http://www.sciencedirect.com/science/article/pii/S0254629916304045>
- Wang, Y., Mei, S., Wang, Z., Jiang, Z., Zhu, Z., Ding, J., Wu, D., and Shu, X. (2017c). Metabolite profiling of a Zinc-Accumulating rice mutant. *J. Agric.*

- Food Chem.*, 65(18):3775–3782.
<http://pubs.acs.org/doi/abs/10.1021/acs.jafc.7b00105>
- Wilck, N., Matus, M. G., Kearney, S. M., Olesen, S. W., Forslund, K., Bartolomaeus, H., ... & Vvedenskaya, O. (2017). Salt-responsive gut commensal modulates T H 17 axis and disease. *Nature*, nature24628. <https://www.nature.com/articles/nature24628>
- Yang, C., Hao, R., Du, X., Wang, Q., Deng, Y., Sun, R., & Zheng, Z. (2017). GC-TOF/MS-based metabolomics studies on the effect of protein sources in formulated diet for pearl oyster *Pinctada fucata martensi*. *Aquaculture*. <https://www.sciencedirect.com/science/article/pii/S0044848617317593>
- Yang, D.-s., Zhang, J., Li, M.-x., and Shi, L.-x. (2017). Metabolomics analysis reveals the Salt-Tolerant mechanism in glycine soja. pages 1–12. <http://link.springer.com/article/10.1007%2Fs00344-016-9654-6>
- Yin, S., Guo, P., Hai, D., Xu, L., Shu, J., Zhang, W., ... & Liu, Y. (2017). Optimization of GC/TOF MS analysis conditions for assessing host-gut microbiota metabolic interactions: Chinese rhubarb alters fecal aromatic Amino acids and phenol metabolism. *Analytica Chimica Acta*. <http://www.sciencedirect.com/science/article/pii/S000326701731142X>
- Zhan, P., Tang, K., Chen, X., & Yu, L. (2017). Complete genome sequence of Maribacter sp. T28, a polysaccharide-degrading marine flavobacteria. *Journal of Biotechnology*, 259, 1-5. <http://www.sciencedirect.com/science/article/pii/S016816561731595X>
- Zhang, J., Shi, H., Wang, Y., Li, S., Cao, Z., Ji, S., ... & Zhang, H. (2017). Effect of Dietary Forage to Concentrate Ratios on Dynamic Profile Changes and Interactions of Ruminal Microbiota and Metabolites in Holstein Heifers. *Frontiers in Microbiology*, 8, 2206. <https://www.frontiersin.org/articles/10.3389/fmicb.2017.02206/full>
- Zhang, M., & Li, Z. (2018). Thermal maturity of the Permian Lucaogou Formation organic-rich shale at the northern foot of Bogda Mountains, Junggar Basin (NW China): Effective assessments from organic geochemistry. *Fuel*, 211, 278-290. <http://www.sciencedirect.com/science/article/pii/S0016236117311778>
- Zhang, Q., Tang, D., Liu, M., & Ruan, J. (2017). Integrated analyses of the transcriptome and metabolome of the leaves of albino tea cultivars reveal coordinated regulation of the carbon and nitrogen metabolism. *Scientia Horticulturae*. <https://www.sciencedirect.com/science/article/pii/S0304423817307069>
- Zhang, R., Zhu, W., Jiang, L., and Mao, S. (2017). Comparative metabolome analysis of ruminal changes in holstein dairy cows fed low- or high-concentrate diets. 13(6):1–15. <http://link.springer.com/article/10.1007%2Fs11306-017-1204-0>
- Zhang, Y., Zhang, M., Li, H., Zhao, H., Wang, F., He, Q., ... & Wang, S. (2017). Serum metabonomics study of the hepatoprotective effect of amarogentin on CCl₄-induced liver fibrosis in mice by GC-TOF-MS analysis. *Journal of Pharmaceutical and Biomedical Analysis*.

<http://www.sciencedirect.com/science/article/pii/S0731708517316941>

Zhang, Y.-L., Zhang, G.-M., Jia, R.-X., Wan, Y.-J., Yang, H., Sun, L.-W., Han, L., and Wang, F. Non-invasive assessment of culture media from goat cloned embryos associated with subjective morphology by gas chromatography – mass spectroscopy-based metabolomic analysis. *Anim Sci J*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/asj.12885/abstract;jsessionid=C30B8E1CC435051F8CD9EB18E88D8603.f02t01>

Zhao, L., Ni, Y., Su, M., Li, H., Dong, F., Chen, W., Wei, R., Zhang, L., Guiraud, S. P., Martin, F.-P., Rajani, C., Xie, G., and Jia, W. (2017). High throughput and quantitative measurement of microbial metabolome by gas Chromatography/Mass spectrometry using automated alkyl chloroformate derivatization. *Anal. Chem.*, 89(10):5565–5577.
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.7b00660>

2016-Total-114

Ahn, J. K., Kim, S., Hwang, J., Kim, J., Kim, K. H., and Cha, H.-S. (2016). GC/TOF-MS-based metabolomic profiling in cultured fibroblast-like synoviocytes from rheumatoid arthritis. *Joint Bone Spine*.
<http://www.sciencedirect.com/science/article/pii/S1297319X16300069>

Al-Majdoub, M., Ali, A., Storm, P., Rosengren, A., Groop, L., and Spégel, P. (2016). Metabolite profiling of LADA challenges the view of a metabolically distinct subtype. *Diabetes*, pages db160779+.
<http://diabetes.diabetesjournals.org/content/early/2016/12/02/db16-0779>

Albrecht, U., Fiehn, O., and Bowman, K. D. (2016). Metabolic variations in different citrus rootstock cultivars associated with different responses to huanglongbing. *Plant Physiology and Biochemistry*.
<http://www.sciencedirect.com/science/article/pii/S0981942816302005>

Álvarez Barragán, J., Domínguez-Malfavón, L., Vargas-Suárez, M., González-Hernández, R., Aguilar-Osorio, G., and Loza-Tavera, H. (2016). Biodegradative activities of selected environmental fungi on a polyester polyurethane varnish and polyether polyurethane foams. *Applied and Environmental Microbiology*, 82(17):5225–5235.
<http://aem.asm.org/content/82/17/5225>

Barupal, D. K., Pinkerton, K. E., Hood, C., Kind, T., and Fiehn, O. (2016). Environmental tobacco smoke alters metabolic systems in adult rats. *Chem. Res. Toxicol.* <http://pubs.acs.org/doi/abs/10.1021/acs.chemrestox.6b00187>

Bechshøft, R. L., Reitelseder, S., Højfeldt, G., Castro-Mejía, J. L., Khakimov, B., Ahmad, H. F., Kjær, M., Engelsen, S. B., Johansen, S. M., Rasmussen, M. A., Lassen, A. J., Jensen, T., Beyer, N., Serena, A., Perez-Cueto, F. J., Nielsen, D. S., Jespersen, A. P., and Holm, L. (2016). Counteracting age-related loss of skeletal muscle mass: a clinical and ethnological trial on the role of protein supplementation and training load (CALM intervention

- study): study protocol for a randomized controlled trial. *Trials*, 17(1).
<http://trialsjournal.biomedcentral.com/articles/10.1186/s13063-016-1512-0>
- Budzinski, I. G., Moon, D. H., Lindén, P., Moritz, T., and Labate, C. A. (2016). Seasonal variation of carbon metabolism in the cambial zone of eucalyptus grandis. *Frontiers in plant science*, 7.
<http://journal.frontiersin.org/article/10.3389/fpls.2016.00932/full>
- Budzinski, I. G., Moon, D. H., Morosini, J. S., Lindén, P., Bragatto, J., Moritz, T., and Labate, C. A. (2016). Integrated analysis of gene expression from carbon metabolism, proteome and metabolome, reveals altered primary metabolism in eucalyptus grandis bark, in response to seasonal variation. *BMC Plant Biology*, 16(1).
<http://bmcpplantbiol.biomedcentral.com/articles/10.1186/s12870-016-0839-8>
- Bündig, C., Blume, C., Peterhänsel, C., and Winkelmann, T. (2016). Changed composition of metabolites in solanum tuberosum subjected to osmotic stress in vitro: Is sorbitol taken up? pages 1–12.
<http://link.springer.com/article/10.1007%2Fs11240-016-1042-1>
- Cajka, T., Garay, L. A., Sitepu, I. R., Boundy-Mills, K. L., and Fiehn, O. (2016). Multiplatform mass Spectrometry-Based approach identifies extracellular glycolipids of the yeast rhodotorula babjevae UCDFST 04-877. *J. Nat. Prod.* <http://pubs.acs.org/doi/abs/10.1021/acs.jnatprod.6b00497>
- Campos, N. V., Araújo, T. O., Arcanjo-Silva, S., Freitas-Silva, L., Azevedo, A. A., and Nunes-Nesi, A. (2016). Arsenic hyperaccumulation induces metabolic reprogramming in pityrogramma calomelanos to reduce oxidative stress. *Physiol Plantarum*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/ppl.12426/abstract>
- Cauchi, M., Weber, C. M., Bolt, B. J., Spratt, P. B., Bessant, C., Turner, D. C., Willis, C. M., Britton, L. E., Turner, C., and Morgan, G. (2016). Evaluation of gas chromatography mass spectrometry and pattern recognition for the identification of bladder cancer from urine headspace. *Anal. Methods*.
<http://pubs.rsc.org/en/Content/ArticleLanding/2016/AY/C6AY00400H>
- Chen, L., Cheng, C.-Y., Choi, H., Ikram, M. K., Sabanayagam, C., Tan, G. S. W., Tian, D., Zhang, L., Venkatesan, G., Tai, E. S., Wang, J. J., Mitchell, P., Cheung, C. M. G., Beuerman, R. W., Zhou, L., Chan, E. C. Y., and Wong, T. Y. (2016). Plasma metabonomic profiling of diabetic retinopathy. *Diabetes*, pages db150661+.
<http://diabetes.diabetesjournals.org/content/early/2016/01/14/db15-0661>
- Chomicki, G., Staedler, Y. M., Schönenberger, J., and Renner, S. S. (2016). Partner choice through concealed floral sugar rewards evolved with the specialization of ant–plant mutualisms. *New Phytol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/nph.13990/abstract;jsessionid=91085B0833839D476E91288926DC8F35.f02t04>
- Chung, H., Lee, N., Seo, J.-A., and Kim, Y.-S. (2016). Comparative analysis of nonvolatile and volatile metabolites in lichtheimia ramosa cultivated in

- different growth media. *Bioscience, Biotechnology, and Biochemistry*, pages 1–8. <http://www.tandfonline.com/doi/full/10.1080/09168451.2016.1256756>
- Cuadros-Inostroza, A., Ruíz-Lara, S., González, E., Eckardt, A., Willmitzer, L., and Peña Cortés, H. (2016). GC–MS metabolic profiling of cabernet sauvignon and merlot cultivars during grapevine berry development and network analysis reveals a stage- and cultivar-dependent connectivity of primary metabolites. *12(2):1–17.*
<http://link.springer.com/article/10.1007%2Fs11306-015-0927-z>
- Cui, S., Wang, L., Qiu, J., Liu, Z., and Geng, X. (2016). Comparative metabolomics analysis of callosobruchus chinensis larvae under hypoxia, hypoxia/hypercapnia and normoxia. *Pest. Manag. Sci.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/ps.4455/abstract;jsessionid=77996BDB620FD9708822F2114976C646.f01t03>
- Dan, Z., Hu, J., Zhou, W., Yao, G., Zhu, R., Zhu, Y., and Huang, W. (2016). Metabolic prediction of important agronomic traits in hybrid rice (*oryza sativa l.*). *Scientific Reports*, *6*:21732+.
<http://www.nature.com/articles/srep21732>
- Das, M. K., Arya, R., Debnath, S., Debnath, R., Lodh, A., Bishwal, S. C., Das, A., and Nanda, R. K. (2016). Global urine metabolomics of first line tuberculosis drug treated patients and identification of a novel metabolite of ethambutol. *Antimicrobial Agents and Chemotherapy*, pages AAC.02586–15+. <http://aac.asm.org/content/early/2016/01/26/AAC.02586-15>
- Di Poto, C., Ferrarini, A., Zhao, Y., Varghese, R. S., Tu, C., Zuo, Y., Wang, M., Nezami Ranjbar, M. R., Luo, Y., Zhang, C., Desai, C. S., Shetty, K., Tadesse, M. G., and Ressom, H. W. (2016). Metabolomic characterization of hepatocellular carcinoma in patients with liver cirrhosis for biomarker discovery. *Cancer Epidemiology and Prevention Biomarkers*, pages cebp.0366.2016+.
<http://cebp.aacrjournals.org/content/early/2016/12/02/1055-9965.EPI-16-0366>
- Domingo-Almenara, X., Brezmes, J., Vinaixa, M., Samino, S., Ramirez, N., Ramon-Krauel, M., Lerin, C., Díaz, M., Ibáñez, L., Correig, X., Perera-Lluna, A., and Yanes, O. (2016). eRah: A computational tool integrating spectral deconvolution and alignment with quantification and identification of metabolites in GC/MS-based metabolomics. *Anal. Chem.*, *88*(19):9821–9829. <http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b02927>
- Dong, X., Liu, G., Wu, X., Lu, X., Yan, L., Muhammad, R., Shah, A., Wu, L., and Jiang, C. (2016). Different metabolite profile and metabolic pathway with leaves and roots in response to boron deficiency at the initial stage of citrus rootstock growth. *Plant Physiology and Biochemistry*, *108*:121–131. <http://www.sciencedirect.com/science/article/pii/S0981942816302741>
- Dorweiler, K. J., Gurav, J. N., Walbridge, J. S., Ghatge, V. S., and Savant, R. H. (2016). Determination of stability from multicomponent pesticide mixes. *J. Agric. Food Chem.* <http://pubs.acs.org/doi/abs/10.1021/acs.jafc.5b05681>

- Dugas, L., Chorell, E., Plange-Rhule, J., Lambert, E., Cao, G., Cooper, R., Layden, B., Scholten, D., Olsson, T., Luke, A., and Goedecke, J. (2016). Obesity-related metabolite profiles of black women spanning the epidemiologic transition. 12(3):1–10.
<http://link.springer.com/article/10.1007%2Fs11306-016-0960-6>
- Dyson, B. C., Miller, M. A. E., Feil, R., Rattray, N., Bowsher, C., Goodacre, R., Lunn, J. E., and Johnson, G. N. (2016). FUM2, a cytosolic fumarase, is essential for acclimation to low temperature in arabidopsis thaliana. *Plant Physiology*, pages pp.00852.2016+.
<http://www.plantphysiol.org/content/early/2016/07/20/pp.16.00852>
- Eisenhut, M., Bräutigam, A., Timm, S., Florian, A., Tohge, T., Fernie, A. R., Bauwe, H., and Weber, A. P. M. (2016). Photorespiration is crucial for dynamic response of photosynthetic metabolism and stomatal movement to altered CO₂ availability. *Molecular Plant*. [http://www.cell.com/molecular-plant/abstract/S1674-2052\(16\)30219-2?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS1674205216302192%3Fshowall%3Dtrue](http://www.cell.com/molecular-plant/abstract/S1674-2052(16)30219-2?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS1674205216302192%3Fshowall%3Dtrue)
- Fernández Del-Saz, N., Florez-Sarasa, I., Clemente-Moreno, M. J., Mhadhbi, H., Flexas, J., Fernie, A. R., and Ribas-Carbó, M. (2016). Salinity tolerance is related to cyanide-resistant alternative respiration in medicago truncatula under sudden severe stress. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12776/abstract>
- Fiehn, O. (2001). Metabolomics by gas Chromatography–Mass spectrometry: Combined targeted and untargeted profiling.
<http://onlinelibrary.wiley.com/doi/10.1002/0471142727.mb3004s114/abstract;jsessionid=5CCD40A341EB623CCC26CE2894E27479.f03t01>
- Florez-Sarasa, I., Ribas-Carbo, M., Del-Saz, N. F., Schwahn, K., Nikoloski, Z., Fernie, A. R., and Flexas, J. (2016). Unravelling the in vivo regulation and metabolic role of the alternative oxidase pathway in c3 species under photoinhibitory conditions. *New Phytol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/nph.14030/abstract>
- Fuentes, P., Zhou, F., Erban, A., Karcher, D., Kopka, J., and Bock, R. (2016). A new synthetic biology approach allows transfer of an entire metabolic pathway from a medicinal plant to a biomass crop. *eLife*, 5.
<https://elifesciences.org/content/5/e13664>
- Galvan-Miranda, E. K., Castro-Cruz, H. M., Arias-Orea, J. A., Iurlo, M., Valenti, G., Marcaccio, M., and Macias-Ruvalcaba, N. A. (2016). Synthesis, photophysical, electrochemical and electrochemiluminescent properties of A2B2 zinc porphyrins: effect of [small pi]-extended conjugation. *Phys. Chem. Chem. Phys.*
<http://pubs.rsc.org/en/Content/ArticleLanding/2016/CP/C6CP01926A#!divAbstract>
- Gao, K., Liu, L., Dou, X., Wang, C., Liu, J., Zhang, W., and Wang, H. (2016). Doses lactobacillus reuteri depend on adhesive ability to modulate the intestinal immune response and metabolism in mice challenged with

- lipopolysaccharide. *Scientific reports*, 6:28332+.
<http://www.nature.com/articles/srep28332>
- Gilda, J. E., Lai, X., Witzmann, F. A., and Gomes, A. V. (2016). Delineation of molecular pathways involved in cardiomyopathies caused by troponin t mutations. *Molecular & Cellular Proteomics*, pages mcp.M115.057380+.
<http://www.mcponline.org/content/early/2016/03/28/mcp.M115.057380>
- Gorst-Allmana, C. P., & Naude, Y. (2016). Fynbos products: what's in the bottle? An investigation of terpenoid constituents in fynbos products by GCxGC-TOFMS and GC-HRT. *South African Journal of Chemistry*, 69(1), 213-217. <http://journals.co.za/content/chem/69/1/EJC196534>
- Hamimi, S. A., Heyman-Lindén, L., Plaza, M., Turner, C., Berger, K., and Spégel, P. (2016). Alterations in the plasma metabolite profile associated with improved hepatic function and glycaemia in mice fed lingonberry supplemented high-fat diets. *Mol. Nutr. Food Res.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/mnfr.201600442/abstract>
- Han, Y., Li, Y., Wang, Y., Gao, J., Xia, L., and Hong, Y. (2016). Comparison of fresh, dried and stir-frying gingers in decoction with blood stasis syndrome in rats based on a GC-TOF/MS metabolomics approach. *Journal of Pharmaceutical and Biomedical Analysis*, 129:339–349.
<http://www.sciencedirect.com/science/article/pii/S0731708516303934>
- He, D., Damaris, R. N., Fu, J., Tu, J., Fu, T., Xi, C., Yi, B., and Yang, P. (2016a). Differential molecular responses of rapeseed cotyledons to light and dark reveal metabolic adaptations toward autotrophy establishment. *Frontiers in plant science*, 7.
<http://journal.frontiersin.org/article/10.3389/fpls.2016.00988/full>
- He, H., Willems, L., Batushansky, A., Fait, A., Hanson, J., Nijveen, H., Hilhorst, H. W. M., and Bentsink, L. (2016). Effects of parental temperature and nitrate on seed performance are reflected by partly overlapping genetic and metabolic pathways. *Plant and Cell Physiology*, pages pcv207+.
<http://pcp.oxfordjournals.org/content/early/2016/01/05/pcp.pcv207>
- He, Y., Mao, C., Chen, Z., Wen, H., Lu, W., and Wu, H. (2016b). Identification of differential metabolites in liquid diet fermented with bacillus subtilis using gas chromatography time of flight mass spectrometry. *Animal Nutrition*.
<http://www.sciencedirect.com/science/article/pii/S2405654516300816>
- He, Y., Li, Q. Q., and Guo, S. C. (2016). Taurine attenuates dimethylbenz[a]anthracene-induced breast tumorigenesis in rats: A plasma metabolomic study. *Anticancer Research*, 36(2):533–543.
<http://www.ncbi.nlm.nih.gov/pubmed/26851007>
- Ji, J., Pi, F., Zhang, S., Sun, C., Sun, J., Wang, X., Zhang, Y., and Sun, X. (2016). GC-TOF/MS-based metabolomic strategy for combined toxicity effects of deoxynivalenol and zearalenone on murine macrophage ANA-1 cells. *Toxicon*.
<http://www.sciencedirect.com/science/article/pii/S0041010116302367>

- Ji, J., Sun, J., Pi, F., Zhang, S., Sun, C., Wang, X., Zhang, Y., and Sun, X. (2016). GC-TOF/MS-based metabolomics approach to study the cellular immunotoxicity of deoxynivalenol on murine macrophage ANA-1 cells. *Chemico-Biological Interactions*.
<http://www.sciencedirect.com/science/article/pii/S0009279716302332>
- Jia, N., Lv, T.-T., Li, M.-X., Wei, S.-S., Li, Y.-Y., Zhao, C.-L., and Li, B. (2016). The j-protein AtDjB1 is required for mitochondrial complex i activity and regulates growth and development through ROS-mediated auxin signalling. *Journal of Experimental Botany*, pages erw171+.
<http://jxb.oxfordjournals.org/content/early/2016/04/25/jxb.erw171>
- Jiang, H., Song, J.-m., Gao, P.-f., Qin, X.-j., Xu, S.-z., and Zhang, J.-f. (2016). Metabolic characterization of the early stage of hepatic fibrosis in rat using GC-TOF/MS and multivariate data analyses. *Biomed. Chromatogr.*, page n/a.
http://onlinelibrary.wiley.com/doi/10.1002/bmc.3899/abstract;jsessionid=F_CCE65790303A0E032E3D61B67891C78.f04t04
- Jiang, H., Liu, J., Wang, T., Gao, J.-r., Sun, Y., Huang, C.-b., Meng, M., and Qin, X.-j. (2016). Mechanism of xinfeng capsule on Adjuvant-Induced arthritis via analysis of urinary metabolomic profiles. *Autoimmune Diseases*, 2016:1–10. <http://www.hindawi.com/journals/ad/2016/5690935/>
- Jiang, H., Liu, J., Wang, T., Gao, J.-r., Sun, Y., Huang, C.-b., Meng, M., and Qin, X.-j. (2016). Urinary metabolite profiling provides potential differentiation to explore the mechanisms of adjuvant-induced arthritis in rats. *Biomed. Chromatogr.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/bmc.3697/abstract>
- Karakas, S. E., Perroud, B., Kind, T., Palazoglu, M., and Fiehn, O. (2016). Changes in plasma metabolites and glucose homeostasis during omega-3 polyunsaturated fatty acid supplementation in women with polycystic ovary syndrome. *BBA Clinical*.
<http://www.sciencedirect.com/science/article/pii/S2214647416300174>
- Kerchev, P. I., Waszczak, C., Lewandowska, A., Willem, P., Shapiguzov, A., Li, Z., Alseekh, S., Mühlenbock, P., Hoebrichts, F., Huang, J. J., Van Der Kelen, K., Kangasjärvi, J., Fernie, A. R., De Smet, R., Van de Peer, Y., Messens, J., and Van Breusegem, F. (2016). Lack of GLYCOLATE OXIDASE 1, but not GLYCOLATE OXIDASE 2, attenuates the photorespiratory phenotype of CATALASE2-deficient arabidopsis. *Plant Physiology*, pages pp.00359.2016+.
<http://www.plantphysiol.org/content/early/2016/05/25/pp.16.00359>
- Keunen, E., Florez-Sarasa, I., Obata, T., Jozefczak, M., Remans, T., Vangronsveld, J., Fernie, A. R., and Cuypers, A. (2016). Metabolic responses of arabidopsis thaliana roots and leaves to sublethal cadmium exposure are differentially influenced by ALTERNATIVE OXIDASE1a. *Environmental and Experimental Botany*, 124:64–78.
<http://www.sciencedirect.com/science/article/pii/S0098847215300435>

- Khakimov, B., Mongi, R. J., Sørensen, K. M., Ndabikunze, B. K., Chove, B. E., and Engelsen, S. B. (2016). A comprehensive and comparative GC-MS metabolomics study of non-volatiles in tanzanian grown mango, pineapple, jackfruit, baobab and tamarind fruits. *Food Chemistry*.
<http://www.sciencedirect.com/science/article/pii/S0308814616310263>
- Kim, D. H., Wang, D., Yun, E. J., Kim, S., Kim, S. R., and Kim, K. H. (2016a). Validation of the metabolic pathway of the alginate-derived monomer in *saccharophagus degradans* 2-40T by gas chromatography–mass spectrometry. *Process Biochemistry*.
<http://www.sciencedirect.com/science/article/pii/S1359511316302689>
- Kim, J. (2016). Interstitial Cystitis-Associated urinary metabolitesIdentified by Mass-Spectrometry based metabolomics analysis. In *Proceedings of The 1st International Electronic Conference on Metabolomics*, pages A002+. MDPI.
<http://sciforum.net/conference/iecm-1/paper/3472>
- Kim, S., Hwang, J., Kim, J., Ahn, J. K., Cha, H.-S., and Kim, K. H. (2016b). Metabolite profiles of synovial fluid change with the radiographic severity of knee osteoarthritis. *Joint Bone Spine*.
<http://www.sciencedirect.com/science/article/pii/S1297319X16301130>
- Kim, U.-J. and Kim, B. C. (2016). DNA aptamers for selective identification and separation of flame retardant chemicals. *Analytica Chimica Acta*.
<http://www.sciencedirect.com/science/article/pii/S0003267016308030>
- Kortbeek, R. W. J., Xu, J., Ramirez, A., Spyropoulou, E., Diergaard, P., Otten-Bruggeman, I., de Both, M., Nagel, R., Schmidt, A., Schuurink, R. C., and Bleeker, P. M. (2016). *Engineering of Tomato Glandular Trichomes for the Production of Specialized Metabolites*. Elsevier.
<http://www.sciencedirect.com/science/article/pii/S0076687916000987>
- Kyjáková, P., Roy, V., Jirošová, A., Krasulová, J., Dolejšová, K., Křivánek, J., Hadrárová, R., Rybáček, J., Pohl, R., Roisin, Y., Sillam-Dussès, D., and Hanus, R. (2016). Chemical systematics of neotropical termite genera with symmetrically snapping soldiers (termitidae: Termitinae). *Zool J Linn Soc*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/zoj.12486/abstract>
- Lebedev, A. T., Mazur, D. M., Kudelin, A. I., Fedotov, A. N., Gloriozov, I. P., Ustynguk, Y., and Artaev, V. B. (2016). Cyclization of n-aryl cyclopropanecarboxamides into n-arylpyrrolidinones-2 under electron ionization and in the condensed phase. *Rapid Commun. Mass Spectrom.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.7717/abstract?systemMessage=Wiley+Online+Library+will+be+unavailable+on+Saturday+3rd+September+2016+at+08.30+BST%2F+03%3A30+EDT%2F+15%3A30+SGT+for+5+hours+and+Sunday+4th+September+at+10%3A00+BST%2F+05%3A00+EST%2F+17%3A00+SGT+for+1+hour++for+essential+maintenance.+Apologies+for+the+inconvenience>
- Lee, J.-E., Lee, Y. H., Kim, S.-Y., Kim, Y. G., Moon, J.-Y., Jeong, K.-H., Lee, T. W., Ihm, C.-G., Kim, S., Kim, K. H., Kim, D. K., Kim, Y. S., Kim, C.-

- D., Park, C. W., Lee, D. Y., and Lee, S.-H. (2016). Systematic biomarker discovery and coordinative validation for different primary nephrotic syndromes using gas chromatography–mass spectrometry. *Journal of Chromatography A*.
<http://www.sciencedirect.com/science/article/pii/S0021967316306495>
- Lee, J.-E., Kim, Y., Kim, K. H., Lee, D. Y., and Lee, Y. (2016a). Contribution of drosophila TRPA1 to metabolism. *PLoS ONE*, 11(4):e0152935+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0152935>
- Lee, J. W., Smith, C., Kumar, S., and Hatcher, P. G. (2016b). An investigation into the sources of biochar water soluble organic compounds and their potential toxicity on aquatic microorganisms. *ACS Sustainable Chem. Eng.*
<http://pubs.acs.org/doi/abs/10.1021/acssuschemeng.5b01687>
- Li, C., Li, P., Tan, Y. M., Lam, S. H., Chan, E. C. Y., and Gong, Z. (2016). Metabolomic characterizations of liver injury caused by acute arsenic toxicity in zebrafish. *PLoS ONE*, 11(3):e0151225+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0151225>
- Li, X., Kong, W., Shi, W., and Shen, Q. (2016). A combination of chemometrics methods and GC-MS for the classification of edible vegetable oils. *Chemometrics and Intelligent Laboratory Systems*.
<http://www.sciencedirect.com/science/article/pii/S0169743916300715>
- Liang, C., Cheng, S., Zhang, Y., Sun, Y., Fernie, A. R., Kang, K., Panagiotou, G., Lo, C., and Lim, B. L. (2016). Transcriptomic, proteomic and metabolic changes in arabidopsis thaliana leaves after the onset of illumination. *BMC Plant Biology*, 16(1).
<http://bmclistbiol.biomedcentral.com/articles/10.1186/s12870-016-0726-3>
- Lindén, P., Keech, O., Stenlund, H., Gardestöm, P., and Moritz, T. (2016). Reduced mitochondrial malate dehydrogenase activity has a strong effect on photorespiratory metabolism as revealed by ¹³C labelling. *Journal of Experimental Botany*, 67(10):3123–3135.
<http://jxb.oxfordjournals.org/content/67/10/3123>
- Liu, J.-P., Zou, L.-H., Zhang, H., Wu, S.-B., and Ji, B.-Y. (2016). Cerebral metabolic profiling of hypothermic circulatory arrest with and without antegrade selective cerebral perfusion: Evidence from nontargeted tissue metabolomics in a rabbit model. *Chinese Medical Journal*, 129(6):702+.
<http://www.cmj.org/article.asp?issn=0366-6999;year=2016;volume=129;issue=6;spage=702;aulast=Zou>
- Liu, Z., Alseekh, S., Brotman, Y., Zheng, Y., Fei, Z., Tieman, D. M., Giovannoni, J. J., Fernie, A. R., and Klee, H. J. (2016). Identification of a solanum pennellii chromosome 4 fruit flavor and nutritional Quality-Associated metabolite QTL. *Frontiers in Plant Science*, 7.
<http://journal.frontiersin.org/article/10.3389/fpls.2016.01671/full>
- Lu, N., Chen, J.-H., Wei, D., Chen, F., and Chen, G. (2016). Global metabolic regulation of the snow alga chlamydomonas nivalis in response to nitrate or phosphate deprivation by a metabolome profile analysis. *International*

- Journal of Molecular Sciences*, 17(5):694+. <http://www.mdpi.com/1422-0067/17/5/694>
- Luo, Q., George, S. C., Xu, Y., and Zhong, N. (2016). Organic geochemical characteristics of the mesoproterozoic hongshuizhuang formation from northern china: implications for thermal maturity and biological sources. *Organic Geochemistry*.
<http://www.sciencedirect.com/science/article/pii/S0146638016300420>
- Malm, L., Tybring, G., Moritz, T., Landin, B., and Galli, J. (2016). Metabolomic quality assessment of EDTA plasma and serum samples. *Biopreservation and Biobanking*, 14(5):416–423.
<http://online.liebertpub.com/doi/10.1089/bio.2015.0092>
- Mazur, D. M., Polyakova, O. V., Artaev, V. B., and Lebedev, A. T. (2016). Novel pollutants in the moscow atmosphere in winter period: Gas chromatography-high resolution time-of-flight mass spectrometry study. *Environmental Pollution*.
<http://www.sciencedirect.com/science/article/pii/S0269749116316608>
- Montero, R., Pérez-Bueno, M. L., Barón, M., Florez-Sarasa, I., Tohge, T., Fernie, A. R., El aou ouad, H., Flexas, J., and Bota, J. (2016). Alterations in primary and secondary metabolism in vitis vinifera 'malvasía de banyalbufar' upon infection with grapevine leafroll associated virus 3 (GLRaV-3). *Physiol Plantarum*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/ppl.12440/abstract>
- Muravnik, L., Kostina, O., and Shavarda, A. (2016). Glandular trichomes of tussilago farfara (senecioneae, asteraceae). pages 1–16.
<http://link.springer.com/article/10.1007%2Fs00425-016-2539-x>
- Murray, P. G., Butcher, I., Dunn, W. B., Stevens, A., Perchard, R., Hanson, D., Whatmore, A., Westwood, M., and Clayton, P. E. (2016). Metabolites involved in glycolysis and amino acid metabolism are altered in short children born small for gestational age. *Pediatr Res*.
<http://www.nature.com/pr/journal/vaop/ncurrent/full/pr201672a.html>
- Narváez-Rivas, M., Vu, N., Chen, G.-Y., and Zhang, Q. (2016). Off-line mixed-mode liquid chromatography coupled with reversed phase high performance liquid chromatography-high resolution mass spectrometry to improve coverage in lipidomics analysis. *Analytica Chimica Acta*.
<http://www.sciencedirect.com/science/article/pii/S000326701631443X>
- Neiens, S., Geißlitz, S., and Steinhaus, M. (2016). Aroma-active compounds in spondias mombin l. fruit pulp. pages 1–9.
<http://link.springer.com/article/10.1007%2Fs00217-016-2825-7>
- Ogbaga, C. C., Stepien, P., Dyson, B. C., Rattray, N. J. W., Ellis, D. I., Goodacre, R., and Johnson, G. N. (2016). Biochemical analyses of sorghum varieties reveal differential responses to drought. *PLoS ONE*, 11(5):e0154423+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0154423>
- Oh, D.-G., Jang, Y. K., Woo, J. E., Kim, J.-S., and Lee, C. H. (2016). Metabolomics reveals the effect of garlic on antioxidant- and protease-

- activities during cheonggukjang (fermented soybean paste) fermentation. *Food Research International*.
<http://www.sciencedirect.com/science/article/pii/S0963996916300205>
- Ouellet, E. and Pedneault, K. (2016). Impact of frozen storage on the free volatile compound profile of grape berries. *American Journal of Enology and Viticulture*, pages ajev.2015.15087+.
<http://www.ajevonline.org/content/early/2015/12/23/ajev.2015.15087.abstract>
- Panneerselvam, J., Xie, G., Che, R., Su, M., Zhang, J., Jia, W., and Fei, P. (2016). Distinct metabolic signature of human bladder cancer cells carrying an impaired fanconi anemia Tumor-Suppressor signaling pathway. *J. Proteome Res.*, 15(4):1333–1341.
<http://pubs.acs.org/doi/abs/10.1021/acs.jproteome.6b00076>
- Papazian, S., Khaling, E., Bonnet, C., Lassueur, S., Reymond, P., Moritz, T., Blande, J. D., and Albrechtsen, B. R. (2016). Central metabolic responses to ozone and herbivory affect photosynthesis and stomatal closure. *Plant Physiology*, 172(3):2057–2078.
<http://www.plantphysiol.org/content/172/3/2057>
- Park, S. J., Jeong, I. H., Kong, B. S., Lee, J.-E., Kim, K. H., Lee, D. Y., and Kim, H. J. (2016). Disease type- and Status-Specific alteration of CSF metabolome coordinated with clinical parameters in inflammatory demyelinating diseases of CNS. *PLOS ONE*, 11(11):e0166277+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0166277>
- Patassini, S., Begley, P., Xu, J., Church, S. J., Reid, S. J., Kim, E. H., Curtis, M. A., Dragunow, M., Waldvogel, H. J., Snell, R. G., Unwin, R. D., Faull, R. L. M., and Cooper, G. J. S. (2016). Metabolite mapping reveals severe widespread perturbation of multiple metabolic processes in huntington’s disease human brain. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1862(9):1650–1662.
<http://www.sciencedirect.com/science/article/pii/S0925443916301442>
- Popiółkowski, P., Tohge, T., Bogusławska, J., Rybicka, B., Tański, Z., Treviño, V., Fernie, A. R., and Piekiełko-Witkowska, A. (2016). Integrated transcriptomic and metabolomic analysis shows that disturbances in metabolism of tumor cells contribute to poor survival of RCC patients. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*.
<http://www.sciencedirect.com/science/article/pii/S0925443916303477>
- Prajitno, H., Insyani, R., Park, J., Ryu, C., and Kim, J. (2016). Non-catalytic upgrading of fast pyrolysis bio-oil in supercritical ethanol and combustion behavior of the upgraded oil. *Applied Energy*, 172:12–22.
<http://www.sciencedirect.com/science/article/pii/S030626191630424X>
- Satora, P., Cioch, M., Tarko, T., and Wońkowicz, J. (2016). Killer strains of saccharomyces: application for apple wine production. *J. Inst. Brew.*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1002/jib.338/abstract>
- Satora, P., Kostrz, M., Sroka, P., and Tarko, T. (2016). Chemical profile of spirits obtained by spontaneous fermentation of different varieties of plum

- fruits. pages 1–11. <http://link.springer.com/article/10.1007%2Fs00217-016-2762-5>
- Sayqal, A., Xu, Y., Trivedi, D., AlMasoud, N., Ellis, D., Muhamadali, H., Rattray, N., Webb, C., and Goodacre, R. (2016). Metabolic analysis of the response of pseudomonas putida DOT-T1E strains to toluene using fourier transform infrared spectroscopy and gas chromatography mass spectrometry. 12(7):1–12.
<http://link.springer.com/article/10.1007%2Fs11306-016-1054-1>
- Sayqal, A., Xu, Y., Trivedi, D. K., AlMasoud, N., Ellis, D. I., Rattray, N. J. W., and Goodacre, R. (2016). Metabolomics analysis reveals the participation of efflux pumps and ornithine in the response of pseudomonas putida DOT-T1E cells to challenge with propranolol. *PLoS ONE*, 11(6):e0156509+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0156509>
- Shang, X., Zhong, X., and Tian, X. (2016). Metabolomics of papillary thyroid carcinoma tissues: potential biomarkers for diagnosis and promising targets for therapy. pages 1–13.
<http://link.springer.com/article/10.1007%2Fs13277-016-4996-z>
- Siskos, A. P., Jain, P., Römisch-Margl, W., Bennett, M., Achaintre, D., Asad, Y., Marney, L., Richardson, L., Koulman, A., Griffin, J. L., Raynaud, F., Scalbert, A., Adamski, J., Prehn, C., and Keun, H. C. (2016). Interlaboratory reproducibility of a targeted metabolomics platform for analysis of human serum and plasma. *Anal. Chem.*
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b02930>
- Śliwińska, M., Wiśniewska, P., Dymerski, T., Wardencki, W., and Namieśnik, J. (2016). Application of electronic nose based on fast GC for authenticity assessment of polish homemade liqueurs called nalewka. pages 1–12.
<http://link.springer.com/article/10.1007%2Fs12161-016-0448-z>
- Son, S., Kim, N., Lee, S., Singh, D., Kim, G., Lee, J., Yang, H.-s., Yeo, J., Lee, S., and Lee, C. (2016). Metabolite fingerprinting, pathway analyses, and bioactivity correlations for plant species belonging to the cornaceae, fabaceae, and rosaceae families. pages 1–15.
<http://link.springer.com/article/10.1007%2Fs00299-016-2006-y>
- Song, H., Sun, L.-Y., Yu, Z.-L., Sun, L.-N., Xue, D.-X., Zhang, T., and Wang, H.-Y. (2016). Metabolomic analysis of competent larvae and juvenile veined rapa whelks (*rapana venosa*). 163(6):1–8.
<http://link.springer.com/article/10.1007%2Fs00227-016-2919-6>
- Sprenger, H., Kurowsky, C., Horn, R., Erban, A., Seddig, S., Rudack, K., Fischer, A., Walther, D., Zuther, E., Köhl, K., Hincha, D. K., and Kopka, J. (2016). The drought response of potato reference cultivars with contrasting tolerance. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12780/abstract>
- Su, F., Gilard, F., Guérard, F., Citerne, S., Clément, C., Vaillant-Gaveau, N., and Dhondt-Cordelier, S. (2016). Spatio-temporal responses of arabidopsis leaves in photosynthetic performance and metabolite contents to

- burkholderia phytofirmans PsJN. *Frontiers in plant science*, 7.
<http://journal.frontiersin.org/article/10.3389/fpls.2016.00403/full>
- Su, J., Zhang, S., Huang, H., Wang, Y., Wang, H., He, K., Wang, X., Zhang, B., and Wang, H. (2016). New insights into the formation mechanism of high hydrogen sulfide–bearing gas condensates: Case study of lower ordovician dolomite reservoirs in the tazhong uplift, tarim basin. *AAPG Bulletin*, 100(06):893–916.
<http://archives.datapages.com/data/bulletns/2016/06jun/BLTN15081/bltn15081.html?doi=10.1306%2F02101615081>
- Surowiec, I., Karimpour, M., Gouveia-Figueira, S., Wu, J., Unosson, J., Bosson, J., Blomberg, A., Pourazar, J., Sandström, T., Behndig, A., Trygg, J., and Nording, M. (2016). Multi-platform metabolomics assays for human lung lavage fluids in an air pollution exposure study. pages 1–14.
<http://link.springer.com/article/10.1007%2Fs00216-016-9566-0>
- Tan, S. Z., Mullard, G., Hollywood, K. A., Dunn, W. B., and Bishop, P. N. (2016). Characterisation of the metabolome of ocular tissues and post-mortem changes in the rat retina. *Experimental Eye Research*.
<http://www.sciencedirect.com/science/article/pii/S0014483516301221>
- Todaka, D., Zhao, Y., Yoshida, T., Kudo, M., Kidokoro, S., Mizoi, J., Kodaira, K.-S., Takebayashi, Y., Kojima, M., Sakakibara, H., Toyooka, K., Sato, M., Fernie, A. R., Shinozaki, K., and Yamaguchi-Shinozaki, K. (2016). Temporal and spatial changes in gene expression, metabolite accumulation and phytohormone content in rice seedlings grown under drought stress conditions. *Plant J*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/tpj.13468/abstract>
- Vallarino, J. and Osorio, S. (2016). Simultaneous determination of plant hormones by GC-TOF-MS. In Botella, J. R. and Botella, M. A., editors, *Plant Signal Transduction*, volume 1363 of *Methods in Molecular Biology*, pages 229–237. Springer New York.
http://link.springer.com/protocol/10.1007%2F978-1-4939-3115-6_19
- Venkatesh, T. V., Chassy, A. W., Fiehn, O., Flint-Garcia, S., Zeng, Q., Skogerson, K., and Harrigan, G. G. (2016). Metabolomic assessment of key maize resources: GC-MS and NMR profiling of grain from b73 hybrids of the nested association mapping (NAM) founders and of geographically diverse landraces. *J. Agric. Food Chem.*, 64(10):2162–2172.
<http://pubs.acs.org/doi/abs/10.1021/acs.jafc.5b04901>
- Wang, X., Guan, Y., Zhang, D., Dong, X., Tian, L., and Qu, L. Q. (2016). A β -ketoacyl-CoA synthase is involved in rice leaf cuticular wax synthesis and requires a CER2-LIKE protein as a cofactor. *Plant Physiology*, pages pp.01527.2016+.
<http://www.plantphysiol.org/content/early/2016/12/02/pp.16.01527>
- Wang, Y., Song, Y., Tao, Y., Muhamadali, H., Goodacre, R., Zhou, N.-Y., Preston, G. M., Xu, J., and Huang, W. E. (2016). Reverse and multiple stable isotope probing to study bacterial metabolism and interactions at the

single cell level. *Anal. Chem.*

<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b01602>

- Wu, S., Alseekh, S., Cuadros-Inostroza, A., Fusari, C. M., Mutwil, M., Kooke, R., Keurentjes, J. B., Fernie, A. R., Willmitzer, L., and Brotman, Y. (2016). Combined use of Genome-Wide association data and correlation networks unravels key regulators of primary metabolism in arabidopsis thaliana. *PLoS Genet*, 12(10):e1006363+.
<http://journals.plos.org/plosgenetics/article?id=10.1371/journal.pgen.1006363>
- Xu, G., Du, F., Li, Y., Nie, Z., and Xu, P. (2016). Integrated application of transcriptomics and metabolomics yields insights into population-asynchronous ovary development in coilia nasus. *Scientific Reports*, 6:31835+. <http://www.nature.com/articles/srep31835>
- Xu, J., Begley, P., Church, S. J., Patassini, S., Hollywood, K. A., Jüllig, M., Curtis, M. A., Waldvogel, H. J., Faull, R. L. M., Unwin, R. D., and Cooper, G. J. S. (2016). Graded perturbations of metabolism in multiple regions of human brain in alzheimer's disease: Snapshot of a pervasive metabolic disorder. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*.
<http://www.sciencedirect.com/science/article/pii/S0925443916300473>
- Xu, Y., Muhamadali, H., Sayqal, A., Dixon, N., and Goodacre, R. (2016). Partial least squares with structured output for modelling the metabolomics data obtained from complex experimental designs: A study into the Y-Block coding. *Metabolites*, 6(4):38+. <http://www.mdpi.com/2218-1989/6/4/38>
- Xu, Y., Wu, H., Zhao, M., Wu, W., Xu, Y., and Gu, D. (2016). Overexpression of the transcription factors GmSHN1 and GmSHN9 differentially regulates wax and cutin biosynthesis, alters cuticle properties, and changes leaf phenotypes in arabidopsis. *International Journal of Molecular Sciences*, 17(4):587+. <http://www.mdpi.com/1422-0067/17/4/587>
- Yang, Q., Liang, X., Sun, X., Zhang, L., Fu, X., Rogers, C. J., Berim, A., Zhang, S., Wang, S., Wang, B., Foretz, M., Viollet, B., Gang, D. R., Rodgers, B. D., Zhu, M.-J., and Du, M. (2016). AMPK/α-Ketoglutarate axis dynamically mediates DNA demethylation in the prdm16 promoter and brown adipogenesis. *Cell Metabolism*, 24(4):542–554.
[http://www.cell.com/cell-metabolism/abstract/S1550-4131\(16\)30426-0?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS1550413116304260%3Fshowall%3Dtrue](http://www.cell.com/cell-metabolism/abstract/S1550-4131(16)30426-0?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS1550413116304260%3Fshowall%3Dtrue)
- Yu, S., Ren, E., Xu, J., Su, Y., and Zhu, W. (2016). Effects of early intervention with sodium butyrate on lipid metabolism-related gene expression and liver metabolite profiles in neonatal piglets. *Livestock Science*.
[http://www.livestockscience.com/article/S1871-1413\(16\)30257-8/abstract](http://www.livestockscience.com/article/S1871-1413(16)30257-8/abstract)
- Yun, E. J., Lee, S. H., Kim, S., Kim, S. H., and Kim, K. H. (2016). Global profiling of metabolic response of caenorhabditis elegans against escherichia coli O157:H7. *Process Biochemistry*.
<http://www.sciencedirect.com/science/article/pii/S1359511316304147>

- Zarza, X., Atanasov, K. E., Marco, F., Arbona, V., Carrasco, P., Kopka, J., Fotopoulos, V., Munnik, T., Gómez-Cadenas, A., Tiburcio, A. F., and Alcázar, R. (2016). Polyamine oxidase 5 loss-of-function mutations in arabidopsis thaliana trigger metabolic and transcriptional reprogramming and promote salt stress tolerance. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12714/abstract>
- Zeber-Lubecka, N., Kulecka, M., Ambroziewicz, F., Paziewska, A., Goryca, K., Karczmarski, J., Rubel, T., Wojtowicz, W., Mlynarz, P., Marczak, L., Tomecki, R., Mikula, M., and Ostrowski, J. (2016). Limited prolonged effects of rifaximin treatment on irritable bowel syndrome-related differences in the fecal microbiome and metabolome. *Gut Microbes*, page 00.
<http://www.tandfonline.com/doi/abs/10.1080/19490976.2016.1215805?journalCode=kgmi20>
- Zhang, J., Yang, D., Li, M., and Shi, L. (2016). Metabolic profiles reveal changes in wild and cultivated soybean seedling leaves under salt stress. *PLoS ONE*, 11(7):e0159622+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0159622>
- Zheng, W., Komatsu, S., Zhu, W., Zhang, L., Li, X., Cui, L., and Tian, J. (2016). Response and defense mechanisms of taxus chinensis leaves under UV-a radiation are revealed using comparative proteomics and metabolomics analyses. *Plant and Cell Physiology*, pages pcw106+.
<http://pcp.oxfordjournals.org/content/early/2016/06/23/pcp.pcw106>
- Zhou, L., Fang, L., Sun, Y., Su, Y., and Zhu, W. (2016). Effects of the dietary protein level on the microbial composition and metabolomic profile in the hindgut of the pig. *Anaerobe*, 38:61–69.
<http://www.sciencedirect.com/science/article/pii/S1075996415300974>

2015-Total-94

- Allwood, J. W., Chandra, S., Xu, Y., Dunn, W. B., Correa, E., Hopkins, L., Goodacre, R., Tobin, A. K., and Bowsher, C. G. (2015). Profiling of spatial metabolite distributions in wheat leaves under normal and nitrate limiting conditions. *Phytochemistry*.
<http://www.sciencedirect.com/science/article/pii/S0031942215000424>
- An, B., Lee, C.-G., Song, M.-K., Ryu, J.-C., Lee, S., Park, S.-J., Zhao, D., Kim, S.-B., Park, C., Lee, S.-H., Hong, S. W., and Choi, J.-W. (2015). Applicability and toxicity evaluation of an adsorbent based on jujube for the removal of toxic heavy metals. *Reactive and Functional Polymers*, 93:138–147. <http://www.sciencedirect.com/science/article/pii/S1381514815300146>
- Andersson, L. E., Valtat, B., Bagge, A., Sharoyko, V. V., Nicholls, D. G., Ravassard, P., Scharfmann, R., Spégel, P., and Mulder, H. (2015). Characterization of Stimulus-Secretion coupling in the human pancreatic EndoC-βH1 beta cell line. *PLoS ONE*, 10(3):e0120879+.

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.012087>

9

Aranjuelo, I., Tcherkez, G., Jauregui, I., Gilard, F., Ancín, M., Millán, A. F., Larraya, L., Veramendi, J., and Farran, I. (2015). Alteration by thioredoxin f over-expression of primary carbon metabolism and its response to elevated CO₂ in tobacco (*nicotiana tabacum* l.). *Environmental and Experimental Botany*, 118:40–48.

<http://www.sciencedirect.com/science/article/pii/S009884721500091X>

Armitage, E. G., Kotze, H. L., Allwood, J. W., Dunn, W. B., Goodacre, R., and Williams, K. J. (2015). Metabolic profiling reveals potential metabolic markers associated with hypoxia inducible factor-mediated signalling in hypoxic cancer cells. *Scientific reports*, 5:15649+.

<http://www.nature.com/articles/srep15649>

Avin-Wittenberg, T., Bajdzienko, K., Wittenberg, G., Alseekh, S., Tohge, T., Bock, R., Giavalisco, P., and Fernie, A. R. (2015). Global analysis of the role of autophagy in cellular metabolism and energy homeostasis in arabidopsis seedlings under carbon starvation. *The Plant Cell Online*, pages tpc.114.134205+.

<http://www.plantcell.org/content/early/2015/02/03/tpc.114.134205>

Azmatunnisa, M., Rahul, K., Subhash, Y., Ch, S., and Ch, R. (2015). *Bacillus oleivorans* sp. nov., a diesel-oil degrading and solvent tolerant bacterium. *International Journal of Systematic and Evolutionary Microbiology*, pages ijs.0.000103+.

<http://ijs.sgmjournals.org/content/early/2015/02/06/ijss.0.000103>

Babu, T., Yun, E. J., Kim, S., Kim, D. H., Liu, K. H., Kim, S. R., and Kim, K. H. (2015). Engineering *escherichia coli* for the production of adipic acid through the reversed β-oxidation pathway. *Process Biochemistry*.

<http://www.sciencedirect.com/science/article/pii/S1359511315300854>

Bolliet, C., Kriech, A. J., Juery, C., Vaissiere, M., Brinton, M. A., and Osborn, L. V. (2015). Effect of temperature and process on quantity and composition of Laboratory-Generated bitumen emissions. *Journal of Occupational and Environmental Hygiene*, page 00.

<http://www.tandfonline.com/doi/abs/10.1080/15459624.2015.1009982>

Cheregi, O., Miranda, H., Gröbner, G., and Funk, C. (2015). Inactivation of the deg protease family in the cyanobacterium *synechocystis* sp. PCC 6803 has impact on the outer cell layers. *Journal of Photochemistry and Photobiology B: Biology*.

<http://www.sciencedirect.com/science/article/pii/S1011134415001645>

de Marcellus, P., Meinert, C., Myrgorodska, I., Nahon, L., Buhse, T., d'Hendecourt, L. L. S., and Meierhenrich, U. J. (2015). Aldehydes and sugars from evolved precometary ice analogs: Importance of ices in astrochemical and prebiotic evolution. *Proceedings of the National Academy of Sciences*, 112(4):965–970.

<http://www.pnas.org/content/112/4/965>

- Domingo-Almenara, X., Perera, A., Ramírez, N., Cañellas, N., Correig, X., and Brezmes, J. (2015). Compound identification in gas chromatography/mass spectrometry-based metabolomics by blind source separation. *Journal of Chromatography A*.
<http://www.sciencedirect.com/science/article/pii/S0021967315010122>
- Eggert, E., Obata, T., Gerstenberger, A., Gier, K., Brandt, T., Fernie, A. R., Schulze, W., and Kühn, C. (2015). A sucrose transporter-interacting protein disulfide isomerase affects redox homeostasis and links sucrose partitioning with abiotic stress tolerance. *Plant, Cell & Environment*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12694/abstract>
- Enquobahrie, D. A., Denis, M., Tadesse, M. G., Gelaye, B., Ressom, H. W., and Williams, M. A. (2015). Maternal early pregnancy serum metabolites and risk of gestational diabetes mellitus. *The Journal of Clinical Endocrinology & Metabolism*, pages jc.2015–2862+.
<http://press.endocrine.org/doi/10.1210/jc.2015-2862>
- Fanali, C., Beccaria, M., Salivo, S., Tranchida, P., Tripodo, G., Farnetti, S., Dugo, L., Dugo, P., and Mondello, L. (2015). Non-polar lipids characterization of quinoa (*chenopodium quinoa*) seed by comprehensive two-dimensional gas chromatography with flame ionization/mass spectrometry detection and non-aqueous reversed-phase liquid chromatography with atmospheric pressure chemical ionization mass spectrometry detection. *J. Sep. Science*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/jssc.201500466/abstract;jsessionid=A6F505031475D563A7EC9F9100918EBF.f01t02>
- Gaude, N., Bortfeld, S., Erban, A., Kopka, J., and Krajinski, F. (2015). Symbiosis dependent accumulation of primary metabolites in arbuscule-containing cells. *BMC Plant Biology*, 15(1):234+.
<http://www.biomedcentral.com/1471-2229/15/234>
- Giovino, A., Martinelli, F., and Saia, S. (2015). Rhynchophorus ferrugineus attack affects a group of compounds rather than rearranging phoenix canariensis metabolic pathways. *J. Integr. Plant Biol.*, page n/a.
[http://onlinelibrary.wiley.com/doi/10.1111/jipb.12430/abstract;jsessionid=CB894E1A81B4AB1AD46941B0FFAE646C.f02t04](http://onlinelibrary.wiley.com/doi/10.1111/jipb.12430/abstract;jsessionid=C B894E1A81B4AB1AD46941B0FFAE646C.f02t04)
- Gu, J., Jing, L., Ma, X., Zhang, Z., Guo, Q., and Li, Y. (2015). GC-TOF-MS-based serum metabolomic investigations of naked oat bran supplementation in high-fat-diet-induced dyslipidemic rats. *The Journal of Nutritional Biochemistry*. [http://www.jnutbio.com/article/S0955-2863\(15\)00185-0/abstract](http://www.jnutbio.com/article/S0955-2863(15)00185-0/abstract)
- Günther, C. S., Marsh, K. B., Winz, R. A., Harker, R. F., Wohlers, M. W., White, A., and Goddard, M. R. (2015). The impact of cold storage and ethylene on volatile ester production and aroma perception in 'Hort16A' kiwifruit. *Food Chemistry*, 169:5–12.
<http://www.sciencedirect.com/science/article/pii/S030881461401108X>

- Guo, R., Yang, Z., Li, F., Yan, C., Zhong, X., Liu, Q., Xia, X., Li, H., and Zhao, L. (2015). Comparative metabolic responses and adaptive strategies of wheat (*triticum aestivum*) to salt and alkali stress. *BMC Plant Biology*, 15(1):170+. <http://www.biomedcentral.com/1471-2229/15/170>
- Harb, J., Alseekh, S., Tohge, T., and Fernie, A. R. (2015). Profiling of primary metabolites and flavonols in leaves of two table grape varieties collected from semiarid and temperate regions. *Phytochemistry*, 117:444–455. <http://www.sciencedirect.com/science/article/pii/S0031942215300522>
- Hasler-Sheetal, H., Fragner, L., Holmer, M., and Weckwerth, W. (2015). Diurnal effects of anoxia on the metabolome of the seagrass *zostera marina*. pages 1–11. <http://link.springer.com/article/10.1007%2Fs11306-015-0776-9>
- Hollywood, K. A., Winder, C. L., Dunn, W. B., Xu, Y., Broadhurst, D., Griffiths, C. E. M., and Goodacre, R. (2015). Exploring the mode of action of dithranol therapy for psoriasis: a metabolomic analysis using HaCaT cells. *Mol. BioSyst.* <http://pubs.rsc.org/en/Content/ArticleLanding/2015/MB/C4MB00739E#!divAbstract>
- Hou, Y., Wang, X., Lei, Z., Ping, J., Liu, J., Ma, Z., Zhang, Z., Jia, C., Jin, M., Li, X., Li, X., Chen, S., Lv, Y., Gao, Y., Jia, W., and Su, J. (2015). Heat-Stress-induced metabolic changes and altered male reproductive function. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/pr501312t>
- Houlden, A., Hayes, K. S., Bancroft, A. J., Worthington, J. J., Wang, P., Grencis, R. K., and Roberts, I. S. (2015). Chronic *trichuris muris* infection in C57BL/6 mice causes significant changes in host microbiota and metabolome: Effects reversed by pathogen clearance. *PLoS ONE*, 10(5):e0125945+. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0125945>
- Junker, A., Muraya, M. M., Weigelt-Fischer, K., Arana-Ceballos, F., Klukas, C., Melchinger, A. E., Meyer, R. C., Riewe, D., and Altmann, T. (2015). Optimizing experimental procedures for quantitative evaluation of crop plant performance in high throughput phenotyping systems. *Frontiers in Plant Science*, 5. <http://journal.frontiersin.org/article/10.3389/fpls.2014.00770/abstract>
- Karimpour, M., Surowiec, I., Wu, J., Gouveia-Figueira, S., Pinto, R., Trygg, J., Zivkovic, A. M., and Nording, M. L. (2015). Postprandial metabolomics: a pilot mass spectrometry and NMR study of the human plasma metabolome in response to a challenge meal. *Analytica Chimica Acta*. <http://www.sciencedirect.com/science/article/pii/S0003267015300404>
- Kim, H., Lee, M., Park, H., Park, Y., Shon, J., Liu, K.-H., and Lee, C. (2015). Urine and serum metabolite profiling of rats fed a High-Fat diet and the Anti-Obesity effects of caffeine consumption. *Molecules*, 20(2):3107–3128. <http://www.mdpi.com/1420-3049/20/2/3107>
- Kim, N., Park, H. M., Lee, J., Ku, K.-M., and Lee, C. H. (2015). Seasonal variations of metabolome and tyrosinase inhibitory activity of lespedeza

- maximowiczii during growth periods. *J. Agric. Food Chem.*
<http://pubs.acs.org/doi/10.1021/acs.jafc.5b03566>
- Koster, S., Leeman, W., Verheij, E., Dutman, E., van Stee, L., Nielsen, L. M., Ronsmans, S., Noteborn, H., and Krul, L. (2015). A novel safety assessment strategy applied to non-selective extracts. *Food and Chemical Toxicology*.
<http://www.sciencedirect.com/science/article/pii/S0278691515000897>
- Li, X., Lawas, L. M., Malo, R., Glaubitz, U., Erban, A., Mauleon, R., Heuer, S., Zuther, E., Kopka, J., Hincha, D. K., and Jagadish, K. S. (2015). Metabolic and transcriptomic signatures of rice floral organs reveal sugar starvation as a factor in reproductive failure under heat and drought stress. *Plant Cell Environ*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/pce.12545/abstract;jsessionid=D0F2768DE8555AEBBA95031ECC8BA508.f03t01>
- Liang, C., Zhang, Y., Cheng, S., Osorio, S., Sun, Y., Fernie, A. R., Cheung, C. Y., and Lim, B. L. Impacts of high ATP supply from chloroplasts and mitochondria on the leaf metabolism of arabidopsis thaliana. *Frontiers in plant science*, 6.
<http://journal.frontiersin.org/article/10.3389/fpls.2015.00922/abstract>
- Lindhorst, A. and Steinhaus, M. (2015). Aroma-active compounds in the fruit of the hardy kiwi (*actinidia arguta*) cultivars ananasnaya, bojnice, and dumbarton oaks: differences to common kiwifruit (*actinidia deliciosa* 'hayward'). pages 1–9.
<http://link.springer.com/article/10.1007%2Fs00217-015-2603-y>
- Liu, L., Wang, Y., Zheng, T., Cao, B., Li, M., Shi, J., Aa, N., Wang, X., Zhao, C., Aa, J., and Wang, G. (2015). Metabolic shifts induced by human h460 cells in tumor-bearing mice. *Biomed. Chromatogr.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/bmc.3553/abstract;jsessionid=E63054B4C2067FB1BC7843CD735CC574.f01t02>
- López, M., Zanor, M., Pratta, G., Stegmayer, G., Boggio, S., Conte, M., Bermúdez, L., Coluccio Leskow, C., Rodríguez, G., Picardi, L., Zorzoli, R., Fernie, A., Milone, D., Asís, R., Valle, E., and Carrari, F. (2015). Metabolic analyses of interspecific tomato recombinant inbred lines for fruit quality improvement. pages 1–16.
<http://link.springer.com/article/10.1007%2Fs11306-015-0798-3>
- Mansur, Adetutu, Makadia, T., Morrison, and Ball (2015). Assessment of the hydrocarbon degrading abilities of three bioaugmentation agents for the bioremediation of crude oil tank bottom sludge contaminated libyan soil. *International Journal of Environmental Bioremediation & Biodegradation*, 3(1):1–9. <http://pubs.sciepub.com/ijebb/3/1/1/index.html>
- Martin, E., González-Horta, C., Rager, J., Bailey, K. A., Sánchez-Ramírez, B., Ballinas-Casarrubias, L., Ishida, M. C., Gutiérrez-Torres, D. S., Cerón, R. H., Morales, D. V., Baeza Terrazas, F. A., Saunders, R. J., Drobná, Z., Mendez, M. A., Buse, J. B., Loomis, D., Jia, W., García-Vargas, G. G., Del Razo, L. M., Stýblo, M., and Fry, R. (2015). Metabolomic

- characteristics of Arsenic-Associated diabetes in a prospective cohort in chihuahua, mexico. *Toxicological Sciences*, pages kfu318+.
<http://toxsci.oxfordjournals.org/content/144/2/338>
- Mastovska, K., Sorenson, W. R., and Hajslova, J. Determination of polycyclic aromatic hydrocarbons (PAHs) in seafood using gas Chromatography-Mass spectrometry: Collaborative study. *Journal of AOAC International*, pages 477–505.
<http://www.ingentaconnect.com/content/aoac/jaoac/2015/00000098/00000026/art00033?token=00571b98a0e153d28e26720297d76345f7b2e7b457a7a426f38476d3f6a4b4b6e6e42576b6427387a8661d0>
- Matrosova, A., Bogireddi, H., Mateo-Peñas, A., Hashimoto-Sugimoto, M., Iba, K., Schroeder, J. I., and Israelsson-Nordström, M. (2015). The HT1 protein kinase is essential for red light-induced stomatal opening and genetically interacts with OST1 in red light and CO₂-induced stomatal movement responses. *New Phytol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/nph.13566/abstract;jsessionid=A00D80DE47F5E5D625E35721F2079819.f01t04>
- Meghesan-Breja, A., Cimpoi, C., and Hosu, A. Multiresidue analysis of pesticides and metabolites from fruits and vegetables by gas chromatography-time-of-flight mass spectrometry. *Acta Chromatographica*.
<http://www.akademiai.com/content/64v51160h0944684/?genre=article&id=doi%3a10.1556%2fAChrom.27.2015.4.6>
- Miyamoto, S., Taylor, S., Barupal, D., Taguchi, A., Wohlgemuth, G., Wikoff, W., Yoneda, K., Gandara, D., Hanash, S., Kim, K., and Fiehn, O. (2015). Systemic metabolomic changes in blood samples of lung cancer patients identified by gas chromatography Time-of-Flight mass spectrometry. *Metabolites*, 5(2):192–210. <http://www.mdpi.com/2218-1989/5/2/192>
- Moon, E., Park, H. M., Lee, C. H., Do, S.-G., Park, J.-M., Han, N.-Y., Do, M. H., Lee, J. H., Lee, H., and Kim, S. Y. (2015). Dihydrolipoyl dehydrogenase as a potential UVB target in skin epidermis; using an integrated approach of label-free quantitative proteomics and targeted metabolite analysis. *Journal of Proteomics*, 117:70–85.
<http://www.sciencedirect.com/science/article/pii/S1874391915000056>
- Mueller, L., Jakobi, G., Orasche, J., Karg, E., Sklorz, M., Abbaszade, G., Weggler, B., Jing, L., Schnelle-Kreis, J., and Zimmermann, R. (2015). Online determination of polycyclic aromatic hydrocarbon formation from a flame soot generator. 407(20):5911–5922.
<http://link.springer.com/article/10.1007%2Fs00216-015-8549-x>
- Muhamadali, H., Xu, Y., Ellis, D., Trivedi, D., Rattray, N., Bernaerts, K., and Goodacre, R. (2015). Metabolomics investigation of recombinant mTNF α production in streptomyces lividans. *Microbial Cell Factories*, 14(1):1–12.
<http://www.microbialcellfactories.com/content/14/1/157>
- Muhamadali, H., Xu, Y., Ellis, D. I., Allwood, J. W., Rattray, N. J. W., Correa, E., Alrabiah, H., Lloyd, J. R., and Goodacre, R. (2015). Metabolic profiling of geobacter sulfurreducens during scale-up. *Applied and Environmental*

- Microbiology*, pages AEM.00294–15+.
<http://aem.asm.org/content/early/2015/03/02/AEM.00294-15>
- Muscolo, A., Junker, A., Klukas, C., Weigelt-Fischer, K., Riewe, D., and Altmann, T. (2015). Phenotypic and metabolic responses to drought and salinity of four contrasting lentil accessions. *Journal of Experimental Botany*, pages erv208+.
<http://jxb.oxfordjournals.org/content/early/2015/05/11/jxb.erv208>
- Naudé, Y., Gorst-Allman, P., and Rohwer, E. (2015). A cheap and simple passive sampler using silicone rubber for the analysis of surface water by gas chromatography-time of flight mass spectrometry. *Water SA*, 41(2):182+. <http://www.ajol.info/index.php/wsa/article/view/115242>
- Nezami Ranjbar, M. R., Luo, Y., Di Poto, C., Varghese, R. S., Ferrarini, A., Zhang, C., Sarhan, N. I., Soliman, H., Tadesse, M. G., Ziada, D. H., Roy, R., and Ressom, H. W. (2015). GC-MS based plasma metabolomics for identification of candidate biomarkers for hepatocellular carcinoma in egyptian cohort. *PLoS ONE*, 10(6):e0127299+.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0127299>
- Ni, J., Yang, X., Zhu, J., Liu, Z., Ni, Y., Wu, H., Zhang, H., and Liu, T. (2015). Salinity-induced metabolic profile changes in nitraria tangutorum bobr. suspension cells. pages 1–10.
<http://link.springer.com/article/10.1007%2Fs11240-015-0744-0>
- Niittylä, T., Mahboubi, A., Linden, P., Hedenström, M., and Moritz, T. (2015). Carbon-13 tracking after $^{13}\text{CO}_2$ supply revealed diurnal patterns of wood formation in aspen. *Plant Physiology*, pages pp.00292.2015+.
<http://www.plantphysiol.org/content/168/2/478>
- Nitzsche, R., Zagoriy, V., Lucius, R., and Gupta, N. (2015). Metabolic cooperation of glucose and glutamine is essential for the lytic cycle of obligate intracellular parasite toxoplasma gondii. *Journal of Biological Chemistry*, pages jbc.M114.624619+.
<http://www.jbc.org/content/early/2015/10/30/jbc.M114.624619>
- Patassini, S., Begley, P., Reid, S. J., Xu, J., Church, S. J., Curtis, M., Dragunow, M., Waldvogel, H. J., Unwin, R. D., Snell, R. G., Faull, R. L. M., and Cooper, G. J. S. (2015). Identification of elevated urea as a severe, ubiquitous metabolic defect in the brain of patients with huntington’s disease. *Biochemical and Biophysical Research Communications*, 468(1-2):161–166.
<http://www.sciencedirect.com/science/article/pii/S0006291X15308378>
- Petersson, S., Lindén, P., Moritz, T., and Ljung, K. (2015). Cell-type specific metabolic profiling of arabidopsis thaliana protoplasts as a tool for plant systems biology. pages 1–11.
<http://link.springer.com/article/10.1007/s11306-015-0814-7#page-1>
- Phua, L. C., Wilder-Smith, C. H., Tan, Y. M., Gopalakrishnan, T., Wong, R. K., Li, X., Kan, M. E., Lu, J., Keshavarzian, A., and Chan, E. C. (2015).

- Gastrointestinal symptoms and altered intestinal permeability induced by combat training are associated with distinct metabotypic changes. *J. Proteome Res.* <http://pubs.acs.org/doi/10.1021/acs.jproteome.5b00603>
- Pires, M. V., Júnior, A. A. P., Medeiros, D. B., Daloso, D. M., Pham, P. A., Barros, K. A., Engqvist, M. K. M., Florian, A., Krahnen, I., Maurino, V. G., Araújo, W. L., and Fernie, A. R. (2015). The influence of alternative pathways of respiration that utilize branched-chain amino acids following water shortage in arabidopsis. *Plant, Cell & Environment*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/pce.12682/abstract>
- Polyakova, O., Mazur, D., Artaev, V., and Lebedev, A. (2015). Rapid liquid–liquid extraction for the reliable GC/MS analysis of volatile priority pollutants. pages 1–7. <http://link.springer.com/article/10.1007%2Fs10311-015-0544-0>
- Popov, S. and Kumar, S. (2015). Rapid hydrothermal deoxygenation of oleic acid over activated carbon in a continuous flow process. *Energy Fuels*, 29(5):3377–3384. <http://pubs.acs.org/doi/abs/10.1021/acs.energyfuels.5b00308>
- Prokudina, E. A., Prchalová, J., Vyšatová, E., Kuchař, M., Rajchl, A., and Lapčík, O. (2015). Analysis of anabolic androgenic steroids by direct analysis in real time ionization with time-of-flight mass spectrometry. *International Journal of Mass Spectrometry*. <http://www.sciencedirect.com/science/article/pii/S1387380615002730>
- Ross, A. B., Svelander, C., Undeland, I., Pinto, R., and Sandberg, A.-S. (2015). Herring and beef meals lead to differences in plasma 2-Aminoacidic acid, β-Alanine, 4-Hydroxyproline, cetoleic acid, and docosahexaenoic acid concentrations in overweight men. *The Journal of Nutrition*, pages jn214262+. <http://jn.nutrition.org/content/early/2015/09/23/jn.115.214262>
- Rouhollahi, E., Moghadamtousi, S. Z., Paydar, M., Fadaeinabab, M., Zahedifard, M., Hajrezaie, M., Hamdi, O. A. A., Looi, C. Y., Abdulla, M. A., Awang, K., and Mohamed, Z. (2015). Inhibitory effect of curcuma purpurascens BI. rhizome on HT-29 colon cancer cells through mitochondrial-dependent apoptosis pathway. *BMC Complementary and Alternative Medicine*, 15(1):15+. <http://www.biomedcentral.com/1472-6882/15/15>
- Saia, S., Ruisi, P., Fileccia, V., Di Miceli, G., Amato, G., and Martinelli, F. (2015). Metabolomics suggests that soil inoculation with arbuscular mycorrhizal fungi decreased free amino acid content in roots of durum wheat grown under N-Limited, P-Rich field conditions. *PLoS ONE*, 10(6):e0129591+. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0129591>
- Sawicki, M., Ait Barka, E., Clément, C., Gilard, F., Tcherkez, G., Baillieul, F., Vaillant-Gaveau, N., and Jacquard, C. (2015). Cold-night responses in grapevine inflorescences. *Plant Science*, 239:115–127. <http://www.sciencedirect.com/science/article/pii/S0168945215300297>

- Slegers, A., Angers, P., Ouellet, E., Truchon, T., and Pedneault, K. (2015). Volatile compounds from grape skin, juice and wine from five interspecific hybrid grape cultivars grown in québec (canada) for wine production. *Molecules*, 20(6):10980–11016.
<http://www.mdpi.com/1420-3049/20/6/10980>
- Shahsavari, E., Adetutu, E., and Ball, A. (2015). Bioremediation of sludge obtained from Oil/Biofuel storage tanks. Springer Protocols Handbooks, pages 1–15. Humana Press.
http://link.springer.com/protocol/10.1007%2F8623_2015_123
- Spégel, P., Andersson, L. E., Storm, P., Sharoyko, V., Göhring, I., Rosengren, A. H., and Mulder, H. (2015). Unique and shared metabolic regulation in clonal β -Cells and primary islets derived from rat revealed by metabolomics analysis. *Endocrinology*, 156(6):1995–2005.
<http://press.endocrine.org/doi/10.1210/en.2014-1391>
- Sperber, H., Mathieu, J., Wang, Y., Ferreccio, A., Hesson, J., Xu, Z., Fischer, K. A., Devi, A., Detraux, D., Gu, H., Battle, S. L., Showalter, M., Valensisi, C., Bielas, J. H., Ericson, N. G., Margaretha, L., Robitaille, A. M., Margineantu, D., Fiehn, O., Hockenberry, D., Blau, C. A., Raftery, D., Margolin, A. A., Hawkins, R. D., Moon, R. T., Ware, C. B., and Ruohola-Baker, H. (2015). The metabolome regulates the epigenetic landscape during naive-to-primed human embryonic stem cell transition. *Nat Cell Biol*, 17(12):1523–1535.
<http://www.nature.com/ncb/journal/v17/n12/full/ncb3264.html>
- Sugimoto, N., Forsline, P., and Beaudry, R. (2015). Volatile profiles of members of the USDA geneva malus core collection: Utility in evaluation of a hypothesized biosynthetic pathway for esters derived from 2-Methylbutanoate and 2-Methylbutan-1-ol. *J. Agric. Food Chem.*, 63(7):2106–2116. <http://pubs.acs.org/doi/abs/10.1021/jf505523m>
- Szymanski, W. G., Zauber, H., Erban, A., Wu, X. N., and Schulze, W. X. (2015). Cytoskeletal components define protein location to membrane microdomains. *Molecular & Cellular Proteomics*, pages mcp.M114.046904+.
<http://www.mcponline.org/content/early/2015/06/19/mcp.M114.046904>
- Takayama, M., Koike, S., Kusano, M., Matsukura, C., Saito, K., Ariizumi, T., and Ezura, H. (2015). Tomato glutamate decarboxylase genes SIGAD2 and SIGAD3 play key roles in regulating γ -Aminobutyric acid levels in tomato (*solanum lycopersicum*). *Plant and Cell Physiology*, pages pcv075+.
<http://pcp.oxfordjournals.org/content/early/2015/06/18/pcp.pcv075>
- Thaxton, A., Belal, T. S., Smith, F., DeRuiter, J., Abdel-Hay, K. M., and Clark, C. R. (2015). Mass spectral studies on 1-n-pentyl-3-(1-naphthoyl)indole (JWH-018), three deuterium-labeled analogues and the inverse isomer 1-naphthoyl-3-n-pentylindole. *Rapid Commun. Mass Spectrom.*, 29(9):871–877.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.7171/abstract?deniedAccessCustomisedMessage=&userIsAuthenticated=true>

- Torell, F., Bennett, K., Cereghini, S., Rännar, S., Lundstedt-Enkel, K., Moritz, T., Haumaitre, C., Trygg, J., and Lundstedt, T. (2015). Multi-Organ contribution to the metabolic plasma profile using hierarchical modelling. *PloS one*, 10(6).
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0129260>
- Valentinuzzi, F., Pii, Y., Vigani, G., Lehmann, M., Cesco, S., and Mimmo, T. (2015). Phosphorus and iron deficiencies induce a metabolic reprogramming and affect the exudation traits of the woody plant *fragaria*×*ananassa*. *Journal of Experimental Botany*, pages erv364+.
<http://jxb.oxfordjournals.org/content/early/2015/07/16/jxb.erv364>
- Vallarino, J. G., Osorio, S., Bombarely, A., Casañal, A., Cruz-Rus, E., Sánchez-Sevilla, J. F., Amaya, I., Giavalisco, P., Fernie, A. R., Botella, M. A., and Valpuesta, V. (2015). Central role of FaGAMYB in the transition of the strawberry receptacle from development to ripening. *New Phytol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/nph.13463/abstract>
- Valle, A., Cabrera, G., Muhamadali, H., Trivedi, D. K., Ratray, N. J. W., Goodacre, R., Cantero, D., and Bolivar, J. (2015). A systematic analysis of TCA escherichia coli mutants reveals suitable genetic backgrounds for enhanced hydrogen and ethanol production using glycerol as main carbon source. *Biotechnology Journal*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/biot.201500005/abstract>
- Vigani, G., Bashir, K., Ishimaru, Y., Lehmann, M., Casiraghi, F. M., Nakanishi, H., Seki, M., Geigenberger, P., Zocchi, G., and Nishizawa, N. K. (2015). Knocking down mitochondrial iron transporter (MIT) reprograms primary and secondary metabolism in rice plants. *Journal of Experimental Botany*, pages erv531+.
<http://jxb.oxfordjournals.org/content/early/2015/12/17/jxb.erv531.abstract>
- Villaflor Carvalho, M. T., Pongrac, P., Mumm, R., van Arkel, J., van Aelst, A., Jeromel, L., Vavpetič, P., Pelicon, P., and Aarts, M. G. M. (2015). *Gomphrena clausenii*, a novel metal-hypertolerant bioindicator species, sequesters cadmium, but not zinc, in vacuolar oxalate crystals. *New Phytol*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/nph.13500/abstract>
- Wakabayashi, T., Joseph, B., Yasumoto, S., Akashi, T., Aoki, T., Harada, K., Muranaka, S., Bamba, T., Fukusaki, E., Takeuchi, Y., Yoneyama, K., Muranaka, T., Sugimoto, Y., and Okazawa, A. (2015). Planteose as a storage carbohydrate required for early stage of germination of orobanche minor and its metabolism as a possible target for selective control. *Journal of Experimental Botany*, pages erv116+.
<http://jxb.oxfordjournals.org/content/66/11/3085>
- Wan, C., Zhang, M., Fang, Q., Xiong, L., Zhao, X., Hasunuma, T., Bai, F., and Kondo, A. (2015). The impact of zinc sulfate addition on the dynamic metabolic profiling of *saccharomyces cerevisiae* subjected to long term acetic acid stress treatment and identification of key metabolites involved in the antioxidant effect of zinc. *Metallomics*.

<http://pubs.rsc.org/en/Content/ArticleLanding/2015/MT/C4MT00275J#!divAbstract>

Wang, H., Wang, H.-H., Ma, C.-F., Liu, B.-Y., Xu, G.-W., and Ye, H.-C. (2015). Metabolomics-Based studies on artemisinin biosynthesis. In Qi, X., Chen, X., and Wang, Y., editors, *Plant Metabolomics*, pages 245–273. Springer Netherlands. http://link.springer.com/chapter/10.1007%2F978-94-017-9291-2_11

Wen, W., Li, K., Alseek, S., Omranian, N., Zhao, L., Zhou, Y., Xiao, Y., Jin, M., Yang, N., Liu, H., Florian, A., Li, W., Pan, Q., Nikoloski, Z., Yan, J., and Fernie, A. R. (2015). Genetic determinants of the network of primary metabolism and their relationships to plant performance in a maize recombinant inbred line population. *The Plant Cell*, pages tpc.15.00208+. <http://www.plantcell.org/content/early/2015/07/17/tpc.15.00208>

Wikoff, W., Grapov, D., Fahrmann, J., DeFelice, B., Rom, W., Pass, H., Kim, K., Nguyen, U., Taylor, S. L., Kelly, K., Fiehn, O., and Miyamoto, S. (2015). Metabolomic markers of altered nucleotide metabolism in early stage adenocarcinoma. *Cancer Prevention Research*, pages canprevres.0329.2014+. <http://cancerpreventionresearch.aacrjournals.org/content/early/2015/02/05/1940-6207.CAPR-14-0329>

Wilcock, A., Begley, P., Stevens, A., Whatmore, A., and Victor, S. (2015). The metabolomics of necrotising enterocolitis in preterm babies: an exploratory study. *J Matern Fetal Neonatal Med*, pages 1–5. <http://informahealthcare.com/doi/abs/10.3109/14767058.2015.1017462>

Xie, X., Backman, D., Lebedev, A. T., Artaev, V. B., Jiang, L., Ilag, L. L., and Zubarev, R. A. (2015). Primordial soup was edible: abiotically produced Miller-Urey mixture supports bacterial growth. *Scientific reports*, 5:14338+. <http://www.nature.com/articles/srep14338>

Xie, G., Wang, C.-Z., Yu, C., Qiu, Y., Wen, X.-D., Zhang, C.-F., Yuan, C.-S., and Jia, W. (2015). Metabonomic profiling reveals cancer chemopreventive effects of american ginseng on colon carcinogenesis in ApcMin/+ mice. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/acs.jproteome.5b00388>

Yang, D., Wang, X., Wu, Y., Lu, B., Yuan, A., Leon, C., and Guo, N. (2015). Urinary metabolomic profiling reveals the effect of shenfu decoction on chronic heart failure in rats. *Molecules*, 20(7):11915–11929. <http://www.mdpi.com/1420-3049/20/7/11915>

Yauk, Y.-K., Chagné, D., Tomes, S., Matich, A. J., Wang, M. Y., Chen, X., Maddumage, R., Hunt, M. B., Rowan, D. D., and Atkinson, R. G. (2015). The o-methyltransferase MdoOMT1 is required for biosynthesis of methylated phenylpropenes in ripe apple fruit. *Plant J*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/tpj.12861/abstract>

Zeng, H., Grapov, D., Jackson, M., Fahrmann, J., Fiehn, O., and Combs, G. (2015). Integrating multiple analytical datasets to compare metabolite

- profiles of mouse Colonic-Cecal contents and feces. *Metabolites*, 5(3):489–501. <http://www.mdpi.com/2218-1989/5/3/489>
- Zhang, Y.-L., Schnelle-Kreis, J., Abbaszade, G., Zimmermann, R., Zotter, P., Shen, R.-r., Schäfer, K., Shao, L., Prévôt, A. S. H., and Szidat, S. (2015). Source apportionment of elemental carbon in beijing, china: Insights from radiocarbon and organic marker measurements. *Environ. Sci. Technol.*, 49(14):8408–8415. <http://pubs.acs.org/doi/abs/10.1021/acs.est.5b01944>
- Zhao, C., Song, G., Fu, C., Dong, Y., Xu, H., Zhang, H., and Yu, L. (2015). A systematic approach to expound the variations in taxane production under different dissolved oxygen conditions in taxus chinensis cells. pages 1–19. <http://link.springer.com/article/10.1007%2Fs00299-015-1902-x>
- Zhou, K., Xie, G., Wang, J., Zhao, A., Liu, J., Su, M., Ni, Y., Zhou, Y., Pan, W., Che, Y., Zhang, T., Xiao, Y., Wang, Y., Wen, J., Jia, W., and Cai, W. (2015). Metabonomics reveals metabolite changes in biliary atresia infants. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/acs.jproteome.5b00125>
- Zhou, Y.-Y., Ji, X.-F., Fu, J.-P., Zhu, X.-J., Li, R.-H., Mu, C.-K., Wang, C.-L., and Song, W.-W. (2015). Gene transcriptional and metabolic profile changes in mimetic aging mice induced by D-Galactose. *PLoS ONE*, 10(7):e0132088+. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0132088>
- Zhuang, W., Gao, Z., Wen, L., Huo, X., Cai, B., and Zhang, Z. (2015). Metabolic changes upon flower bud break in japanese apricot are enhanced by exogenous GA4. *Horticulture research*, 2. <http://www.nature.com/articles/hortres201546>
- Bacillus oleivorans sp. nov., a diesel oil-degrading and solvent-tolerant bacterium. *International Journal of Systematic and Evolutionary Microbiology*, 65(4):1310–1315. <http://ijs.sgmjournals.org/content/journal/ijsem/10.1099/ijsem.0.000103>
- Hoeflea olei sp. nov., a diesel-oil degrading anoxygenic phototrophic bacterium isolated from backwaters and emended description of the genus hoeflea. *International Journal of Systematic and Evolutionary Microbiology*. <http://ijs.sgmjournals.org/content/journal/ijsem/10.1099/ijsem.0.000277>

2014-Total-66

- Abdullah, R., Chung, K., Kim, Y.-W., and Hong, I. S. (2014). An efficient synthesis of Mono-Substituted benzyl ferrocene derivatives. *Bull. Korean Chem. Soc.*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1002/bkcs.10005/abstract?deniedAccessCustomisedMessage=&userIsAuthenticated=true>
- Aksenov, A. A., Martini, X., Zhao, W., Stelinski, L. L., and Davis, C. E. (2014). Synthetic blends of volatile, phytopathogen-induced odorants can be used to

- manipulate vector behavior. *Frontiers in Ecology and Evolution*, 2. <http://journal.frontiersin.org/Journal/10.3389/fevo.2014.00078/abstract>
- Aksenov, A. A., Pasamontes, A., Peirano, D. J., Zhao, W., Dandekar, A. M., Fiehn, O., Ehsani, R., and Davis, C. E. (2014). Detection of huanglongbing disease using differential mobility spectrometry. *Anal. Chem.*, 86(5):2481–2488. <http://pubs.acs.org/doi/abs/10.1021/ac403469y>
- Aksenov, A. A., Yeates, L., Pasamontes, A., Siebe, C., Zrodnikov, Y., Simmons, J., McCartney, M. M., Deplanque, J.-P., Wells, R. S., and Davis, C. E. (2014). Metabolite content profiling of bottlenose dolphin exhaled breath. *Anal. Chem.* <http://pubs.acs.org/doi/abs/10.1021/ac5024217>
- AlRabiah, H., Xu, Y., Rattray, N. J. W., Vaughan, A. A., Gibreel, T., Sayqal, A., Upton, M., Allwood, J. W., and Goodacre, R. (2014). Multiple metabolomics of uropathogenic e. coli reveal different information content in terms of metabolic potential compared to virulence factors. *Analyst*. <http://pubs.rsc.org/en/Content/ArticleLanding/2014/AN/c4an00176a#!divAbstract>
- Araújo, W., Tohge, T., Nunes-Nesi, A., Obata, T., and Fernie, A. (2014). Analysis of kinetic labeling of amino acids and organic acids by GC-MS. In Dieuaide-Noubhani, M. and Alonso, A. P., editors, *Plant Metabolic Flux Analysis*, volume 1090 of *Methods in Molecular Biology*, pages 107–119. Humana Press. http://link.springer.com/protocol/10.1007%2F978-1-62703-688-7_7
- Arora, P. K., Srivastava, A., and Singh, V. P. (2014). Degradation of 4-chloro-3-nitrophenol via a novel intermediate, 4-chlororesorcinol by pseudomonas sp. JHN. *Scientific Reports*, 4. <http://www.nature.com/srep/2014/140326/srep04475/full/srep04475.html>
- Arrivault, S., Guenther, M., Florian, A., Encke, B., Feil, R., Vosloh, D., Lunn, J. E., Sulpice, R., Fernie, A. R., Stitt, M., and Schulze, W. X. (2014). Dissecting the subcellular compartmentation of proteins and metabolites in arabidopsis leaves using non-aqueous fractionation. *Molecular & Cellular Proteomics*, pages mcp.M114.038190+. <http://www.mcponline.org/content/early/2014/05/27/mcp.M114.038190>
- Balazadeh, S., Schildhauer, J., Araújo, W. L., Munné-Bosch, S., Fernie, A. R., Proost, S., Humbeck, K., and Mueller-Roeber, B. (2014). Reversal of senescence by n resupply to n-starved arabidopsis thaliana: transcriptomic and metabolomic consequences. *Journal of Experimental Botany*, pages eru119+. <http://jxb.oxfordjournals.org/content/early/2014/03/31/jxb.eru119>
- Bovier, E., Sellem, C. H., Humbert, A., and Sainsard-Chanet, A. (2014). Genetic and functional investigation of Zn2Cys6 transcription factors RSE2 and RSE3 in podospora anserina. *Eukaryotic Cell*, 13(1):53–65. <http://ec.asm.org/content/13/1/53>
- Chang, K. L. and Ho, P. C. (2014). Gas chromatography Time-Of-flight mass spectrometry (GC-TOF-MS)-based metabolomics for comparison of

- caffeinated and decaffeinated coffee and its implications for alzheimer's disease. *PLoS ONE*, 9(8):e104621+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0104621>
- Crilley, L. R., Qadir, R. M., Ayoko, G. A., Schnelle-Kreis, J., Abbaszade, G., Orasche, J., Zimmermann, R., and Morawska, L. (2014). Identification of the sources of primary organic aerosols at urban schools: A molecular marker approach. *Environmental Pollution*, 191:158–165.
<http://www.sciencedirect.com/science/article/pii/S026974911400164X>
- Dethloff, F., Erban, A., Orf, I., Alpers, J., Fehrle, I., Beine-Golovchuk, O., Schmidt, S., Schwachtje, J., and Kopka, J. (2014). Profiling methods to identify Cold-Regulated primary metabolites using gas chromatography coupled to mass spectrometry. In Hincha, D. K. and Zuther, E., editors, *Plant Cold Acclimation*, volume 1166 of *Methods in Molecular Biology*, pages 171–197. Springer New York.
http://link.springer.com/protocol/10.1007%2F978-1-4939-0844-8_14
- Devanathan, S., Erban, A., Perez-Torres, R., Kopka, J., and Makaroff, C. A. (2014). Arabidopsis thaliana glyoxalase 2-1 is required during abiotic stress but is not essential under normal plant growth. *PLoS ONE*, 9(4):e95971+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0095971>
- Dunn, W., Lin, W., Broadhurst, D., Begley, P., Brown, M., Zelena, E., Vaughan, A., Halsall, A., Harding, N., Knowles, J., Francis-McIntyre, S., Tseng, A., Ellis, D., O'Hagan, S., Aarons, G., Benjamin, B., Chew-Graham, S., Moseley, C., Potter, P., Winder, C., Potts, C., Thornton, P., McWhirter, C., Zubair, M., Pan, M., Burns, A., Cruickshank, Jayson, G., Purandare, N., Wu, F., Finn, J., Haselden, J., Nicholls, A., Wilson, I., Goodacre, R., and Kell, D. (2014). Molecular phenotyping of a UK population: defining the human serum metabolome. pages 1–18.
<http://link.springer.com/article/10.1007%2Fs11306-014-0707-1>
- Flannery, E. N. and George, S. C. (2014). Assessing the syngeneity and indigeneity of hydrocarbons in the ~1.4Ga velkerri formation, McArthur basin, using slice experiments. *Organic Geochemistry*, 77:115–125.
<http://www.sciencedirect.com/science/article/pii/S0146638014002642>
- Florian, A., Timm, S., Nikoloski, Z., Tohge, T., Bauwe, H., Araújo, W. L., and Fernie, A. R. (2014). Analysis of metabolic alterations in arabidopsis following changes in the carbon dioxide and oxygen partial pressures. *J. Integr. Plant Biol.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/jipb.12237/abstract;jsessionid=B3C67D58990FEA1C0B81D81A5925F299.f02t01>
- Florian, A., Nikoloski, Z., Sulpice, R., Timm, S., Araújo, W. L., Tohge, T., Bauwe, H., and Fernie, A. R. (2014). Analysis of short-term metabolic alterations in arabidopsis following changes in the prevailing environmental

- conditions. *Molecular Plant*, pages ssu008+.
<http://mplant.oxfordjournals.org/content/early/2014/02/19/mp.ssu008>
- Gamm, M., Peviani, A., Honsel, A., Snel, B., Smeekens, S., and Hanson, J. (2014). Increased sucrose levels mediate selective mRNA translation in arabidopsis. *BMC plant biology*, 14(1).
<http://www.ncbi.nlm.nih.gov/pubmed/25403240>
- Gromski, P., Xu, Y., Kotze, H., Correa, E., Ellis, D., Armitage, E., Turner, M., and Goodacre, R. (2014). Influence of missing values substitutes on multivariate analysis of metabolomics data. *Metabolites*, 4(2):433–452.
<http://www.mdpi.com/2218-1989/4/2/433>
- Haimovich-Dayan, M., Lieman-Hurwitz, J., Orf, I., Hagemann, M., and Kaplan, A. (2014). Does 2-phosphoglycolate serve as an internal signal molecule of inorganic carbon deprivation in the cyanobacterium synechocystis sp. PCC 6803? *Environ Microbiol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/1462-2920.12638/abstract>
- He, R., Salvato, F., Park, J. J., Kim, M. J., Nelson, W., Balbuena, T., Willer, M., Crow, J., May, G., Soderlund, C., Thelen, J., and Gang, D. (2014). A systems-wide comparison of red rice (*oryza longistaminata*) tissues identifies rhizome specific genes and proteins that are targets for cultivated rice improvement. *BMC Plant Biology*, 14(1):46+.
<http://www.biomedcentral.com/1471-2229/14/46>
- Heise, R., Arrivault, S. A., Szecowka, M., Tohge, T., Nunes-Nesi, A., Stitt, M., Nikoloski, Z., and Fernie, A. R. (2014). Flux profiling of photosynthetic carbon metabolism in intact plants. *Nature Protocols*, 9(8):1803–1824.
<http://www.nature.com/nprot/journal/v9/n8/full/nprot.2014.115.html>
- Jeong, M. Y., Kim, H. L., Park, J., Jung, Y., Youn, D. H., Lee, J. H., Jin, J. S., So, H. S., Park, R., Kim, S. H., Kim, S. J., Hong, S. H., and Um, J. Y. (2014). Rubi fructus (*rubus coreanus*) activates the expression of thermogenic genes in vivo and in vitro. *Int J Obes*, aop(current).
<http://www.nature.com/ijo/journal/vaop/ncurrent/full/ijo2014155a.html>
- Katarína, F., Katarína, M., Katarína, v., Ivan, v., and Fedor, M. (2014). Influence of yeast strain on aromatic profile of gewürztraminer wine. *LWT - Food Science and Technology*.
<http://www.sciencedirect.com/science/article/pii/S0023643814003466>
- Kim, G., Jung, E., Lee, S., Lim, S.-H., Ha, S.-H., and Lee, C. (2014). Combined mass Spectrometry-Based metabolite profiling of different pigmented rice (*oryza sativa l.*) seeds and correlation with antioxidant activities. *Molecules*, 19(10):15673–15686. <http://www.mdpi.com/1420-3049/19/10/15673>
- Kim, J. H., Kim, S.-Y., Choi, G.-H., and Lee, J.-H. (2014). Polycyclic aromatic hydrocarbon generation in Heat-Processed sundried salt. *Journal of Food Protection®*, pages 1630–1633.
<http://www.ingentaconnect.com/content/iafp/jfp/2014/00000077/00000009/art00025?token=005216189ddd327e41225f40382d574767217d763b732c74576b34272c5f7b3d6d3f4e4b34b0a7265a>

- Kim, S., Hwang, J., Xuan, J., Jung, Y. H., Cha, H.-S., and Kim, K. H. (2014). Global metabolite profiling of synovial fluid for the specific diagnosis of rheumatoid arthritis from other inflammatory arthritis. *PLoS ONE*, 9(6):e97501+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0097501>
- Kim, S. K., Han, J. Y., Lee, H.-s., Yum, T., Kim, Y., and Kim, J. (2014). Production of renewable diesel via catalytic deoxygenation of natural triglycerides: Comprehensive understanding of reaction intermediates and hydrocarbons. *Applied Energy*, 116:199–205.
http://www.sciencedirect.com/science/article/pii/S0306261913009690?via_ihub
- King, A. J., Brown, G. D., Gilday, A. D., Larson, T. R., and Graham, I. A. (2014). Production of bioactive diterpenoids in the euphorbiaceae depends on evolutionarily conserved gene clusters. *The Plant Cell Online*, pages tpc.114.129668+.
<http://www.plantcell.org/content/early/2014/08/29/tpc.114.129668>
- Koo, I., Shi, X., Kim, S., and Zhang, X. (2014). iMatch2: Compound identification using retention index for analysis of gas chromatography–mass spectrometry data. *Journal of Chromatography A*, 1337:202–210.
http://www.sciencedirect.com/science/article/pii/S0021967314002969?via_ihub
- Lee, S., Jung, E. S., Do, S.-G., Jung, G.-y., Song, G., Song, J.-m., and Lee, C. H. (2014). Correlation between Species-Specific metabolite profiles and bioactivities of blueberries (vaccinium spp.). *J. Agric. Food Chem.*, 62(9):2126–2133. <http://pubs.acs.org/doi/abs/10.1021/jf405272b>
- Lewis, D. Y., Boren, J., Shaw, G. L., Bielik, R., Ramos-Montoya, A., Larkin, T. J., Martins, C. P., Neal, D. E., Soloviev, D., and Brindle, K. M. (2014). Late imaging with [1-11C]acetate improves detection of tumor fatty acid synthesis with PET. *Journal of Nuclear Medicine*, pages jnumed.113.134437+.
<http://jnm.snmjournals.org/content/early/2014/04/24/jnumed.113.134437>
- Liu, P., Yang, H., Long, F., Hao, H.-P., Xu, X., Liu, Y., Shi, X.-W., Zhang, D.-D., Zheng, H.-C., Wen, Q.-Y., Li, W.-W., Ji, H., Jiang, X.-J., Zhang, B.-L., Qi, L.-W., and Li, P. (2014). Bioactive equivalence of combinatorial components identified in screening of an herbal medicine. pages 1–13.
<http://link.springer.com/article/10.1007%2Fs11095-013-1283-1>
- Ly-Verdú, S., Gröger, T., Arteaga-Salas, J., Brandmaier, S., Kahle, M., Neschen, S., Harbě de Angelis, M., and Zimmermann, R. (2014). Combining metabolomic non-targeted GC×GC–ToF–MS analysis and chemometric ASCA-based study of variances to assess dietary influence on type 2 diabetes development in a mouse model. pages 1–12.
<http://link.springer.com/article/10.1007%2Fs00216-014-8227-4>
- Ma, C., Kojima, K., Xu, N., Mobley, J., Zhou, L., Yang, S.-T., and Liu, X. M. (2014). Comparative proteomics analysis of high n-butanol producing

- metabolically engineered clostridium tyrobutyricum. *Journal of Biotechnology*.
<http://www.sciencedirect.com/science/article/pii/S0168165614009456>
- Mahieu, N. G., Huang, X., Chen, Y.-J., and Patti, G. J. (2014). Credentialed features: A platform to benchmark and optimize untargeted metabolomic methods. *Anal. Chem.* <http://pubs.acs.org/doi/abs/10.1021/ac503092d>
- Marsili, R. T. and Laskonis, C. R. (2014). Odorant synergy effects as the cause of fishy malodors in algal marine oils. *J. Agric. Food Chem.*
<http://pubs.acs.org/doi/abs/10.1021/jf502252q>
- Martins, S. C. V., Araújo, W. L., Tohge, T., Fernie, A. R., and DaMatta, F. M. (2014). In High-Light-acclimated coffee plants the metabolic machinery is adjusted to avoid oxidative stress rather than to benefit from extra light enhancement in photosynthetic yield. *PLoS ONE*, 9(4):e94862+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0094862>
- Meissen, J., Hirahatake, K., Adams, S., and Fiehn, O. (2014). Temporal metabolomic responses of cultured HepG2 liver cells to high fructose and high glucose exposures. pages 1–15.
<http://link.springer.com/article/10.1007%2Fs11306-014-0729-8>
- Moghadamtousi, S. Z. Z., Rouhollahi, E., Karimian, H., Fadaeinab, M., Abdulla, M. A. A., and Kadir, H. A. A. (2014). Gastroprotective activity of annona muricata leaves against ethanol-induced gastric injury in rats via Hsp70/Bax involvement. *Drug design, development and therapy*, 8:2099–2111. <http://www.dovepress.com/gastroprotective-activity-of-annona-muricata-leaves-against-ethanol-in-peer-reviewed-article-DDDT>
- Mousavi, M., Jonsson, P., Antti, H., Adolfsson, R., Nordin, A., Bergdahl, J., Eriksson, K., Moritz, T., Nilsson, L.-G., and Nyberg, L. (2014). Serum metabolomic biomarkers of dementia. *Dementia and Geriatric Cognitive Disorders Extra*, 4(2):252–262.
<http://www.karger.com/Article/FullText/364816>
- Obeid, W., Salmon, E., and Hatcher, P. G. (2014). The effect of different isolation procedures on algaenan molecular structure in scenedesmus green algae. *Organic Geochemistry*.
<http://www.sciencedirect.com/science/article/pii/S0146638014002356>
- Oh, M.-S., Lee, S.-H., Moon, M. H., Lee, D. S., and Park, H.-M. (2014). Simultaneous analysis of phthalates, adipate and polycyclic aromatic hydrocarbons in edible oils using isotope dilution-gas chromatography–mass spectrometry. *Food Additives & Contaminants: Part B*, pages 1–8.
<http://www.tandfonline.com/doi/abs/10.1080/19393210.2013.869770>
- Pant, b.-D., Pant, P., Erban, A., Huhman, D., Kopka, J., and Scheible, w.-R. (2014). Identification of primary and secondary metabolites with phosphorus status-dependent abundance in arabidopsis, and of the transcription factor PHR1 as a major regulator of metabolic changes during phosphorus-limitation. *Plant Cell Environ*, page n/a.

<http://onlinelibrary.wiley.com/doi/10.1111/pce.12378/abstract;jsessionid=9C1EE60E823C1871EEAD82F08E387A24.f02t03>

- Pedreschi, R., Muñoz, P., Robledo, P., Becerra, C., Defilippi, B. G., van Eekelen, H., Mumm, R., Westra, E., and de Vos, R. C. H. (2014). Metabolomics analysis of postharvest ripening heterogeneity of 'hass' avocadoes. *Postharvest Biology and Technology*, 92:172–179.
http://www.sciencedirect.com/science/article/pii/S092552141400043X?via_ihub
- Pogăcean, M. O., Hlihor, R. M., and Gavrilescu, M. (2014). Monitoring pesticides degradation in apple fruits and potential effects of residues on human health. *Journal of Environmental Engineering and Landscape Management*, pages 1–12.
<http://www.tandfonline.com/doi/abs/10.3846/16486897.2014.889697>
- Polyakova, O., Mazur, D., and Lebedev, A. (2014). Improved sample preparation and GC–MS analysis of priority organic pollutants. pages 1–9.
<http://link.springer.com/article/10.1007%2Fs10311-014-0464-4>
- Qiu, Y., Cai, G., Bingsen Zhou, D. O. F., Li, D., Zhao, A., Xie, G., Li, H., Cai, S., Xie, D., Huang, C., Ge, W., Zhou, Z., Xu, L., Jia, W., Zheng, S., Yen, Y., and Jia, W. (2014). A distinct metabolic signature of human colorectal cancer with prognostic potential. *Clinical Cancer Research*, pages clincanres.1939.2013+.
<http://clincancerres.aacrjournals.org/content/early/2014/02/13/1078-0432.CCR-13-1939>
- Reimer, L. C., Spura, J., Schmidt-Hohagen, K., and Schomburg, D. (2014). High-Throughput screening of a corynebacterium glutamicum mutant library on genomic and metabolic level. *PLoS ONE*, 9(2):e86799+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0086799>
- Souleyre, E. J. F., Chagné, D., Chen, X., Tomes, S., Turner, R. M., Wang, M. Y., Maddumage, R., Hunt, M. B., Winz, R. A., Wiedow, C., Hamiaux, C., Gardiner, S. E., Rowan, D. D., and Atkinson, R. G. (2014). The AAT1 locus is critical for the biosynthesis of esters contributing to 'ripe apple' flavour in 'royal gala' and 'granny smith' apples. *Plant J*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/tpj.12518/abstract>
- Stevens, A., Bonshek, C., Whatmore, A., Butcher, I., Hanson, D., De Leonibus, C., Shaikh, G., Brown, M., O'Shea, E., Victor, S., Powell, P., Settle, P., Padmakumar, B., Tan, A., Odeka, E., Cooper, C., Birch, J., Shenoy, A., Westwood, M., Patel, L., Dunn, B. W., and Clayton, P. (2014). Insights into the pathophysiology of catch-up compared with non-catch-up growth in children born small for gestational age: an integrated analysis of metabolic and transcriptomic data. *Pharmacogenomics J*, aop(current).
<http://www.nature.com/tpj/journal/vaop/ncurrent/full/tpj20144a.html>
- Tolstikov, V., Nikolayev, A., Dong, S., Zhao, G., and Kuo, M.-S. (2014). Metabolomics analysis of metabolic effects of nicotinamide phosphoribosyltransferase (NAMPT) inhibition on human cancer cells.

- PLoS ONE*, 9(12):e114019+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0114019>
- Tully, M., Zheng, L., Acosta, G., Tian, R., and Shi, R. (2014). Acute systemic accumulation of acrolein in mice by inhalation at a concentration similar to that in cigarette smoke. 30(6):1017–1024.
<http://link.springer.com/article/10.1007%2Fs12264-014-1480-x>
- Vidkær, N., Wollenweber, B., Gislum, R., Jensen, K.-M., and Fomsgaard, I. (2014). Are ant feces nutrients for plants? a metabolomics approach to elucidate the nutritional effects on plants hosting weaver ants. pages 1–16.
<http://link.springer.com/article/10.1007%2Fs11306-014-0757-4>
- Wallström, S. V., Florez-Sarasa, I., Araújo, W. L., Escobar, M. A., Geisler, D. A., Aidemark, M., Lager, I., Fernie, A. R., Ribas-Carbó, M., and Rasmusson, A. G. (2014). Suppression of NDA-type alternative mitochondrial NAD(P)H dehydrogenases in arabidopsis thaliana modifies growth and metabolism, but not high light stimulation of mitochondrial electron transport. *Plant and Cell Physiology*, pages pcu021+.
<http://pcp.oxfordjournals.org/content/early/2014/01/30/pcp.pcu021>
- Weissgerber, T., Watanabe, M., Hoefgen, R., and Dahl, C. (2014). Metabolomic profiling of the purple sulfur bacterium *allochromatium vinosum* during growth on different reduced sulfur compounds and malate. pages 1–19.
<http://link.springer.com/article/10.1007%2Fs11306-014-0649-7>
- West, P. R., Amaral, D. G., Bais, P., Smith, A. M., Egnash, L. A., Ross, M. E., Palmer, J. A., Fontaine, B. R., Conard, K. R., Corbett, B. A., Cezar, G. G., Donley, E. L. R., and Burrier, R. E. (2014). Metabolomics as a tool for discovery of biomarkers of autism spectrum disorder in the blood plasma of children. *PLoS ONE*, 9(11):e112445+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0112445>
- Xue, Z., Duan, L.-X., and Qi, X. (2015). Gas chromatography mass spectrometry coupling techniques. In Qi, X., Chen, X., and Wang, Y., editors, *Plant Metabolomics*, pages 25–44. Springer Netherlands.
http://link.springer.com/chapter/10.1007%2F978-94-017-9291-2_2
- You, L., Zhang, B., and Tang, Y. (2014). Application of stable Isotope-Assisted metabolomics for cell metabolism studies. *Metabolites*, 4(2):142–165.
<http://www.mdpi.com/2218-1989/4/2/142>
- Zeng, W., Hazebroek, J., Beatty, M., Hayes, K., Ponte, C., Maxwell, C., and Zhong, C. X. (2014). Analytical method evaluation and discovery of variation within maize varieties in the context of food safety: Transcript profiling and metabolomics. *J. Agric. Food Chem.*
<http://pubs.acs.org/doi/abs/10.1021/jf405652j>
- Zhang, L.-f., Liu, L.-s., Chu, X.-m., Xie, H., Cao, L.-j., Guo, C., Ji-ye, Cao, B., Li, M.-j., Wang, G.-j., and Hao, H.-p. (2014). Combined effects of a high-fat diet and chronic valproic acid treatment on hepatic steatosis and

hepatotoxicity in rats. *Acta Pharmacol Sin.*

<http://www.nature.com/aps/journal/vaop/ncurrent/full/aps2013135a.html>

Zhang, Y. L., Huang, R. J., Haddad, I. E., Ho, K. F., Cao, J. J., Han, Y., Zotter, P., Bozzetti, C., Daellenbach, K. R., Canonaco, F., Slowik, J. G., Salazar, G., Schwikowski, M., Schnelle-Kreis, J., Abbaszade, G., Zimmermann, R., Baltensperger, U., Prévôt, A. S. H., and Szidat, S. (2014). Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode in 2013. *Atmospheric Chemistry and Physics Discussions*, 14(19):26257–26296. <http://www.atmos-chem-phys-discuss.net/14/26257/2014/acpd-14-26257-2014.html>

Zotter, P., El-Haddad, I., Zhang, Y., Hayes, P. L., Zhang, X., Lin, Y.-H., Wacker, L., Schnelle-Kreis, J., Abbaszade, G., Zimmermann, R., Surratt, J. D., Weber, R., Jimenez, J. L., Szidat, S., Baltensperger, U., and Prévôt, A. S. H. (2014). Diurnal cycle of fossil and non-fossil carbon using radiocarbon analyses during CalNex. *J. Geophys. Res. Atmos.*, pages 2013JD021114+.

<http://onlinelibrary.wiley.com/doi/10.1002/2013JD021114/abstract>

2013 – Total-92

Agudelo-Romero, P., Erban, A., Sousa, L., Pais, M. S., Kopka, J., and Fortes, A. M. (2013). Search for transcriptional and metabolic markers of grape Pre-Ripening and ripening and insights into specific aroma development in three portuguese cultivars. *PLoS ONE*, 8(4):e60422+.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0060422>

Almeida, T. M., Bispo, M. D., Cardoso, A. R., Migliorini, M. V., Schena, T., de Campos, M. C., Machado, M. E., López, J. A., Krause, L. C., and Caramao, E. B. (2013). Preliminary studies of bio-oil from fast-pyrolysis of coconut fibers. *J. Agric. Food Chem.*

<http://pubs.acs.org/doi/abs/10.1021/jf401379s>

Antti, H., Fahlgren, A., Näsström, E., Kouremenos, K., Sundén-Cullberg, J., Guo, Y., Moritz, T., Wolf-Watz, H., Johansson, A., and Fallman, M. (2013). Metabolic profiling for detection of staphylococcus aureus infection and antibiotic resistance. *PLoS ONE*, 8(2):e56971+.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0056971>

Aranjuelo, I., Tcherkez, G., Molero, G., Gilard, F., Avice, J.-C., and Nogués, S. (2013). Concerted changes in n and c primary metabolism in alfalfa (*medicago sativa*) under water restriction. *Journal of Experimental Botany*, 64(4):1–17. <http://jxb.oxfordjournals.org/content/64/4/1.1>

Badri, D. V., Chaparro, J. M., Zhang, R., Shen, Q., and Vivanco, J. M. (2013). Application of natural blends of phytochemicals derived from the root exudates of arabidopsis to the soil reveal that phenolic related compounds

- predominantly modulate the soil microbiome. *Journal of Biological Chemistry*. <http://www.jbc.org/content/early/2013/01/04/jbc.M112.433300>
- Balaguer, M. P., Fajardo, P., Gartner, H., Gomez-Estaca, J., Gavara, R., Almenar, E., and Hernandez-Munoz, P. (2013). Functional properties and antifungal activity of films based on gliadins containing cinnamaldehyde and natamycin. *International Journal of Food Microbiology*. <http://www.sciencedirect.com/science/article/pii/S0168160513005801>
- Benina, M., Obata, T., Mehterov, N., Ivanov, I., Petrov, V., Toneva, V., Fernie, A. R., and Gechev, T. S. (2013). Comparative metabolic profiling of haberlea rhodopensis, thellungiella halophyla, and arabidopsis thaliana exposed to low temperature. *Frontiers in plant science*, 4. http://www.frontiersin.org/Plant_Physiology/10.3389/fpls.2013.00499/abstract
- Bromke, M. A., Giavalisco, P., Willmitzer, L., and Hesse, H. (2013). Metabolic analysis of adaptation to Short-Term changes in culture conditions of the marine diatom thalassiosira pseudonana. *PLoS ONE*, 8(6):e67340+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0067340>
- Businge, E., Bygdell, J., Wingsle, G., Moritz, T., and Egertsdotter, U. (2013). The effect of carbohydrates and osmoticum on storage reserve accumulation and germination of norway spruce somatic embryos. *Physiol Plantarum*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/ppl.12039/abstract>
- Cao, B., Li, M., Zha, W., Zhao, Q., Gu, R., Liu, L., Shi, J., Zhou, J., Zhou, F., Wu, X., Wu, Z., Wang, G., and Aa, J. (2013). Metabolomic approach to evaluating adriamycin pharmacodynamics and resistance in breast cancer cells. pages 1–14. <http://link.springer.com/article/10.1007%2Fs11306-013-0517-x>
- Chaparro, J. M., Badri, D. V., Bakker, M. G., Sugiyama, A., Manter, D. K., and Vivanco, J. M. (2013). Root exudation of phytochemicals in arabidopsis follows specific patterns that are developmentally programmed and correlate with soil microbial functions. *PLoS ONE*, 8(2):e55731+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0055731>
- Choi, J.-k., Heo, J.-B., Ban, S.-J., Yi, S.-M., and Zoh, K.-D. (2013). Source apportionment of PM2.5 at the coastal area in korea. *Science of The Total Environment*, 447:370–380. <http://www.sciencedirect.com/science/article/pii/S004896971201604X>
- Contreras, C. and Beaudry, R. (2013). Lipoxygenase-associated apple volatiles and their relationship with aroma perception during ripening. *Postharvest Biology and Technology*, 82:28–38. <http://www.sciencedirect.com/science/article/pii/S0925521413000501>
- Cui, D., Zhao, J., Jing, Y., Fan, M., Liu, J., Wang, Z., Xin, W., and Hu, Y. (2013). The arabidopsis IDD14, IDD15, and IDD16 cooperatively regulate

- lateral organ morphogenesis and gravitropism by promoting auxin biosynthesis and transport. *PLoS Genet*, 9(9):e1003759+.
http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pg_en.1003759
- de Godoy, F., Bermúdez, L., Lira, B. S., de Souza, A. P., Elbl, P., Demarco, D., Alseekh, S., Insani, M., Buckeridge, M., Almeida, J., Grigioni, G., Fernie, A. R., Carrari, F., and Rossi, M. (2013). Galacturonosyltransferase 4 silencing alters pectin composition and carbon partitioning in tomato. *Journal of Experimental Botany*, 64(8):2449–2466.
<http://jxb.oxfordjournals.org/content/64/8/2449>
- Degenkolbe, T., Do, P. T., Kopka, J., Zuther, E., Hincha, D. K., and Köhl, K. I. (2013). Identification of drought tolerance markers in a diverse population of rice cultivars by expression and metabolite profiling. *PLoS ONE*, 8(5):e63637+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0063637>
- Dirwono, W., Nam, Y. S., Park, H.-M., and Lee, K.-B. (2013). LC-TOF/MS determination of phthalates in edible salts from food markets in korea. *Food Additives & Contaminants: Part B*, page null.
<http://www.tandfonline.com/doi/abs/10.1080/19393210.2013.795194>
- Do, P. T., Degenkolbe, T., Erban, A., Heyer, A. G., Kopka, J., Köhl, K. I., Hincha, D. K., and Zuther, E. (2013). Dissecting rice polyamine metabolism under controlled Long-Term drought stress. *PLoS ONE*, 8(4):e60325+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0060325>
- Drüppel, K., Hensler, M., Trautwein, K., Koßmehl, S., Wöhlbrand, L., Schmidt-Hohagen, K., Ulbrich, M., Bergen, N., Meier-Kolthoff, J. P., Göker, M., Klenk, H.-P., Schomburg, D., and Rabus, R. (2013). Pathways and substrate-specific regulation of amino acid degradation in phaeobacter inhibens DSM 17395 (archetype of the marine roseobacter clade). *Environ Microbiol*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/1462-2920.12276/abstract;jsessionid=32C9B2490FDE252E86D9C2B7254062B8.f02t04>
- Dwidar, M., Kim, S., Jeon, B., Um, Y., Mitchell, R., and Sang, B. I. (2013). Co-culturing a novel bacillus strain with clostridium tyrobutyricum ATCC 25755 to produce butyric acid from sucrose. *Biotechnology for Biofuels*, 6(1):35+. <http://www.biotechnologyforbiofuels.com/content/6/1/35/abstract>
- Etalo, D. W., Stulemeijer, I. J. E., van Esse, P. H., de Vos, R. C. H., Bouwmeester, H. J., and Joosten, M. H. A. J. (2013). System-Wide hypersensitive Response-Associated transcriptome and metabolome reprogramming in tomato. *Plant Physiology*.
<http://www.plantphysiol.org/content/early/2013/05/29/pp.113.217471>
- Ewald, J. C., Matt, T., and Zamboni, N. (2013). The integrated response of primary metabolites to gene deletions and the environment. *Mol. BioSyst.*

- <http://pubs.rsc.org/en/Content/ArticleLanding/2012/MB/c2mb25423a>
- González, H., Castillo, O. S., Rico, J. L., Gutierrez-Alejandre, A., and Ramirez, J. (2013). Hydroconversion of 2-methylnaphthalene on pt/mordenite catalysts. reaction study and mathematical modeling. *Ind. Eng. Chem. Res.* <http://pubs.acs.org/doi/abs/10.1021/ie302170v>
- Hashiguchi, Y., Zaitsu, S.-i., and Imasaka, T. (2013). Ionization of pesticides using a far-ultraviolet femtosecond laser in gas chromatography/time-of-flight mass spectrometry. pages 1–7. <http://link.springer.com/article/10.1007%2Fs00216-013-6976-0>
- Hong, K. H. and Sun, G. (2013). Photohydrolysis of cotton cellulose for producing bioethanol. *J. Appl. Polym. Sci.*, 129(6):3782–3786. <http://onlinelibrary.wiley.com/doi/10.1002/app.39019/abstract;jsessionid=95A674B80DC17FF073F010116DDDBF8E.d04t01>
- James Ho, C. S., Storm, P., Rydstrom, A., Bowen, B., Alsin, F., Sullivan, L., Ambite, I., Mok, K. H., Northen, T., and Svanborg, C. (2013). Lipids as tumoricidal components of human alpha-lactalbumin made lethal to tumor cells (HAMLET); unique and shared effects on signaling and death. *Journal of Biological Chemistry*. <http://www.jbc.org/content/early/2013/04/29/jbc.M113.468405>
- Jeleń, H. H., Dziadas, M., and Majcher, M. (2013). Different headspace solid phase microextraction – gas chromatography/mass spectrometry approaches to haloanisoles analysis in wine. *Journal of Chromatography A*. <http://www.sciencedirect.com/science/article/pii/S002196731301159X>
- Jelen, H., Majcher, M., Ginja, A., and Kuligowski, M. (2013). Determination of compounds responsible for tempeh aroma. *Food Chemistry*. <http://www.sciencedirect.com/science/article/pii/S0308814613003506>
- Jiang, M., Chen, T., Feng, H., Zhang, Y., Li, L., Zhao, A., Niu, X., Liang, F., Wang, M., Zhan, J., Lu, C., He, X., Xiao, L., Jia, W., and Lu, A. (2013). Serum metabolic signatures of four types of human arthritis. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/pr400415a>
- Johnson, Liu, Z., Salmon, E., and Hatcher, P. (2013). One-Step conversion of algal biomass to biodiesel with formation of an algal char as potential fertilizer. In Lee, J. W., editor, *Advanced Biofuels and Bioproducts*, pages 695–705. Springer New York. http://link.springer.com/chapter/10.1007%2F978-1-4614-3348-4_29
- Kaddurah-Daouk, R., Bogdanov, M. B., Wikoff, W. R., Zhu, H., Boyle, S. H., Churchill, E., Wang, Z., Rush, A. J., Krishnan, R. R., Pickering, E., Delnomdedieu, M., and Fiehn, O. (2013). Pharmacometabolomic mapping of early biochemical changes induced by sertraline and placebo. *Translational Psychiatry*, 3(1):e223+. <http://www.nature.com/tp/journal/v3/n1/full/tp2012142a.html>
- Kawase, N., Tsugawa, H., Bamba, T., and Fukusaki, E. (2013). Different-batch metabolome analysis of *saccharomyces cerevisiae* based on gas

- chromatography/mass spectrometry. *Journal of Bioscience and Bioengineering*.
<http://www.sciencedirect.com/science/article/pii/S1389172313002703>
- Kempe, K., Rubtsova, M., Riewe, D., and Gils, M. (2013). The production of male-sterile wheat plants through split barnase expression is promoted by the insertion of introns and flexible peptide linkers. pages 1–17.
<http://link.springer.com/article/10.1007%2Fs11248-013-9714-7>
- Khodorova, N. V., Shavarda, A. L., Lequart-Pillon, M., Laberche, J.-C., Voitsekhovskaja, O. V., and Boitel-Conti, M. (2013). Biosynthesis of benzylisoquinoline alkaloids in corydalis bracteata: Compartmentation and seasonal dynamics. *Phytochemistry*, 92:60–70.
<http://www.sciencedirect.com/science/article/pii/S0031942213001489>
- Kim, H.-W., Lee, A.-Y., Yeo, S. K., Chung, H., Lee, J. H., Hoang, M.-H., Jia, Y., Han, S.-I., Oh, S.-K., Lee, S.-J., and Kim, Y.-S. (2013a). Metabolic profiling and biological mechanisms of body fat reduction in mice fed the ethanolic extract of black-colored rice. *Food Research International*, 53(1):373–390.
<http://www.sciencedirect.com/science/article/pii/S0963996913002731>
- Kim, J., Park, S.-Y., Lee, S., Lim, S.-H., Kim, H., Oh, S.-D., Yeo, Y., Cho, H., and Ha, S.-H. (2013b). Unintended polar metabolite profiling of carotenoid-biofortified transgenic rice reveals substantial equivalence to its non-transgenic counterpart. *Plant Biotechnology Reports*, 7(1):121–128.
<http://link.springer.com/article/10.1007%2Fs11816-012-0231-6>
- Kim, Y. B., Kim, J. K., Uddin, M., Xu, H., Park, W. T., Tuan, P. A., Li, X., Chung, E., Lee, J.-H., and Park, S. U. (2013c). Metabolomics analysis and biosynthesis of rosmarinic acid in agastache rugosa kuntze treated with methyl jasmonate. *PLoS ONE*, 8(5):e64199+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0064199>
- Kim, K. H., Kim, T.-S., Lee, S.-M., Choi, D., Yeo, H., Choi, I.-G., and Choi, J. W. (2013). Comparison of physicochemical features of biooils and biochars produced from various woody biomasses by fast pyrolysis. *Renewable Energy*, 50:188–195.
<http://www.sciencedirect.com/science/article/pii/S0960148112003813>
- Kim, S., Lee, D. Y., Wohlgemuth, G., Park, H. S., Fiehn, O., and Kim, K. H. (2013a). Evaluation and optimization of metabolome sample preparation methods for *saccharomyces cerevisiae*. *Anal. Chem.*
<http://pubs.acs.org/doi/abs/10.1021/ac302881e>
- Kim, Y.-K., Kim, J. K., Kim, Y. B., Lee, S., Kim, S. U., and Park, S. U. (2013b). Enhanced accumulation of phytosterol and triterpene in hairy root cultures of platycodon grandiflorum by overexpression of panax ginseng HMGR. *J. Agric. Food Chem.* <http://pubs.acs.org/doi/abs/10.1021/jf304911t>
- Klein, M. S., Almstetter, M. F., Nürnberg, N., Sigl, G., Gronwald, W., Wiedemann, S., Dettmer, K., and Oefner, P. J. (2013). Correlations between

- milk and plasma levels of amino and carboxylic acids in dairy cows. *J. Proteome Res.* <http://pubs.acs.org/doi/abs/10.1021/pr4006537>
- Knapp, D. W., Peer, W. A., Conteh, A., Diggs, A. R., Cooper, B. R., Glickman, N. W., Bonney, P. L., Stewart, J. C., Glickman, L. T., and Murphy, A. S. (2013). Detection of herbicides in the urine of pet dogs following home lawn chemical application. *Science of The Total Environment*, 456-457:34–41. <http://www.sciencedirect.com/science/article/pii/S0048969713003100>
- Kotze, H., Armitage, E., Sharkey, K., Allwood, J., Dunn, W., Williams, K., and Goodacre, R. (2013). A novel untargeted metabolomics correlation-based network analysis incorporating human metabolic reconstructions. *BMC Systems Biology*, 7(1):107+. <http://www.biomedcentral.com/1752-0509/7/107>
- Kumar, P., Sharoyko, V. V., Spégel, P., Gullberg, U., Mulder, H., Olsson, I., and Ajore, R. (2013). The transcriptional Co-Repressor myeloid translocation gene 16 inhibits glycolysis and stimulates mitochondrial respiration. *PLoS ONE*, 8(7):e68502+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0068502>
- Lee, D. Y., Xun, Z., Platt, V., Budworth, H., Canaria, C. A., and McMurray, C. T. (2013). Distinct pools of Non-Glycolytic substrates differentiate brain regions and prime Region-Specific responses of mitochondria. *PLoS ONE*, 8(7):e68831+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0068831>
- Li, M., Wang, X., Aa, J., Qin, W., Zha, W., Ge, Y., Liu, L., Zheng, T., Cao, B., Shi, J., Zhao, C., Wang, X., Yu, X., Wang, G., and Liu, Z. (2013). GC/TOFMS analysis of metabolites in serum and urine reveals metabolic perturbation of TCA cycle in db/db mice involved in diabetic nephropathy. *American Journal of Physiology - Renal Physiology*. <http://ajprenal.physiology.org/content/304/11/F1317>
- Liew Abdullah, A. G., Sulaiman, N. M., Aroua, M. K., and Che Hassan, C. R. (2013). Optimization of headspace sampling using Solid-Phase microextraction (SPME) for volatile components in starfruit juice. *International Journal of Food Engineering*, 9(2). <http://www.degruyter.com/view/j/ijfe.2013.9.issue-2/ijfe-2012-0004/ijfe-2012-0004.xml>
- López, F. A., Centeno, T. A., Alguacil, F. J., Lobato, B., and Urien, A. (2013). The GRAUTHERMIC-tyres process for the recycling of granulated scrap tyres. *Journal of Analytical and Applied Pyrolysis*. <http://www.sciencedirect.com/science/article/pii/S0165237012002513>
- López-Días, V., Blanco, C. G., Bechtel, A., Püttmann, W., and Borrego, A. G. (2013). Different source of n-alkanes and n-alkane-2-ones in a 6000 cal. yr BP sphagnum-rich temperate peat bog (roñanzas, n spain). *Organic Geochemistry*.

<http://www.sciencedirect.com/science/article/pii/S0146638013000089>

Ma, B., Liu, J., Zhang, Q., Ying, H., Jiye, Sun, J., Wu, D., Wang, Y., Li, J., and Liu, Y. (2013). Metabolomic profiles delineate signature metabolic shifts during estrogen Deficiency-Induced bone loss in rat by GC-TOF/MS. *PLoS ONE*, 8(2):e54965+.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0054965>

Martínez-Cuenca, M.-R., Iglesias, D. J., Talón, M., Abadía, J., López-Millán, A.-F., Primo-Millo, E., and Legaz, F. (2013). Metabolic responses to iron deficiency in roots of carrizo citrange [citrus sinensis (l.) osbeck. × poncirus trifoliata (l.) raf.]. *Tree Physiology*.

<http://treephys.oxfordjournals.org/content/33/3/320>

Medina, M., Roque, E., Pineda, B., Cañas, L., Rodríguez-Concepción, M., Beltrán, J. P., and Gómez-Mena, C. (2013). Early anther ablation triggers parthenocarpic fruit development in tomato. *Plant Biotechnol J*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1111/pbi.12069/abstract>

Micić, V., Kruge, M. A., and Hofmann, T. (2013). Variations of common riverine contaminants in reservoir sediments. *Science of The Total Environment*, 458-460:90–100.

<http://www.sciencedirect.com/science/article/pii/S0048969713004075>

Min, K., Kim, S., Yum, T., Kim, Y., Sang, B.-I., and Um, Y. (2013). Conversion of levulinic acid to 2-butanone by acetoacetate decarboxylase from clostridium acetobutylicum. pages 1–8.

<http://link.springer.com/article/10.1007%2Fs00253-013-4879-9>

Millar, K. D. L. and Kiss, J. Z. (2013). Analyses of tropistic responses using metabolomics. *American Journal of Botany*, 100(1):79–90.

<http://www.amjbot.org/content/100/1/79>

Nieuwenhuizen, N. J., Green, S. A., Chen, X., Bailleul, E. J. D., Matich, A. J., Wang, M. Y., and Atkinson, R. G. (2013). Functional genomics reveals that a compact terpene synthase gene family can account for terpene volatile production in apple. *Plant Physiology*, 161(2):787–804. <http://www.plantphysiol.org/content/161/2/787>

Obermeyer, G., Fragner, L., Lang, V., and Weckwerth, W. (2013). Dynamic adaption of metabolic pathways during germination and growth of lily pollen tubes after inhibition of the electron transport chain. *Plant Physiology*. <http://www.plantphysiol.org/content/early/2013/05/09/pp.113.219857>

Orasche, J., Schnelle-Kreis, J., Schön, C., Hartmann, H., Ruppert, H., Arteaga-Salas, J. M., and Zimmermann, R. (2013). Comparison of emissions from wood combustion. part 2: Impact of combustion conditions on emission factors and characteristics of Particle-Bound organic species and polycyclic aromatic hydrocarbon (PAH)-related toxicological potential. *Energy Fuels*, 27(3):1482–1491. <http://pubs.acs.org/doi/abs/10.1021/ef301506h>

- Park, S.-Y., Lim, S.-H., Ha, S.-H., Yeo, Y., Park, W. T., Kwon, D. Y., Park, S. U., and Kim, J. K. (2013). Metabolite profiling approach reveals the interface of primary and secondary metabolism in colored cauliflowers (*brassica oleracea* l. ssp. *botrytis*). *J. Agric. Food Chem.* <http://pubs.acs.org/doi/abs/10.1021/jf401330e>
- Parag, B., Sasikala, C., and Ramana, C. (2013). Molecular and culture dependent characterization of endolithic bacteria in two beach sand samples and description of rhizobium endolithicum sp. nov. pages 1–10. <http://link.springer.com/article/10.1007%2Fs10482-013-0046-7>
- Pedneault, K., Dorais, M., and Angers, P. (2013). Flavor of Cold-Hardy grapes: Impact of berry maturity and environmental conditions. *J. Agric. Food Chem.* <http://pubs.acs.org/doi/abs/10.1021/jf402473u>
- Pérez-Delgado, C. M., García-Calderón, M., Sanchez, D. H., Udvardi, M., Kopka, J., Marquez, A. J., and Betti, M. (2013). Transcriptomic and metabolic changes associated to photorespiratory ammonium accumulation in the model legume lotus japonicus. *Plant Physiology*. <http://www.plantphysiol.org/content/early/2013/06/06/pp.113.217216>
- Pérez-Pérez, J. M., Esteve-Bruna, D., González-Bayón, R., Kangasjärvi, S., Caldana, C., Hannah, M. A., Willmitzer, L., Ponce, M. R., and Micol, J. L. (2013). Functional redundancy and divergence within the arabidopsis RETICULATA-RELATED gene family. *Plant Physiology*, 162(2):589–603. <http://www.plantphysiol.org/content/162/2/589>
- Phillips, M., Cataneo, R. N., Chaturvedi, A., Kaplan, P. D., Libardoni, M., Mundada, M., Patel, U., and Zhang, X. (2013). Detection of an extended human volatome with comprehensive Two-Dimensional gas chromatography Time-of-Flight mass spectrometry. *PLoS ONE*, 8(9):e75274+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0075274>
- Polyakova, O. V., Mazur, D. M., Artaev, V. B., and Lebedev, A. T. (2013). Determination of polycyclic aromatic hydrocarbons in water by gas chromatography/mass spectrometry with accelerated sample preparation. 68(13):1099–1103. <http://link.springer.com/article/10.1134%2FS106193481313008X>
- Postles, J., Powers, S. J., Elmore, J. S., Mottram, D. S., and Halford, N. G. (2013). Effects of variety and nutrient availability on the acrylamide-forming potential of rye grain. *Journal of Cereal Science*. <http://www.sciencedirect.com/science/article/pii/S0733521013000222>
- Ramana, C., Srinivas, A., Subhash, Y., Tushar, L., Mukherjee, T., Kiran, P., and Sasikala, C. (2013). *Salinicoccus halitfaciens* sp. nov., a novel bacterium participating in halite formation. 103(4):885–898. <http://link.springer.com/article/10.1007%2Fs10482-012-9870-4>
- Reddy, H. K., Muppaneni, T., Rastegary, J., Shirazi, S. A., Ghassemi, A., and Deng, S. (2013). ASI: Hydrothermal extraction and characterization of bio-

- crude oils from wet chlorella sorokiniana and dunaliella tertiolecta. *Environ. Prog. Sustainable Energy*, 32(4):910–915.
<http://onlinelibrary.wiley.com/doi/10.1002/ep.11862/abstract;jsessionid=CC7F8EE9981DB43C4BD46C9BC16E1359.f01t03>
- Ross, A. B., Pere-Trépat, E., Montoliu, I., Martin, F.-P. J., Collino, S., Moco, S., Godin, J.-P., Cléroux, M., Guy, P. A., Breton, I., Bibiloni, R., Thorimbert, A., Tavazzi, I., Tornier, L., Bebuis, A., Bruce, S. J., Beaumont, M., Fay, L.-B., and Kochhar, S. (2013). A Whole-Grain-rich diet reduces urinary excretion of markers of protein catabolism and gut microbiota metabolism in healthy men after one week. *The Journal of Nutrition*.
<http://jn.nutrition.org/content/early/2013/04/24/jn.112.172197>
- Sasaki, K., Matsuda, F., Hasunuma, T., Ogino, C., Urairi, M., Yoshida, K., and Kondo, A. (2013). Ability of a perfluoropolymer membrane to tolerate by-products of ethanol fermentation broth from dilute acid-pretreated rice straw. *Biochemical Engineering Journal*, 70:135–139.
<http://www.sciencedirect.com/science/article/pii/S1369703X12003026>
- Sahlberg, B., Gunnbjörnsdóttir, M., Soon, A., Jogi, R., Gislason, T., Wieslander, G., Janson, C., and Norback, D. (2013). Airborne molds and bacteria, microbial volatile organic compounds (MVOC), plasticizers and formaldehyde in dwellings in three north european cities in relation to sick building syndrome (SBS). *Science of The Total Environment*, 444:433–440.
<http://www.sciencedirect.com/science/article/pii/S0048969712014775>
- Scott, C. H., Zaspel, J. M., Chialvo, P., and Weller, S. J. (2013). A preliminary molecular phylogenetic assessment of the lichen moths (lepidoptera: Erebidae: Arctiinae: Lithosiini) with comments on palatability and chemical sequestration. *Syst Entomol*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/syen.12047/abstract>
- Smallbone, K., Messiha, H. L., Carroll, K. M., Winder, C. L., Malys, N., Dunn, W. B., Murabito, E., Swainston, N., Dada, J. O., Khan, F., Pir, P., Simeonidis, E., Spasić, I., Wishart, J., Weichart, D., Hayes, N. W., Jameson, D., Broomhead, D. S., Oliver, S. G., Gaskell, S. J., McCarthy, J. E. G., Paton, N. W., Westerhoff, H. V., Kell, D. B., and Mendes, P. (2013). A model of yeast glycolysis based on a consistent kinetic characterisation of all its enzymes. *FEBS Letters*, 587(17):2832–2841.
<http://www.sciencedirect.com/science/article/pii/S0014579313005012>
- Spégel, P., Sharoyko, V., Göhring, I., Danielsson, A., Malmgren, S., Nagorny, C., Andersson, L., Koeck, T., Sharp, G., Straub, S., Wollheim, C., and Mulder, H. (2013). Time-resolved metabolomics analysis of β-cells implicates the pentose phosphate pathway in the control of insulin release. *Biochemical Journal*.
<http://www.biochemj.org/bj/imps/abs/BJ20121349.htm>
- Tan, B., Qiu, Y., Zou, X., Chen, T., Xie, G., Cheng, Y., Dong, T., Zhao, L., Feng, B., Hu, X., Xu, L. X., Zhao, A., Zhang, M., Cai, G., Cai, S., Zhou, Z., Zheng, M., Zhang, Y., and Jia, W. (2013). Metabonomics identifies serum

- metabolite markers of colorectal cancer. *J. Proteome Res.*, 12(6):3000–3009. <http://pubs.acs.org/doi/abs/10.1021/pr400337b>
- Thwe, A. A., Kim, J. K., Li, X., Bok Kim, Y., Romij Uddin, M., Kim, S. J., Suzuki, T., Park, N. I., and Park, S. U. (2013). Metabolomic analysis and phenylpropanoid biosynthesis in hairy root culture of tartary buckwheat cultivars. *PLoS ONE*, 8(6):e65349+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0065349>
- Tu, Z., Moss-Pierce, T., Ford, P., and Jiang, T. A. (2013). Rosemary (*rosmarinus officinalis* l.) extract regulates glucose and lipid metabolism by activating AMPK and PPAR pathways in HepG2 cells. *J. Agric. Food Chem.*, 61(11):2803–2810. <http://pubs.acs.org/doi/abs/10.1021/jf400298c>
- Turner, J. W., Hartman, B. E., and Hatcher, P. G. (2013). Structural characterization of suberan isolated from river birch (*betula nigra*) bark. *Organic Geochemistry*. <http://www.sciencedirect.com/science/article/pii/S0146638013000065>
- Wang, H., Correa, E., Dunn, W., Winder, C., Goodacre, R., and Lloyd, J. (2013). Metabolomic analyses show that electron donor and acceptor ratios control anaerobic electron transfer pathways in *shewanella oneidensis*. 9(3):642–656. <http://link.springer.com/article/10.1007%2Fs11306-012-0488-3>
- Watanabe, M., Balazadeh, S., Tohge, T., Erban, A., Giavalisco, P., Kopka, J., Mueller-Roeber, B., Fernie, A. R., and Hoefgen, R. (2013). Comprehensive dissection of spatio-temporal metabolic shifts in primary, secondary and lipid metabolism during developmental senescence in *arabidopsis thaliana*. *Plant Physiology*. <http://www.plantphysiol.org/content/162/3/1290>
- Wei, X., Shi, X., Koo, I., Kim, S., Schmidt, R. H., Arteel, G. E., Watson, W. H., McClain, C., and Zhang, X. (2013). MetPP: A computational platform for comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry-based metabolomics. *Bioinformatics*. <http://bioinformatics.oxfordjournals.org/content/early/2013/05/11/bioinformatics.btt275>
- Xu, Y., Correa, E., and Goodacre, R. (2013). Integrating multiple analytical platforms and chemometrics for comprehensive metabolic profiling: application to meat spoilage detection. 405(15):5063–5074. <http://link.springer.com/article/10.1007%2Fs00216-013-6884-3>
- Yamashita, Y., Yamaoka, M., Hasunuma, T., Ashida, H., and Yoshida, K.-i. (2013). Detection of orally administered inositol stereoisomers in mouse blood plasma and their effects on translocation of glucose transporter 4 in skeletal muscle cells. *J. Agric. Food Chem.*, 61(20):4850–4854. <http://pubs.acs.org/doi/abs/10.1021/jf305322t>
- Yang, D., Zhang, Y., Barupal, D. K., Fan, X., Gustafson, R., Guo, R., and Fiehn, O. (2013). Metabolomics of photobiological hydrogen production induced by CCCP in *chlamydomonas reinhardtii*. *International Journal of Hydrogen*

Energy.

<http://www.sciencedirect.com/science/article/pii/S0360319913023641>

Zech, H., Hensler, M., Koßmehl, S., Drüppel, K., Wöhlbrand, L., Trautwein, K., Colby, T., Schmidt, J., Reinhardt, R., Schmidt-Hohagen, K., Schomburg, D., and Rabus, R. (2013a). Dynamics of amino acid utilization in *phaeobacter inhibens* DSM 17395. *Proteomics*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/pmic.201200560/abstract>

Zech, H., Hensler, M., Koßmehl, S., Drüppel, K., Wöhlbrand, L., Trautwein, K., Hulsch, R., Maschmann, U., Colby, T., Schmidt, J., Reinhardt, R., Schmidt-Hohagen, K., Schomburg, D., and Rabus, R. (2013b). Adaptation of *phaeobacter gallaeciensis* DSM 17395 to growth with complex nutrients. *Proteomics*, page n/a.

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.201200513/abstract>

Zetterqvist, A. V., Berglund, L. M., Blanco, F., Garcia-Vaz, E., Wigren, M., Dunér, P., Andersson, A.-M. D., To, F., Spegel, P., Nilsson, J., Bengtsson, E., and Gomez, M. F. (2013). Inhibition of nuclear factor of activated T-Cells (NFAT) suppresses accelerated atherosclerosis in diabetic mice. *PLoS ONE*, 8(6):e65020+.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0065020>

Zhang, Y., Wu, Y., Chen, T., Yao, L., Liu, J., Pan, X., Hu, Y., Zhao, A., Xie, G., and Jia, W. (2013). Assessing the metabolic effects of aromatherapy in human volunteers. *Evidence-Based Complementary and Alternative Medicine*, 2013:1–9. <http://www.hindawi.com/journals/ecam/2013/356381/>

Zheng, X., Qiu, Y., Zhong, W., Baxter, S., Su, M., Li, Q., Xie, G., Ore, B., Qiao, S., Spencer, M., Zeisel, S., Zhou, Z., Zhao, A., and Jia, W. (2013). A targeted metabolomic protocol for short-chain fatty acids and branched-chain amino acids. pages 1–10.

<http://link.springer.com/article/10.1007%2Fs11306-013-0500-6>

Zhu, Y., Cong, W., Shen, L., Wei, H., Wang, L., Wang, Y., Ruan, K., Wu, F., and Feng, Y. (2013). Fecal metabonomic study of a polysaccharide, MDG-1 from ophiopogon japonicus on diabetic mice based on gas chromatography/time-of-flight mass spectrometry (GC TOF/MS). *Mol. BioSyst.*

<http://pubs.rsc.org/en/Content/ArticleLanding/2013/MB/c3mb70392d#!divAbstract>

Zou, W., She, J., and Tolstikov, V. (2013). A comprehensive workflow of mass Spectrometry-Based untargeted metabolomics in cancer metabolic biomarker discovery using human plasma and urine. *Metabolites*, 3(3):787–819. <http://www.mdpi.com/2218-1989/3/3/787>

- Abu Dawud, R., Schreiber, K., Schomburg, D., and Adjaye, J. (2012). Human embryonic stem cells and embryonal carcinoma cells have overlapping and distinct metabolic signatures. *PLoS ONE*, 7(6):e39896+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.po ne.0039896>
- Anetzberger, C., Reiger, M., Fekete, A., Schell, U., Stambrau, N., Plener, L., Kopka, J., Schmitt-Kopplin, P., Hilbi, H., and Jung, K. (2012). Autoinducers act as biological timers in vibrio harveyi. *PLoS ONE*, 7(10):e48310+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.po ne.0048310>
- Araújo, W. L., Trofimova, L., Mkrtchyan, G., Steinhauser, D., Krall, L., Graf, A., Fernie, A. R., and Bunik, V. I. (2012). On the role of the mitochondrial 2-oxoglutarate dehydrogenase complex in amino acid metabolism. *Amino Acids*, pages 1–18.
<http://www.springerlink.com/content/y16653x38v260wjh/>
- Arnhard, K., Schmid, R., Kobold, U., and Thiele, R. (2012). Rapid detection and quantification of 35 benzodiazepines in urine by GC-TOF-MS. *Analytical and Bioanalytical Chemistry*, 403(3):755–768.
<http://www.springerlink.com/content/j21t114q15121341/>
- Asiago, V. M., Hazebroek, J., Harp, T., and Zhong, C. (2012). Effects of genetics and environment on the metabolome of commercial maize hybrids: A multisite study. *J. Agric. Food Chem.*, 60(46):11498–11508.
<http://pubs.acs.org/doi/abs/10.1021/jf303873a>
- Baumgartner, B. L. and Cooper, B. R. (2012). Evaluation of a tandem gas chromatography/time-of-flight mass spectrometry metabolomics platform as a single method to investigate the effect of starvation on whole-animal metabolism in rainbow trout (*oncorhynchus mykiss*). *The Journal of Experimental Biology*, 215(10):1627–1632.
<http://jeb.biologists.org/content/215/10/1627>
- Budczies, J., Denkert, C., Muller, B., Brockmoller, S., Klauschen, F., Gyorffy, B., Dietel, M., Ehrenstein, C. R., Marten, U., Salek, R., Griffin, J., Hilvo, M., Oresic, M., Wohlgemuth, G., and Fiehn, O. (2012). Remodeling of central metabolism in invasive breast cancer compared to normal breast tissue - a GC-TOFMS based metabolomics study. *BMC Genomics*, 13(1):334+.
<http://www.biomedcentral.com/1471-2164/13/334>
- Businge, E., Brackmann, K., Moritz, T., and Egertsdotter, U. (2012). Metabolite profiling reveals clear metabolic changes during somatic embryo development of norway spruce (*picea abies*). *Tree Physiology*, 32(2):232–244. <http://treephys.oxfordjournals.org/content/32/2/232>
- Buszewski, B., Ligor, T., Jezierski, T., Wenda-Piesik, A., Walczak, M., and

- Rudnicka, J. (2012). Identification of volatile lung cancer markers by gas chromatography-mass spectrometry: comparison with discrimination by canines. *Analytical and Bioanalytical Chemistry*, 404(1):141–146.
<http://www.springerlink.com/content/qm2mq76x47548980/>
- Caldana, C., Li, Y., Leisse, A., Zhang, Y., Bartholomaeus, L., Fernie, A. R., Willmitzer, L., and Giavalisco, P. (2012). Systemic analysis of inducible target of rapamycin mutants reveal a general metabolic switch controlling growth in arabidopsis thaliana. *Plant J*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1111/tpj.12080/abstract>
- Cárdenas, M., Jiros, P., and Pekár, S. (2012). Selective olfactory attention of a specialised predator to intraspecific chemical signals of its prey. *Naturwissenschaften*, 99(8):597–605.
<http://www.springerlink.com/content/902583332413441t/>
- Carreno-Quintero, N., Acharjee, A., Maliepaard, C., Bachem, C. W., Mumm, R., Bouwmeester, H., Visser, R. G., and Keurentjes, J. J. (2012). Untargeted metabolic quantitative trait loci analyses reveal a relationship between primary metabolism and potato tuber quality. *Plant physiology*, 158(3):1306–1318.
<http://www.plantphysiol.org/content/158/3/1306>
- Choe, S., Woo, S. H., Kim, D. W., Park, Y., Choi, H., Hwang, B. Y., Lee, D., and Kim, S. (2012). Development of a target component extraction method from GC-MS data with an in-house program for metabolite profiling. *Analytical Biochemistry*, 426(2):94–102.
<http://www.sciencedirect.com/science/article/pii/S0003269712002229>
- Chorell, E., Svensson, M. B., Moritz, T., and Antti, H. (2012). Physical fitness level is reflected by alterations in the human plasma metabolome. *Mol. BioSyst.*, 8(4):1187–1196.
<http://pubs.rsc.org/en/Content/ArticleLanding/2012/MB/c2mb05428k>
- Doerfler, H., Lyon, D., Nägele, T., Sun, X., Fragner, L., Hadacek, F., Egelhofer, V., and Weckwerth, W. (2012). Granger causality in integrated GC-MS and LC-MS metabolomics data reveals the interface of primary and secondary metabolism. *Metabolomics*, pages 1–11.
<http://link.springer.com/article/10.1007%2Fs11306-012-0470-0>
- Duan, L.-X., Chen, T.-L., Li, M., Chen, M., Zhou, Y.-Q., Cui, G.-H., Zhao, A.-H., Jia, W., Huang, L.-Q., and Qi, X. (2012). Use of the metabolomics approach to characterize chinese medicinal material huangqi. *Molecular Plant*, 5(2):376–386.
http://pubget.com/paper/22138859/Use_of_the_metabolomics_approach_to_characterize_Chinese_medicinal_material_Huangqi
- Dunn, W. B., Brown, M., Worton, S. A., Davies, K., Jones, R. L., Kell, D. B., and Heazell, A. E. P. (2012a). The metabolome of human placental tissue: investigation of first trimester tissue and changes

- related to preeclampsia in late pregnancy. *Metabolomics*, 8(4):579–597. <http://www.springerlink.com/content/t77522340k2w8445/>
- Dunn, W. B., Summers, A., Brown, M., Goodacre, R., Lambie, M., Johnson, T., Wilkie, M., Davies, S., Topley, N., and Brenchley, P. (2012b). Proof-of-principle study to detect metabolic changes in peritoneal dialysis effluent in patients who develop encapsulating peritoneal sclerosis. *Nephrology Dialysis Transplantation*, 27(6):2502–2510.
http://pubget.com/paper/22294777/Proof_of_principle_study_to_detect_metabolic_changes_in_peritoneal_dialysis_effluent_in_patients_who_develop_encapsulating_peritoneal_sclerosis
- Eckert, A. J., Wegrzyn, J. L., Cumbie, W. P., Goldfarb, B., Huber, D. A., Tolstikov, V., Fiehn, O., and Neale, D. B. (2012). Association genetics of the loblolly pine (*pinus taeda*, pinaceae) metabolome. *New Phytologist*, 193(4):890–902.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2011.03976.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Florez-Sarasa, I., Araújo, W. L., Wallström, S. V., Rasmusson, A. G., Fernie, A. R., and Ribas-Carbo, M. (2012). Light-responsive metabolite and transcript levels are maintained following a dark-adaptation period in leaves of arabidopsis thaliana. *New Phytologist*, 195(1):136–148.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2012.04153.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Führs, H., Specht, A., Erban, A., Kopka, J., and Horst, W. J. (2012). Functional associations between the metabolome and manganese tolerance in vigna unguiculata. *Journal of Experimental Botany*, 63(1):329–340. <http://jxb.oxfordjournals.org/content/63/1/329>
- Gómez, M. J., Herrera, S., Solé, D., García-Calvo, E., and Fernández-Alba, A. R. (2012a). Spatio-temporal evaluation of organic contaminants and their transformation products along a river basin affected by urban, agricultural and industrial pollution. *Science of The Total Environment*, 420:134–145.
<http://www.sciencedirect.com/science/article/pii/S0048969712000721>
- Gómez, S., Steinbrenner, A. D., Osorio, S., Schueller, M., Ferrieri, R. A., Fernie, A. R., and Orians, C. M. (2012b). From shoots to roots: transport and metabolic changes in tomato after simulated feeding by a specialist lepidopteran. *Entomol Exp Appl*, 144(1):101–111.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1570-7458.2012.01268.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

- Gómez-Cortés, P., Brenna, J. T., and Sacks, G. L. (2012). Production of isotopically labeled standards from a uniformly labeled precursor for quantitative volatile metabolomic studies. *Anal. Chem.*, 84(12):5400–5406. <http://pubs.acs.org/doi/abs/10.1021/ac300933d>
- Halter, D., Goulhen-Chollet, F., Gallien, S., Casiot, C., Hamelin, J., Gilard, F., Heintz, D., Schaeffer, C., Carapito, C., Van Dorsselaer, A., Tcherkez, G., Arsene-Pioletze, F., and Bertin, P. N. (2012). In situ proteo-metabolomics reveals metabolite secretion by the acid mine drainage bio-indicator, euglena mutabilis. *ISME J*, 6(7):1391–1402. http://pubget.com/paper/22237547/In_situ_proteo_metabolomics_reveals_metabolite_secretion_by_the_acid_mine_drainage_bio_indicator_Euglena_mutabilis
- Harris, S. A., Ryona, I., and Sacks, G. L. (2012). Behavior of 3-Isobutyl-2-hydroxypyrazine (IBHP), a key intermediate in 3-Isobutyl-2-methoxypyrazine (IBMP) metabolism, in ripening wine grapes. *J. Agric. Food Chem.*, 60(48):11901–11908. <http://pubs.acs.org/doi/abs/10.1021/jf302990m>
- Houshyani, B., Kabouw, P., Muth, D., Vos, R. C. H., Bino, R. J., and Bouwmeester, H. J. (2012). Characterization of the natural variation in *arabidopsis thaliana* metabolome by the analysis of metabolic distance. *Metabolomics*, 8(0):131–145. <http://www.springerlink.com/content/y02479670p744532/>
- Kalinová, B., Do Nascimento, R. R., Hoskovec, M., Mendonça, A. L., Silva, E. L., De Freitas, M. R. T., Cabral-Jr, C. R., Silva, C. E., Sant'Ana, A. E. G., and Svatos, A. (2012). Identification of two components of the female sex pheromone of the sugarcane-borer diatraea flavipennella (lepidoptera: Crambidae). *Journal of Applied Entomology*, 136(3):203–211. <http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0418.2011.01625.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Kim, S., Koo, I., Jeong, J., Wu, S., Shi, X., and Zhang, X. (2012). Compound identification using partial and semipartial correlations for gas ChromatographyxMass spectrometry data. *Anal. Chem.*, 84(15):6477–6487. <http://pubs.acs.org/doi/abs/10.1021/ac301350n>
- Kim, Y.-H. and Kim, K.-H. (2012). Ultimate detectability of volatile

organic compounds: How much further can we reduce their ambient air sample volumes for analysis? *Anal. Chem.*

<http://pubs.acs.org/doi/abs/10.1021/ac301792x>

Kobayashi, S., Nagasawa, S., Yamamoto, Y., Donghyo, K., Bamba, T., and Fukusaki, E. (2012). Metabolic profiling and identification of the genetic varieties and agricultural origin of cnidium officinale and ligusticum chuanxiong. *Journal of Bioscience and Bioengineering*, 114(1):86–91.

<http://www.sciencedirect.com/science/article/pii/S138917231200076X>

Laulhé, S., Bogdanov, B., Johannes, L. M., Gutierrez, O., Harrison, J. G., Tantillo, D. J., Zhang, X., and Nantz, M. H. (2012). Fragmentation of oxime and silyl oxime ether odd-electron positive ions by the McLafferty rearrangement: new insights on structural factors that promote α,β fragmentation. *J. Mass. Spectrom.*, 47(6):676–686.
<http://onlinelibrary.wiley.com/doi/10.1002/jms.2986/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Lee, D. Y., Park, J.-J., Barupal, D. K., and Fiehn, O. (2012). System response of metabolic networks in chlamydomonas reinhardtii to total available ammonium. *Molecular & Cellular Proteomics*.
<http://www.mcponline.org/content/11/10/973>

Lehmann, M., Laxa, M., Sweetlove, L. J., Fernie, A. R., and Obata, T. (2012). Metabolic recovery of *Arabidopsis thaliana* roots following cessation of oxidative stress. *Metabolomics*, 8(1):143–153.
<http://www.springerlink.com/content/6h1177442u372355/>

Li, Q. and Zhang, G.-F. (2012). Identification of n-hydroxy acid metabolites in electron impact ionization mass spectrometry. *Rapid Commun. Mass Spectrom.*, 26(11):1355–1362.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.6233/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Li, X., Hansen, J., Zhao, X., Lu, X., Weigert, C., Häring, H.-U., Pedersen, B. K., Plomgaard, P., Lehmann, R., and Xu, G. (2012a). Independent component analysis in non-hypothesis driven metabolomics: Improvement of pattern discovery and simplification of biological data interpretation demonstrated with plasma samples of exercising humans. *Journal of Chromatography B*.
<http://www.sciencedirect.com/science/article/pii/S1570023212003753>

Li, Y., Ruan, Q., Li, Y., Ye, G., Lu, X., Lin, X., and Xu, G. (2012b). A novel approach to transforming a non-targeted metabolic profiling method to a pseudo-targeted method using the retention time locking

- gas chromatography/mass spectrometry-selected ions monitoring. *Journal of Chromatography A*, 1255:228–236.
<http://www.sciencedirect.com/science/article/pii/S0021967312002026>
- Luedemann, A., Malotky, L., Erban, A., and Kopka, J. (2012). TagFinder: Preprocessing software for the fingerprinting and the profiling of gas Chromatography-Mass spectrometry based metabolome analyses plant metabolomics. volume 860 of *Methods in Molecular Biology*, chapter 16, pages 255–286. Humana Press, Totowa, NJ.
<http://www.springerlink.com/content/j1m050r25432rv13/#section=1038704&page=1>
- Meissen, J. K., Yuen, B. T. K., Kind, T., Riggs, J. W., Barupal, D. K., Knoepfler, P. S., and Fiehn, O. (2012). Induced pluripotent stem cells show metabolomic differences to embryonic stem cells in polyunsaturated phosphatidylcholines and primary metabolism. *PLoS ONE*, 7(10):e46770+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0046770>
- Mo, F.-F., Qin, H.-H., Wang, X.-L., Shen, Z.-L., Xu, Z., Wang, K.-H., Cai, Y.-L., and Li, M. (2012). Acute hyperglycemia is related to gastrointestinal symptoms in motion sickness: An experimental study. *Physiology & Behavior*, 105(2):394–401.
<http://www.sciencedirect.com/science/article/pii/S0031938411004197>
- Ni, Y., Qiu, Y., Jiang, W., Suttlemyre, K., Su, M., Zhang, W., Jia, W., and Du, X. (2012). ADAP-GC 2.0: Deconvolution of coeluting metabolites from GC/TOF-MS data for metabolomics studies. *Anal. Chem.*, 84(15):6619–6629. <http://pubs.acs.org/doi/abs/10.1021/ac300898h>
- Ochi, H., Bamba, T., Naito, H., Iwatsuki, K., and Fukusaki, E. (2012a). Metabolic fingerprinting of hard and semi-hard natural cheeses using gas chromatography with flame ionization detector for practical sensory prediction modeling. *Journal of Bioscience and Bioengineering*, 114(5):506–511.
<http://www.sciencedirect.com/science/article/pii/S1389172312002526>
- Ochi, H., Naito, H., Iwatsuki, K., Bamba, T., and Fukusaki, E. (2012b). Metabolomics-based component profiling of hard and semi-hard natural cheeses with gas chromatography/time-of-flight-mass spectrometry, and its application to sensory predictive modeling. *Journal of Bioscience and Bioengineering*, 113(6):751–758.
<http://www.sciencedirect.com/science/article/pii/S1389172312000679>
- Ogawa, Y., Sakurai, N., Oikawa, A., Kai, K., Morishita, Y., Mori, K., Moriya, K., Fujii, F., Aoki, K., Suzuki, H., Ohta, D., Saito, K., and Shibata, D. (2012). High-Throughput cryopreservation of plant cell cultures for functional genomics. *Plant and Cell Physiology*, 53(5):943–952. <http://pcp.oxfordjournals.org/content/53/5/943>

- Omais, B., Charon, N., Courtiade, M., Ponthus, J., and Thiébaut, D. (2012a). A novel analytical approach for oxygen speciation in coal-derived liquids. *Fuel*.
<http://www.sciencedirect.com/science/article/pii/S0016236112003316>
- Omais, B., Courtiade, M., Charon, N., Roullet, C., Ponthus, J., and Thiébaut, D. (2012b). Using gas chromatography to characterize a direct coal liquefaction naphtha. *Journal of Chromatography A*, 1226:61–70.
<http://www.sciencedirect.com/science/article/pii/S0021967311010077>
- Osorio, S., Do, P. T., and Fernie, A. R. (2012). Profiling primary metabolites of tomato fruit with gas Chromatography/Mass spectrometry plant metabolomics. volume 860 of *Methods in Molecular Biology*, chapter 7, pages 101–109. Humana Press, Totowa, NJ.
http://www.springerlink.com/content/r7t2w886462w4ngn/#section=10_38553&page=1
- Pang, X. and Lewis, A. C. (2012). A microfluidic lab-on-chip derivatisation technique for the measurement of gas phase formaldehyde. *Anal. Methods*, 4(7):2013–2020.
<http://pubs.rsc.org/en/Content/ArticleLanding/2012/AY/c2ay25028d>
- Qi, Y., Li, P., Zhang, Y., Cui, L., Guo, Z., Xie, G., Su, M., Li, X., Zheng, X., Qiu, Y., Liu, Y., Zhao, A., Jia, W., and Jia, W. (2012). Urinary metabolite markers of precocious puberty. *Molecular & Cellular Proteomics*, 11(1).
<http://www.mcponline.org/content/11/1/M111.011072>
- Rehman, S., Xu, Y., Dunn, W. B., Day, P. J. R., Westerhoff, H. V., Goodacre, R., and Bayat, A. (2012). Dupuytren's disease metabolite analyses reveals alterations following initial short-term fibroblast culturing. *Mol. BioSyst.*, 8(9):2274–2288.
<http://pubs.rsc.org/en/Content/ArticleLanding/2012/MB/c2mb25173f>
- Ryona, I., Reinhardt, J., and Sacks, G. L. (2012). Treatment of grape juice or must with silicone reduces 3-alkyl-2-methoxypyrazine concentrations in resulting wines without altering fermentation volatiles. *Food Research International*, 47(1):70–79.
<http://www.sciencedirect.com/science/article/pii/S0963996912000622>
- Siahpoosh, M. R., Sanchez, D. H., Schlereth, A., Scofield, G. N., Furbank, R. T., van Dongen, J. T., and Kopka, J. (2012). Modification of OsSUT1 gene expression modulates the salt response of rice *oryza sativa* cv. taipei 309. *Plant Science*, 182:101–111.
<http://www.sciencedirect.com/science/article/pii/S0168945211000185>
- Song, I.-S. S., Lee, D. Y. o . Y., Shin, M.-H. H., Kim, H., Ahn, Y. G. G., Park, I., Kim, K. H. H., Kind, T., Shin, J.-G. G., Fiehn, O., and Liu, K.-H. H. (2012). Pharmacogenetics meets metabolomics: discovery of

- tryptophan as a new endogenous OCT2 substrate related to metformin disposition. *PloS one*, 7(5):e36637+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0036637>
- Spégel, P., Ekholm, E., Tuomi, T., Groop, L., Mulder, H., and Filipsson, K. (2012). Metabolite profiling reveals normal metabolic control in carriers of mutations in the glucokinase gene (MODY2). *Diabetes*.
<http://diabetes.diabetesjournals.org/content/early/2012/11/01/db12-0827>
- Tcherkez, G., Guérard, F., Gilard, F., Lamothe, M., Mauve, C., Gout, E., and Bligny, R. (2012). Metabolomic characterisation of the functional division of nitrogen metabolism in variegated leaves. *Functional Plant Biology*, 39(12):959+. <http://www.publish.csiro.au/?paper=FP12189>
- Thormählen, I., Ruber, J., Von roepenack Lahaye, E., Ehrlich, s.-M., Massot, V., Hümmel, C., Tezycka, J., Issakidis-Bourguet, E., and Geigenberger, P. (2012). Inactivation of thioredoxin f1 leads to decreased light activation of ADP-glucose pyrophosphorylase and altered diurnal starch turnover in leaves of arabidopsis plants. *Plant, Cell & Environment*, page no.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-3040.2012.02549.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Thysell, E., Chorell, E., Svensson, M., Jonsson, P., and Antti, H. (2012). Validated and predictive processing of gas Chromatography-Mass spectrometry based metabolomics data for large scale screening studies, diagnostics and metabolite pattern verification. *Metabolites*, 2(4):796–817. <http://www.mdpi.com/2218-1989/2/4/796>
- Trupp, M., Zhu, H., Wikoff, W. R., Baillie, R. A., Zeng, Z.-B., Karp, P. D., Fiehn, O., Krauss, R. M., and Kaddurah-Daouk, R. (2012). Metabolomics reveals amino acids contribute to variation in response to simvastatin treatment. *PLoS ONE*, 7(7):e38386+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0038386>
- Vanícková, L., do Nascimento, R. R., Hoskovec, M., Ježková, Z., Brázová, R., Tomčala, A., and Kalinová, B. (2012). Are the wild and laboratory insect populations different in semiochemical emission? the case of the medfly sex pheromone. *J. Agric. Food Chem.*, 60(29):7168–7176. <http://pubs.acs.org/doi/abs/10.1021/jf301474d>
- Wang, X., Zeng, C., Lin, J., Chen, T., Zhao, T., Jia, Z., Xie, X., Qiu, Y., Su, M., Jiang, T., Zhou, M., Zhao, A., and Jia, W. (2012). Metabonomics approach to assessing the modulatory effects of st john's wort,

- ginsenosides, and clomipramine in experimental depression. *J. Proteome Res.*, 11(12):6223–6230.
<http://pubs.acs.org/doi/abs/10.1021/pr300891v>
- Wei, Z., Walters, C. C., Michael Moldowan, J., Mankiewicz, P. J., Pottorf, R. J., Xiao, Y., Maze, W., Nguyen, P. T. H., Madincea, M. E., Phan, N. T., and Peters, K. E. (2012). Thiadiamondoids as proxies for the extent of thermochemical sulfate reduction. *Organic Geochemistry*, 44:53–70.
<http://www.sciencedirect.com/science/article/pii/S0146638011003032>
- Witt, S., Galicia, L., Lisec, J., Cairns, J., Tiessen, A., Araus, J. L., Palacios-Rojas, N., and Fernie, A. R. (2012). Metabolic and phenotypic responses of Greenhouse-Grown maize hybrids to experimentally controlled drought stress. *Molecular Plant*, 5(2):401–417.
<http://mplant.oxfordjournals.org/content/5/2/401>
- Wu, Y., Zhang, Y., Xie, G., Zhao, A., Pan, X., Chen, T., Hu, Y., Liu, Y., Cheng, Y., Chi, Y., Yao, L., and Jia, W. (2012). The metabolic responses to aerial diffusion of essential oils. *PloS one*, 7(9):e44830+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0044830>
- Xue, Z., Duan, L., Liu, D., Guo, J., Ge, S., Dicks, J., ÓMáille, P., Osbourn, A., and Qi, X. (2012). Divergent evolution of oxidosqualene cyclases in plants. *New Phytologist*, 193(4):1022–1038.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2011.03997.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Yan, S., Liang, Y., Zhang, J., and Liu, C. M. (2012). Aspergillus flavus grown in peptone as the carbon source exhibits spore density- and peptone concentration-dependent aflatoxin biosynthesis. *BMC Microbiology*, 12(1):106+. <http://www.biomedcentral.com/1471-2180/12/106>
- Yoshida, K.-i., Sanbongi, A., Murakami, A., Suzuki, H., Takenaka, S., and Takami, H. (2012). Three inositol dehydrogenases involved in utilization and interconversion of inositol stereoisomers in a thermophile, geobacillus kaustophilus HTA426. *Microbiology*, 158(Pt 8):1942–1952. http://mic.sgmjournals.org/content/158/Pt_8/1942
- Zauber, H., Mosler, S., Heßberg, A., and Schulze, W. X. (2012). Dynamics of salivary proteins and metabolites during extreme endurance sports - a case study. *Proteomics*, 12(13):2221–2235.
<http://onlinelibrary.wiley.com/doi/10.1002/pmic.201100228/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+Ocotober+from+10%3A00-12%3A00+BST+%2805%3A00->

07%3A00+EDT%29+for+essential+maintenance

- Zhang, J., Gao, Q., and Zheng, C. (2012). Retention index system transformation method incorporated optimal molecular descriptors through particle swarm optimization intelligent computing theories and applications. volume 7390 of *Lecture Notes in Computer Science*, chapter 47, pages 366–374. Springer Berlin / Heidelberg, Berlin, Heidelberg. <http://www.springerlink.com/content/mr216745466kv633/>
- Zhao, T., Zhang, H., Zhao, T., Zhang, X., Lu, J., Yin, T., Liang, Q., Wang, Y., Luo, G., Lan, H., and Li, P. (2012). Intrarenal metabolomics reveals the association of local organic toxins with the progression of diabetic kidney disease. *Journal of Pharmaceutical and Biomedical Analysis*, 60:32–43.
<http://www.sciencedirect.com/science/article/pii/S0731708511006376>
- Zheng, T., Liu, L., Aa, J., Wang, G., Cao, B., Li, M., Shi, J., Wang, X., Zhao, C., Gu, R., Zhou, J., Xiao, W., Yu, X., Sun, R., Zhou, Y., Zuo, Y., and Zhu, X. (2012). Metabolic phenotype of rats exposed to heroin and potential markers of heroin abuse. *Drug and Alcohol Dependence*.
<http://www.sciencedirect.com/science/article/pii/S0376871612002633>
- Zuno-Floriano, F. G., Miller, M. G., Aldana-Madrid, M. L., Hengel, M. J., Gaikwad, N. W., Tolstikov, V., and Contreras-Cortés, A. G. (2012). Effect of acinetobacter sp on metalaxyl degradation and metabolite profile of potato seedlings (*solanum tuberosum* l.) alpha variety. *PLoS ONE*, 7(2):e31221+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0031221>

2011 – Total-58

- Akai, M., Onai, K., Kusano, M., Sato, M., Redestig, H., Toyooka, K., Morishita, M., Miyake, H., Hazama, A., Checchetto, V., Szabò, I., Matsuoka, K., Saito, K., Yasui, M., Ishiura, M., and Uozumi, N. (2011). Plasma membrane aquaporin AqpZ protein is essential for glucose metabolism during photomixotrophic growth of *synechocystis* sp. PCC 6803. *Journal of Biological Chemistry*, 286(28):25224–25235.
<http://www.jbc.org/content/286/28/25224>
- Beato, V. M., Teresa Navarro-Gochicoa, M., Rexach, J., Begoña Herrera-Rodríguez, M., Camacho-Cristóbal, J. J., Kempa, S., Weckwerth, W., and González-Fontes, A. (2011). Expression of root glutamate dehydrogenase genes in tobacco plants subjected to boron deprivation. *Plant Physiology and Biochemistry*, 49(11):1350–1354.
<http://www.sciencedirect.com/science/article/pii/S0981942811001811>
- Brendolise, C., Yauk, Y.-K., Eberhard, E. D., Wang, M., Chagne, D., Andre, C., Greenwood, D. R., and Beuning, L. L. (2011). An unusual

plant triterpene synthase with predominant α -amyrin-producing activity identified by characterizing oxidosqualene cyclases from *malus x domestica*. *FEBS Journal*, 278(14):2485–2499.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1742-4658.2011.08175.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Calingacion, M. N., Boualaphanh, C., Daygon, V. D., Anacleto, R., Sackville Hamilton, R., Biais, B., Deborde, C., Maucourt, M., Moing, A., Mumm, R., Vos, R. C. H., Erban, A., Kopka, J., Hansen, T. H., Laursen, K. H., Schjoerring, J. K., Hall, R. D., and Fitzgerald, M. A. (2011). A genomics and multi-platform metabolomics approach to identify new traits of rice quality in traditional and improved varieties. *Metabolomics*, pages 1–13.

<http://www.springerlink.com/content/v7350351817722g1/>

Catchpole, G., Platzer, A., Weikert, C., Kempkensteffen, C., Johannsen, M., Krause, H., Jung, K., Miller, K., Willmitzer, L., Selbig, J., and Weikert, S. (2011). Metabolic profiling reveals key metabolic features of renal cell carcinoma. *Journal of Cellular and Molecular Medicine*, 15(1):109–118. <http://onlinelibrary.wiley.com/doi/10.1111/j.1582-4934.2009.00939.x/abstract;jsessionid=D94092FC082E8335AA1507F1B6708A6F.d01t01?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Chen, J., Zhang, Y., Wang, C., Lü, W., Jin, J. B., and Hua, X. (2011a). Proline induces calcium-mediated oxidative burst and salicylic acid signaling. *Amino Acids*, 40(5):1473–1484.

<http://www.springerlink.com/content/47t7r037n3167r18/>

Chen, T., Xie, G., Wang, X., Fan, J., Qiu, Y., Zheng, X., Qi, X., Cao, Y., Su, M., Wang, X., Xu, L. X., Yen, Y., Liu, P., and Jia, W. (2011b). Serum and urine metabolite profiling reveals potential biomarkers of human hepatocellular carcinoma. *Molecular & Cellular Proteomics*, 10(7). <http://www.mcponline.org/content/10/7/M110.004945>

Chi, Y., Xia, H., Su, M., Song, P., Qi, X., Cui, Y., Cao, Y., Chen, T., Qiu, Y., Zhao, A., Ma, X., Zheng, X., and Jia, W. (2011). Metabonomic phenotyping reveals an embryotoxicity of Deca-Brominated diphenyl ether in mice. *Chem. Res. Toxicol.*, 24(11):1976–1983.

<http://pubs.acs.org/doi/10.1021/tx200300v>

Dasgupta, S., Banerjee, K., Dhumal, K. N., and Adsule, P. G. 2011
Optimization of detection conditions and Single-Laboratory validation of a multiresidue method for the determination of 135 pesticides and 25

organic pollutants in grapes and wine by gas chromatography Time-of-Flight mass spectrometry. *Journal of AOAC International*, pages 273–285.

<http://www.ingentaconnect.com/content/aoac/jaoac/2011/00000094/0000001/art00031>

David, Hefter, J., Ferretti, P., Stein, R., and Haug, G. H. (2011). Sea surface temperatures did not control the first occurrence of hudson strait heinrich events during MIS 16. *Paleoceanography*, 26(4):PA4201+.
<http://www.agu.org/pubs/crossref/2011/2011PA002135.shtml>

Dejaegere, E. A., Thybaut, J. W., Marin, G. B., Baron, G. V., and Denayer, J. F. M. (2011). Modeling of toluene acetylation with acetic anhydride on H-USY zeolite. *Ind. Eng. Chem. Res.*, 50(21):11822–11832.
<http://pubs.acs.org/doi/abs/10.1021/ie2007906>

Dunn, W. B., Broadhurst, D., Begley, P., Zelena, E., Francis-McIntyre, S., Anderson, N., Brown, M., Knowles, J. D., Halsall, A., Haselden, J. N., Nicholls, A. W., Wilson, I. D., Kell, D. B., and Goodacre, R. (2011). Procedures for large-scale metabolic profiling of serum and plasma using gas chromatography and liquid chromatography coupled to mass spectrometry. *Nature Protocols*, 6(7):1060–1083.
<http://www.nature.com/nprot/journal/v6/n7/full/nprot.2011.335.html>

Geigenberger, P., Tiessen, A., and Meurer, J. (2011). Use of non-aqueous fractionation and metabolomics to study chloroplast function in arabidopsis chloroplast research in arabidopsis. volume 775 of *Methods in Molecular Biology*, chapter 8, pages 135–160. Humana Press, Totowa, NJ.
<http://www.springerlink.com/content/v25453m45uw66w2g/#section=947121&page=1>

Goehring, I., Sauter, N. S., Catchpole, G., Assmann, A., Shu, L., Zien, K. S., Moehlig, M., Pfeiffer, A. F. H., Oberholzer, J., Willmitzer, L., Spranger, J., and Maedler, K. (2011). Identification of an intracellular metabolic signature impairing beta cell function in the rat beta cell line INS-1E and human islets. *Diabetologia*, 54(10):2584–2594.
<http://www.springerlink.com/content/a44j772274171140/>

Khélifi, N., Sarnthein, M., and Naafs, B. D. A. (2011). Late Pliocene age control and composite depths at odp Site 982, revisited. *Climate of the Past Discussions*, 7(3):1631–1646. <http://www.clim-past-discuss.net/7/1631/2011/cpd-7-1631-2011.html>

Koek, M. M., Jellema, R. H., Greef, J., Tas, A. C., and Hankemeier, T. (2011). Quantitative metabolomics based on gas chromatography mass spectrometry: status and perspectives. *Metabolomics*, 7(3):307–328.
<http://www.springerlink.com/content/f517582456x17q32/>

Kumari, S., Stevens, D., Kind, T., Denkert, C., and Fiehn, O. (2011). Applying In-Silico retention index and mass spectra matching for

- identification of unknown metabolites in accurate mass GC-TOF mass spectrometry. *Anal. Chem.*, 83(15):5895–5902.
<http://pubs.acs.org/doi/abs/10.1021/ac2006137>
- Kusano, M., Jonsson, P., Fukushima, A., Gullberg, J., Sjöström, M., Trygg, J., and Moritz, T. (2011). Metabolite signature during Short-Day induced growth cessation in *populus*. *Frontiers in plant science*, 2. http://www.frontiersin.org/Plant_Physiology/10.3389/fpls.2011.00029/abstract
- Lee, S., Km, Y.-S., Choi, H.-K., and Cho, S. K. (2011a). Determination of the volatile components in the fruits and leaves of guava plants (*psidium guajava l.*) grown on jeju island, south korea. *Journal of Essential Oil Research*, 23(6):52–56.
<http://www.tandfonline.com/doi/abs/10.1080/10412905.2011.9712282>
- Lee, S. M., Kwon, G. Y., Kim, K.-O., and Kim, Y.-S. (2011b). Metabolomic approach for determination of key volatile compounds related to beef flavor in glutathione-Maillard reaction products. *Analytica Chimica Acta*, 703(2):204–211.
<http://www.sciencedirect.com/science/article/pii/S000326701100969X>
- Lin, X., Zhang, Y., Ye, G., Li, X., Yin, P., Ruan, Q., and Xu, G. (2011). Classification and differential metabolite discovery of liver diseases based on plasma metabolic profiling and support vector machines. *J. Sep. Science*, 34(21):3029–3036.
<http://onlinelibrary.wiley.com/doi/10.1002/jssc.201100408/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Liu, Y., Chen, T., Qiu, Y., Cheng, Y., Cao, Y., Zhao, A., and Jia, W. (2011). An ultrasonication-assisted extraction and derivatization protocol for GC/TOFMS-based metabolite profiling. *Analytical and Bioanalytical Chemistry*, 400(5):1405–1417.
<http://link.springer.com/article/10.1007%2Fs00216-011-4880-z>
- Lloyd, A. J., Fave, G., Beckmann, M., Lin, W., Tailliart, K., Xie, L., Mathers, J. C., and Draper, J. (2011). Use of mass spectrometry fingerprinting to identify urinary metabolites after consumption of specific foods. *American Journal of Clinical Nutrition*, 94(4):981–991.
<http://ajcn.nutrition.org/content/94/4/981>
- Lorjai, P., Wongkasemjit, S., Chaisuwan, T., and Jamieson, A. M. (2011). Significant enhancement of thermal stability in the non-oxidative thermal degradation of bisphenol-A/aniline based polybenzoxazine aerogel. *Polymer Degradation and Stability*, 96(4):708–718.
<http://www.sciencedirect.com/science/article/pii/S0141391010004593>
- Lou, Q., Ma, C., Wen, W., Zhou, J., Chen, L., Feng, F., Xu, X., Lu, X., Luo, L., Mei, H., and Xu, G. (2011). Profiling and association mapping of

- grain metabolites in a subset of the core collection of chinese rice germplasm (*oryza sativa l.*). *J. Agric. Food Chem.*, 59(17):9257–9264.
<http://pubs.acs.org/doi/abs/10.1021/jf201602g>
- Lu, H., Gan, D., Zhang, Z., and Liang, Y. (2011). Sample classification of GC-ToF-MS metabolomics data without the requirement for chromatographic deconvolution. *Metabolomics*, 7(2):191–205.
<http://www.springerlink.com/content/30k5739444h16n56/>
- Ma, B., Zhang, Q., Wang, G.-j., Ji-ye, Wu, D., Liu, Y., Cao, B., Liu, L.-s., Hu, Y.-y., Wang, Y.-l., and Zheng, Y.-y. (2011). GC-TOF/MS-based metabolomic profiling of estrogen deficiency-induced obesity in ovariectomized rats. *Acta Pharmacol Sin*, 32(2):270–278.
<http://www.nature.com/aps/journal/v32/n2/full/aps2010196a.html>
- Majcher, M. A. and Jelenì, H. H. (2011). Key odorants of oscypek, a traditional polish ewe's milk cheese. *J. Agric. Food Chem.*, 59(9):4932–4937. <http://pubs.acs.org/doi/abs/10.1021/jf2002602>
- Marcinowska, R., Trygg, J., Wolf-Watz, H., Mortiz, T., and Surowiec, I. (2011). Optimization of a sample preparation method for the metabolomic analysis of clinically relevant bacteria. *Journal of Microbiological Methods*, 87(1):24–31.
<http://www.sciencedirect.com/science/article/pii/S016770121100251X>
- Massie, C. E., Lynch, A., Ramos-Montoya, A., Boren, J., Stark, R., Fazli, L., Warren, A., Scott, H., Madhu, B., Sharma, N., Bon, H., Zecchini, V., Smith, D.-M., DeNicola, G. M., Mathews, N., Osborne, M., Hadfield, J., MacArthur, S., Adryan, B., Lyons, S. K., Brindle, K. M., Griffiths, J., Gleave, M. E., Rennie, P. S., Neal, D. E., and Mills, I. G. (2011). The androgen receptor fuels prostate cancer by regulating central metabolism and biosynthesis. *The EMBO Journal*, 30(13):2719–2733.
<http://www.nature.com/emboj/journal/v30/n13/full/emboj2011158a.html>
- Mollá-Morales, A., Sarmiento-Mañús, R., Robles, P., Quesada, V., Pérez-Pérez, J. M., González-Bayón, R., Hannah, M. A., Willmitzer, L., Ponce, M. R., and Micol, J. L. (2011). Analysis of ven3 and ven6 reticulate mutants reveals the importance of arginine biosynthesis in arabidopsis leaf development. *The Plant Journal*, 65(3):335–345.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2010.04425.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Pang, X., Lewis, A. C., and Hamilton, J. F. (2011). Determination of airborne carbonyls via pentafluorophenylhydrazine derivatisation by GC-MS and its comparison with HPLC method. *Talanta*, 85(1):406–

414.

<http://www.sciencedirect.com/science/article/pii/S0039914011002773>

Petronilho, S., Maraschin, M., Delgadillo, I., Coimbra, M. A., and Rocha, S. M. (2011). Sesquiterpenic composition of the inflorescences of brazilian chamomile (*matricaria recutita* L.): Impact of the agricultural practices. *Industrial Crops and Products*, 34(3):1482–1490.

<http://www.sciencedirect.com/science/article/pii/S0926669011001397>

Pietra Torres, M., Cabrita, da Silva, G., Palma, V., and Freitas, C. (2011). The impact of malolactic fermentation on the volatile composition of the trincadeira wine variety. *Journal of Food Biochemistry*, 35(3):898–913. <http://onlinelibrary.wiley.com/doi/10.1111/j.1745-4514.2010.00424.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Qi, X., Zhang, Y., Gao, J., Chen, T., Zhao, A., Yan, Y., and Jia, W. (2011). Metabolite profiling of hemodialysate using gas chromatography time-of-flight mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 55(5):1142–1147.

<http://www.sciencedirect.com/science/article/pii/S0731708511001981>

Redestig, H., Kobayashi, M., Saito, K., and Kusano, M. (2011). Exploring matrix effects and quantification performance in metabolomics experiments using artificial biological gradients. *Anal. Chem.*, 83(14):5645–5651. <http://pubs.acs.org/doi/abs/10.1021/ac200786y>

Revelsky, A. I., Samokhin, A. S., Virus, E. D., Rodchenkov, G. M., and Revelsky, I. A. (2011). High sensitive analysis of steroids in doping control using gas chromatography/time-of-flight mass-spectrometry. *Drug Test Analysis*, 3(4):263–267. <http://onlinelibrary.wiley.com/doi/10.1002/dta.221/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Rodilla, J. M., Silva, L. A., Martinez, N., Lorenzo, D., Davyt, D., Castillo, L., Giménez, C., Cabrera, R., González-Coloma, A., Zrostlíková, J., and Dellacassa, E. (2011). Advances in the identification and agrochemical importance of sesquiterpenoids from bulnesia sarmientoi essential oil. *Industrial Crops and Products*, 33(2):497–503.

<http://www.sciencedirect.com/science/article/pii/S0926669010002657>

Rohrmann, J., Tohge, T., Alba, R., Osorio, S., Caldana, C., McQuinn, R., Arvidsson, S., van der Merwe, M. J., Riaño Pachón, D. M., Mueller-Roeber, B., Fei, Z., Nesi, A. N., Giovannoni, J. J., and Fernie, A. R. (2011). Combined transcription factor profiling, microarray analysis and metabolite profiling reveals the transcriptional control of metabolic

- shifts occurring during tomato fruit development. *The Plant Journal*, 68(6):999–1013. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2011.04750.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Rudnicka, J., Kowalkowski, T., Ligor, T., and Buszewski, B. (2011). Determination of volatile organic compounds as biomarkers of lung cancer by SPME-GC-TOF/MS and chemometrics. *Journal of Chromatography B*, 879(30):3360–3366. <http://www.sciencedirect.com/science/article/pii/S1570023211005812>
- Rudovich, N. N., Nikiforova, V. J., Otto, B., Pivovarova, O., Gögebakan, O., Erban, A., Möhlig, M., Weickert, M. O., Spranger, J., Tschöp, M. H., Willmitzer, L., Nauck, M., and Pfeiffer, A. F. H. (2011). Metabolomic linkage reveals functional interaction between glucose-dependent insulinotropic polypeptide and ghrelin in humans. *American Journal of Physiology - Endocrinology And Metabolism*, 301(4):E608–E617. <http://ajpendo.physiology.org/content/301/4/E608>
- Scarlett, A. G., Clough, R., West, C., Lewis, C. A., Booth, A. M., and Rowland, S. J. (2011). Alkylnaphthalenes: Priority pollutants or minor contributors to the poor health of marine mussels? *Environ. Sci. Technol.*, 45(14):6160–6166. <http://pubs.acs.org/doi/abs/10.1021/es201234a>
- Shima, N., Miyawaki, I., Bando, K., Horie, H., Zaitsu, K., Katagi, M., Bamba, T., Tsuchihashi, H., and Fukusaki, E. (2011). Influences of methamphetamine-induced acute intoxication on urinary and plasma metabolic profiles in the rat. *Toxicology*, 287(1-3):29–37. <http://www.sciencedirect.com/science/article/pii/S0300483X1100206X>
- Su, M., Zheng, X. Y., Zhang, T., Pei, L., Wang, F., Zheng, X., Gu, X., Song, X., Lu, X., Chen, G., Bao, Y., Chen, T., Zhao, A., Bao, Y., Jia, W. P., Zeisel, S. H., and Jia, W. (2011). Integrated profiling of metabolites and trace elements reveals a multifaceted malnutrition in pregnant women from a region with a high prevalence of congenital malformations. *Metabolomics*, pages 1–14. <http://www.springerlink.com/content/e47378316915845p/>
- Susanti, R. F., Nugroho, A., Lee, J., Kim, Y., and Kim, J. (2011). Noncatalytic gasification of isooctane in supercritical water: A strategy for high-yield hydrogen production. *International Journal of Hydrogen Energy*, 36(6):3895–3906. <http://www.sciencedirect.com/science/article/pii/S0360319910024377>
- Sysi-Aho, M., Ermolov, A., Gopalacharyulu, P. V., Tripathi, A., Seppänen-Laakso, T., Maukonen, J., Mattila, I., Ruohonen, S. T., Vähätalo, L., Yetukuri, L., Häkkinen, T., Lindfors, E., Nikkilä, J., Ilonen, J., Simell,

- O., Saarela, M., Knip, M., Kaski, S., Savontaus, E., and Orešić, M. (2011). Metabolic regulation in progression to autoimmune diabetes. *PLoS Comput Biol*, 7(10):e1002257+.
<http://www.ploscompbiol.org/article/info%3Adoi%2F10.1371%2Fjournal.pcbi.1002257>
- Tsugawa, H., Bamba, T., Shinohara, M., Nishiumi, S., Yoshida, M., and Fukusaki, E. (2011a). Practical non-targeted gas chromatography/mass spectrometry-based metabolomics platform for metabolic phenotype analysis. *Journal of Bioscience and Bioengineering*, 112(3):292–298.
<http://www.sciencedirect.com/science/article/pii/S1389172311001848>
- Tsugawa, H., Tsujimoto, Y., Arita, M., Bamba, T., and Fukusaki, E. (2011b). GC/MS based metabolomics: development of a data mining system for metabolite identification by using soft independent modeling of class analogy (SIMCA). *BMC Bioinformatics*, 12(1):131+.
<http://www.biomedcentral.com/1471-2105/12/131>
- Tumilty, L., Davison, G., Beckmann, M., and Thatcher, R. (2011). Oral tyrosine supplementation improves exercise capacity in the heat. *European Journal of Applied Physiology*, 111(12):2941–2950.
<http://www.springerlink.com/content/c72477481j735650/>
- Wedge, D. C., Allwood, J. W., Dunn, W., Vaughan, A. A., Simpson, K., Brown, M., Priest, L., Blackhall, F. H., Whetton, A. D., Dive, C., and Goodacre, R. (2011). Is serum or plasma more appropriate for intersubject comparisons in metabolomic studies? an assessment in patients with Small-Cell lung cancer. *Anal. Chem.*, 83(17):6689–6697.
<http://pubs.acs.org/doi/abs/10.1021/ac2012224>
- Xu, Y., Cheung, W., Winder, C. L., Dunn, W. B., and Goodacre, R. (2011). Metabolic profiling of meat: assessment of pork hygiene and contamination with salmonella typhimurium. *Analyst*, 136(3):508–514.
<http://pubs.rsc.org/en/Content/ArticleLanding/2011/AN/c0an00394h>
- Yang, J., Chen, T., Sun, L., Zhao, Z., Qi, X., Zhou, K., Cao, Y., Wang, X., Qiu, Y., Su, M., Zhao, A., Wang, P., Yang, P., Wu, J., Feng, G., He, L., Jia, W., and Wan, C. (2011). Potential metabolite markers of schizophrenia. *Molecular Psychiatry*, aop(current).
<http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2011131a.html>
- Yu, L., Aa, J., Xu, J., Sun, M., Qian, S., Cheng, L., Yang, S., and Shi, R. (2011b). Metabolomic phenotype of gastric cancer and precancerous stages based on gas chromatography time-of-flight mass spectrometry. *Journal of Gastroenterology and Hepatology*, 26(8):1290–1297.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1440-1746.2011.06724.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00->

12%3A00+BST+%2805%3A00-
07%3A00+EDT%29+for+essential+maintenance

Zhang, J., Fang, A., Wang, B., Kim, S. H., Bogdanov, B., Zhou, Z., McClain, C., and Zhang, X. (2011a). iMatch: A retention index tool for analysis of gas chromatography-mass spectrometry data. *Journal of Chromatography A*, 1218(37):6522–6530.
<http://www.sciencedirect.com/science/article/pii/S0021967311010302>

Zhang, Y., Filiou, M. D., Reckow, S., Gormanns, P., Maccarrone, G., Kessler, M. S., Frank, E., Hambsch, B., Holsboer, F., Landgraf, R., and Turck, C. W. (2011b). Proteomic and metabolomic profiling of a trait anxiety mouse model implicate affected pathways. *Molecular & Cellular Proteomics*, 10(12).
<http://www.mcponline.org/content/10/12/M111.008110>

Zheng, X., Su, M., Pei, L., Zhang, T., Ma, X., Qiu, Y., Xia, H., Wang, F., Zheng, X., Gu, X., Song, X., Li, X., Qi, X., Chen, G., Bao, Y., Chen, T., Chi, Y., Zhao, A., and Jia, W. (2011). Metabolic signature of pregnant women with neural tube defects in offspring. *J. Proteome Res.*, 10(10):4845–4854.
<http://pubs.acs.org/doi/abs/10.1021/pr200666d>

Zhou, Z.-Y., Zhang, C.-G., Wu, L., Zhang, C.-G., Chai, J., Wang, M., Jha, A., Jia, P.-F., Cui, S.-J., Yang, M., Chen, R., and Guo, G.-Q. (2011). Functional characterization of the CKRC1/TAA1 gene and dissection of hormonal actions in the arabidopsis root. *The Plant Journal*, 66(3):516–527. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2011.04509.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

2010 – Total-43

Abate, S., Ahn, Y. G., Kind, T., Cataldi, T. R. I., and Fiehn, O. (2010). Determination of elemental compositions by gas chromatography/time-of-flight mass spectrometry using chemical and electron ionization. *Rapid Commun. Mass Spectrom.*, 24(8):1172–1180.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.4482/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Brinsmade, S. R., Kleijn, R. J., Sauer, U., and Sonenshein, A. L. (2010). Regulation of CodY activity through modulation of intracellular Branched-Chain amino acid pools. *Journal of Bacteriology*,

- 192(24):6357–6368. <http://jb.asm.org/content/192/24/6357>
- Bruce, S. J., Breton, I., Decombaz, J., Boesch, C., Scheurer, E., Montoliu, I., Rezzi, S., Kochhar, S., and Guy, P. A. (2010). A plasma global metabolic profiling approach applied to an exercise study monitoring the effects of glucose, galactose and fructose drinks during post-exercise recovery. *Journal of Chromatography B*, 878(29):3015–3023. <http://www.sciencedirect.com/science/article/pii/S1570023210005805>
- Busko, M., Jelen, H., Góral, T., Chmielewski, J., Stuper, K., Szwajkowska-Michałek, L., Tyrakowska, B., and Perkowski, J. (2010). Volatile metabolites in various cereal grains. *Food Additives & Contaminants: Part A*, 27(11):1574–1581. <http://www.tandfonline.com/doi/abs/10.1080/19440049.2010.506600>
- Cais-Sokolinska, D. and Majcher, M. (2010). Sensory properties and volatile composition of full and non-fat cheese produce from curd - ripened fried acid tvarog. *Acta Alimentaria*, 39(1):69–80. <http://www.akademiai.com/content/h06236mt03637403/?genre=article&id=doi%3a10.1556%2fAAlim.39.2010.1.7>
- Dettmer, K., Almstetter, M. F., Appel, I. J., Nürnberg, N., Schlamberger, G., Gronwald, W., Meyer, H. H. D., and Oefner, P. J. (2010). Comparison of serum versus plasma collection in gas chromatography - mass spectrometry-based metabolomics. *ELECTROPHORESIS*, 31(14):2365–2373. <http://onlinelibrary.wiley.com/doi/10.1002/elps.200900778/abstract?stemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Ebert, B., Zöller, D., Erban, A., Fehrle, I., Hartmann, J., Niehl, A., Kopka, J., and Fisahn, J. (2010). Metabolic profiling of arabidopsis thaliana epidermal cells. *Journal of Experimental Botany*, 61(5):1321–1335. <http://jxb.oxfordjournals.org/content/61/5/1321>
- Fiehn, O., Garvey, W. T., Newman, J. W., Lok, K. H., Hoppel, C. L., and Adams, S. H. (2010). Plasma metabolomic profiles reflective of glucose homeostasis in Non-Diabetic and type 2 diabetic obese African-American women. *PLoS ONE*, 5(12):e15234+. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0015234>
- Frenzel, M., Scarlett, A., Rowland, S. J., Galloway, T. S., Burton, S. K., Lappin-Scott, H. M., and Booth, A. M. (2010). Complications with remediation strategies involving the biodegradation and detoxification of recalcitrant contaminant aromatic hydrocarbons. *Science of The Total Environment*, 408(19):4093–4101. <http://www.sciencedirect.com/science/article/pii/S0048969710004389>

- Gu, S., Jiye, Wang, G., Zha, W., Yan, B., Zhang, Y., Ren, H., Cao, B., and Liu, L. (2010). Metabonomic profiling of liver metabolites by gas chromatography-mass spectrometry and its application to characterizing hyperlipidemia. *Biomed. Chromatogr.*, 24(3):245–252. <http://onlinelibrary.wiley.com/doi/10.1002/bmc.1279/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Hager, J., Pellny, T. K., Mauve, C., Lelarge-Trouverie, C., Paepe, R., Foyer, C. H., and Noctor, G. (2010). Conditional modulation of NAD levels and metabolite profiles in *Nicotiana sylvestris* by mitochondrial electron transport and carbon/nitrogen supply. *Planta*, 231(5):1145–1157. <http://www.springerlink.com/content/r051711056802156/>
- Holding, D. R., Meeley, R. B., Hazebroek, J., Selinger, D., Gruis, F., Jung, R., and Larkins, B. A. (2010). Identification and characterization of the maize arogenate dehydrogenase gene family. *Journal of Experimental Botany*, 61(13):3663–3673. <http://jxb.oxfordjournals.org/content/61/13/3663>
- Jeon, B. S., Kim, B.-C., Um, Y., and Sang, B.-I. (2010). Production of hexanoic acid from d-galactitol by a newly isolated clostridium sp. BS-1. *Applied Microbiology and Biotechnology*, 88(5):1161–1167. <http://www.springerlink.com/content/u567364h4m338r21/>
- Kim, J. Y., Kwon, H. J., Jung, J. Y., Kwon, H. Y., Baek, J. G., Kim, Y.-S., and Kwon, O. (2010). Comparison of absorption of 1-Deoxyojirimycin from mulberry water extract in rats. *J. Agric. Food Chem.*, 58(11):6666–6671. <http://pubs.acs.org/doi/abs/10.1021/jf100322y>
- Kleijn, R. J., Buescher, J. M., Le Chat, L., Jules, M., Aymerich, S., and Sauer, U. (2010). Metabolic fluxes during strong carbon catabolite repression by malate in bacillus subtilis. *Journal of Biological Chemistry*, 285(3):1587–1596. <http://www.jbc.org/content/285/3/1587>
- Kümmel, A., Ewald, J. C., Fendt, S.-M., Jol, S. J., Picotti, P., Aebersold, R., Sauer, U., Zamboni, N., and Heinemann, M. (2010). Differential glucose repression in common yeast strains in response to HXK2 deletion. *FEMS Yeast Research*, 10(3):322–332. <http://onlinelibrary.wiley.com/doi/10.1111/j.1567-1364.2010.00609.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Lee, S., Choi, H.-K., Cho, S. K., and Kim, Y.-S. (2010). Metabolic analysis of guava (*psidium guajava* L) fruits at different ripening stages using different data-processing approaches. *Journal of Chromatography B*,

- 878(29):2983–2988.
<http://www.sciencedirect.com/science/article/pii/S1570023210005799>
- McGaw, E. A., Phinney, K. W., and Lowenthal, M. S. (2010). Comparison of orthogonal liquid and gas chromatography-mass spectrometry platforms for the determination of amino acid concentrations in human plasma. *Journal of Chromatography A*, 1217(37):5822–5831.
<http://www.sciencedirect.com/science/article/pii/S0021967310009453>
- Mervaala, E., Biala, A., Merasto, S., Lempäinen, J., Mattila, I., Martonen, E., Eriksson, O., Louhelainen, M., Finckenberg, P., Kaheinen, P., Muller, D. N., Luft, F. C., Lapatto, R., and Oresic, M. (2010). Metabolomics in angiotensin II-induced cardiac hypertrophy. *Hypertension*, 55(2):508–515.
<http://hyper.ahajournals.org/content/55/2/508>
- Mhamdi, A., Mauve, C., Gouia, H., Saindrenan, P., Hodges, M., and Noctor, G. (2010). Cytosolic NADP-dependent isocitrate dehydrogenase contributes to redox homeostasis and the regulation of pathogen responses in arabidopsis leaves. *Plant, Cell & Environment*, 33(7):1112–1123. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-3040.2010.02133.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Naafs, Stein, R., Hefter, J., Khélifi, N., De Schepper, S., and Haug, G. H. (2010). Late pliocene changes in the north atlantic current. *Earth and Planetary Science Letters*, 298(3-4):434–442.
<http://www.sciencedirect.com/science/article/pii/S0012821X10005339>
- Nam, Y. S., Agustin-Camacho, M. R., Park, H. M., and Lee, K. B. (2010). Herbicide contamination of live armclad rockfish, clam and pen shell by moss-control agents used in aquariums of seafood restaurants in korea. *Food Additives and Contaminants: Part B*, 3(4):289–295.
<http://www.tandfonline.com/doi/abs/10.1080/19393210.2010.520339>
- Pan, L., Qiu, Y., Chen, T., Lin, J., Chi, Y., Su, M., Zhao, A., and Jia, W. (2010). An optimized procedure for metabonomic analysis of rat liver tissue using gas chromatography/time-of-flight mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 52(4):589–596.
<http://www.sciencedirect.com/science/article/pii/S0731708510000671>
- Renberg, L., Johansson, A. I., Shutova, T., Stenlund, H., Aksmann, A., Raven, J. A., Gardeström, P., Moritz, T., and Samuelsson, G. (2010). A metabolomic approach to study major metabolite changes during acclimation to limiting CO₂ in chlamydomonas reinhardtii. *Plant Physiology*, 154(1):187–196.
<http://www.plantphysiol.org/content/154/1/187>
- Rocha, M., Licausi, F., Araújo, W. L., Nunes-Nesi, A., Sodek, L., Fernie,

- A. R., and van Dongen, J. T. (2010). Glycolysis and the tricarboxylic acid cycle are linked by alanine aminotransferase during hypoxia induced by waterlogging of lotus japonicus. *Plant Physiology*, 152(3):1501–1513. <http://www.plantphysiol.org/content/152/3/1501>
- Sana, T. R., Fischer, S., Wohlgemuth, G., Katrekar, A., Jung, K.-h., Ronald, P. C., and Fiehn, O. (2010). Metabolomic and transcriptomic analysis of the rice response to the bacterial blight pathogen *Xanthomonas oryzae* pv. *Oryzae*. *Metabolomics*, 6(3):451–465.
<http://www.springerlink.com/content/76237734r2520068/>
- Scherling, C., Roscher, C., Giavalisco, P., Schulze, E.-D., and Weckwerth, W. (2010). Metabolomics unravel contrasting effects of biodiversity on the performance of individual plant species. *PLoS ONE*, 5(9):e12569+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.po ne.0012569>
- Schurek, J., Nazafarin, L., and Kovalczuk, T. (2010a). Application potential of gas chromatography high speed time-of-flight mass spectrometry system in analysis of pesticides. part 1. *Journal of Analytical Chemistry*, 65(14):1540–1544.
<http://www.springerlink.com/content/tt0662p539r54475/>
- Schurek, J., Pulkrabova, J., Hajslova, J., Nazafarin, L., and Kovalczuk, T. (2010b). Application potential of microextraction in packed syringe coupled with gas chromatography time-of-flight mass spectrometry in analysis of brominated flame retardants in waste water. part 2. *Journal of Analytical Chemistry*, 65(14):1545–1548.
<http://www.springerlink.com/content/q763610217kr1v23/>
- Seifert, E. L., Fiehn, O., Bezaire, V., Bickel, D. R., Wohlgemuth, G., Adams, S. H., and Harper, M.-E. (2010). Long-Chain fatty acid combustion rate is associated with unique metabolite profiles in skeletal muscle mitochondria. *PLoS ONE*, 5(3):e9834+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.po ne.0009834>
- Shin, M. H., Lee, D. Y., Skogerson, K., Wohlgemuth, G., Choi, I.-G., Fiehn, O., and Kim, K. H. (2010a). Global metabolic profiling of plant cell wall polysaccharide degradation by saccharophagus degradans. *Biotechnol. Bioeng.*, 105(3):477–488.
<http://onlinelibrary.wiley.com/doi/10.1002/bit.22557/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Shin, M. H., Lee, D. Y., Wohlgemuth, G., Choi, I.-G., Fiehn, O., and Kim, K. H. (2010b). Global metabolite profiling of agarose degradation by saccharophagus degradans 2-40. *New Biotechnology*, 27(2):156–168.
<http://www.sciencedirect.com/science/article/pii/S187167841000395X>

- Skogerson, K., Harrigan, G. G., Reynolds, T. L., Halls, S. C., Ruebelt, M., Iandolino, A., Pandravada, A., Glenn, K. C., and Fiehn, O. (2010). Impact of genetics and environment on the metabolite composition of maize grain. *J. Agric. Food Chem.*, 58(6):3600–3610.
<http://pubs.acs.org/doi/abs/10.1021/jf903705y>
- Sparkman, O. D. (2009). Mass spectrometry PittCon® 2009. *Journal of The American Society for Mass Spectrometry*, 20(6):R3–R17.
<http://www.springerlink.com/content/pr22742677v71107/>
- Spégel, P., Danielsson, A. P. H., Bacos, K., Nagorny, C. L. F., Moritz, T., Mulder, H., and Filipsson, K. (2010). Metabolomic analysis of a human oral glucose tolerance test reveals fatty acids as reliable indicators of regulated metabolism. *Metabolomics*, 6(1):56–66.
<http://www.springerlink.com/content/w263646271v80005/>
- Steinfath, M., Strehmel, N., Peters, R., Schauer, N., Groth, D., Hummel, J., Steup, M., Selbig, J., Kopka, J., Geigenberger, P., and Van Dongen, J. T. (2010). Discovering plant metabolic biomarkers for phenotype prediction using an untargeted approach. *Plant Biotechnology Journal*, 8(8):900–911. <http://onlinelibrary.wiley.com/doi/10.1111/j.1467-7652.2010.00516.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Strehmel, N., Praeger, U., König, C., Fehrle, I., Erban, A., Geyer, M., Kopka, J., and van Dongen, J. T. (2010). Time course effects on primary metabolism of potato (*solanum tuberosum*) tuber tissue after mechanical impact. *Postharvest Biology and Technology*, 56(2):109–116.
<http://www.sciencedirect.com/science/article/pii/S0925521409002555>
- Taylor, S. L., Ganti, S., Bukanov, N. O., Chapman, A., Fiehn, O., Osier, M., Kim, K., and Weiss, R. H. (2010). A metabolomics approach using juvenile cystic mice to identify urinary biomarkers and altered pathways in polycystic kidney disease. *American Journal of Physiology - Renal Physiology*, 298(4):F909–F922.
<http://ajprenal.physiology.org/content/298/4/F909>
- Urayama, S., Zou, W., Brooks, K., and Tolstikov, V. (2010). Comprehensive mass spectrometry based metabolic profiling of blood plasma reveals potent discriminatory classifiers of pancreatic cancer. *Rapid Commun. Mass Spectrom.*, 24(5):613–620.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.4420/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- van der Meer, J. A., Trap, H. C., Noort, D., and van der Schans, M. J.

(2010). Comprehensive gas chromatography with time of flight MS and large volume introduction for the detection of fluoride-induced regenerated nerve agent in biological samples. *Journal of Chromatography B*, 878(17-18):1320–1325.

<http://www.sciencedirect.com/science/article/pii/S1570023210001042>

Ward, J. L., Forcat, S., Beckmann, M., Bennett, M., Miller, S. J., Baker, J. M., Hawkins, N. D., Vermeer, C. P., Lu, C., Lin, W., Truman, W. M., Beale, M. H., Draper, J., Mansfield, J. W., and Grant, M. (2010). The metabolic transition during disease following infection of arabidopsis thaliana by pseudomonas syringae pv. tomato. *The Plant Journal*, 63(3):443–457.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2010.04254.x/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Wibom, C., Surowiec, I., Mörén, L., Bergstrōm, P., Johansson, M., Antti, H., and Bergenheim, A. T. (2010). Metabolomic patterns in glioblastoma and changes during radiotherapy: A clinical microdialysis study. *J. Proteome Res.*, 9(6):2909–2919.

<http://pubs.acs.org/doi/abs/10.1021/pr901088r>

Wienkoop, S., Wei[German sz ligature], J., May, P., Kempa, S., Irgang, S., Recuenco-Munoz, L., Pietzke, M., Schwemmer, T., Rupprecht, J., Egelhofer, V., and Weckwerth, W. (2010). Targeted proteomics for chlamydomonas reinhardtii combined with rapid subcellular protein fractionation, metabolomics and metabolic flux analyses. *Mol. BioSyst.*, 6(6):1018–1031.

<http://pubs.rsc.org/en/Content/ArticleLanding/2010/MB/b920913a>

2009 – Total-44

Afzal, A. J., Natarajan, A., Saini, N., Iqbal, M. J., Geisler, M., El Shemy, H. A., Mungur, R., Willmitzer, L., and Lightfoot, D. A. (2009). The nematode resistance allele at the rhg1 locus alters the proteome and primary metabolism of soybean roots. *Plant Physiology*, 151(3):1264–1280. <http://www.plantphysiol.org/content/151/3/1264>

Allwood, J. W., Erban, A., Koning, S., Dunn, W. B., Luedemann, A., Lommen, A., Kay, L., Löscher, R., Kopka, J., and Goodacre, R. (2009). Inter-laboratory reproducibility of fast gas chromatography-electron impact-time of flight mass spectrometry (GC-EI-TOF/MS) based plant metabolomics. *Metabolomics*, 5(4):479–496.

<http://www.springerlink.com/content/m27h9159p3723041/>

- Andersson, E., Rotander, A., Kronhelm, T., Berggren, A., Ivarsson, P., Hollert, H., and Engwall, M. (2009). AhR agonist and genotoxicant bioavailability in a PAH-contaminated soil undergoing biological treatment. *Environmental Science and Pollution Research*, 16(5):521–530. <http://www.springerlink.com/content/g573430u31775066/>
- Brown, M., Dunn, W. B., Dobson, P., Patel, Y., Winder, C. L., Francis-McIntyre, S., Begley, P., Carroll, K., Broadhurst, D., Tseng, A., Swainston, N., Spasic, I., Goodacre, R., and Kell, D. B. (2009). Mass spectrometry tools and metabolite-specific databases for molecular identification in metabolomics. *Analyst*, 134(7):1322–1332. <http://pubs.rsc.org/en/Content/ArticleLanding/2009/AN/b901179j>
- Büchscher, J. M., Czernik, D., Ewald, J. C., Sauer, U., and Zamboni, N. (2009). Cross-Platform comparison of methods for quantitative metabolomics of primary metabolism. *Anal. Chem.*, 81(6):2135–2143. <http://pubs.acs.org/doi/abs/10.1021/ac8022857>
- Cajka, T., Hajslova, J., Pudil, F., and Riddellova, K. (2009). Traceability of honey origin based on volatiles pattern processing by artificial neural networks. *Journal of Chromatography A*, 1216(9):1458–1462. <http://www.sciencedirect.com/science/article/pii/S0021967308022498>
- Chorell, E., Moritz, T., Branth, S., Antti, H., and Svensson, M. B. (2009). Predictive metabolomics evaluation of Nutrition-Modulated metabolic stress responses in human blood serum during the early recovery phase of strenuous physical exercise. *J. Proteome Res.*, 8(6):2966–2977. <http://pubs.acs.org/doi/abs/10.1021/pr900081q>
- Ewald, J. C., Heux, S., and Zamboni, N. (2009). High-Throughput quantitative metabolomics: Workflow for cultivation, quenching, and analysis of yeast in a multiwell format. *Anal. Chem.*, 81(9):3623–3629. <http://pubs.acs.org/doi/abs/10.1021/ac900002u>
- Führs, H., Götze, S., Specht, A., Erban, A., Gallien, S., Heintz, D., Van Dorsselaer, A., Kopka, J., Braun, H.-P., and Horst, W. J. (2009). Characterization of leaf apoplastic peroxidases and metabolites in vigna unguiculata in response to toxic manganese supply and silicon. *Journal of Experimental Botany*, 60(6):1663–1678. <http://jxb.oxfordjournals.org/content/60/6/1663>
- Galindo, F. G., Dejmek, P., Lundgren, K., Rasmusson, A. G., Vicente, A., and Moritz, T. (2009). Metabolomic evaluation of pulsed electric field-induced stress on potato tissue. *Planta*, 230(3):469–479. <http://www.springerlink.com/content/r1j30gx78t72m742/>
- González, C. A., Bartoszek, M., Martin, A., and Correa, C. M. (2009). Hydrodechlorination of light organochlorinated compounds and their mixtures over Pd/TiO₂-washcoated minimonoliths. *Ind. Eng. Chem. Res.*, 48(6):2826–2835. <http://pubs.acs.org/doi/abs/10.1021/ie8013742>

- Hanus, R., Luxová, A., Šobotník, J., Kalinová, B., Jiřoš, P., Kreček, J., Bourguignon, T., and Bordereau, C. (2009). Sexual communication in the termite *Prorhinotermes simplex* (isoptera, rhinotermitidae) mediated by a pheromone from female tergal glands. *Insectes Sociaux*, 56(2):111–118.
<http://www.springerlink.com/content/m02088v244376185/>
- Hayashi, S., Akiyama, S., Tamaru, Y., Takeda, Y., Fujiwara, T., Inoue, K., Kobayashi, A., Maegawa, S., and Fukusaki, E. (2009). A novel application of metabolomics in vertebrate development. *Biochemical and Biophysical Research Communications*, 386(1):268–272.
<http://www.sciencedirect.com/science/article/pii/S0006291X09011747>
- Inostroza, A. C., Caldana, C., Redestig, H., Kusano, M., Lisec, J., Cortes, H. P., Willmitzer, L., and Hannah, M. (2009). TargetSearch - a bioconductor package for the efficient preprocessing of GC-MS metabolite profiling data. *BMC Bioinformatics*, 10(1):428+.
<http://www.biomedcentral.com/1471-2105/10/428>
- Jumtee, K., Bamba, T., and Fukusaki, E. (2009a). Fast GC-FID based metabolic fingerprinting of japanese green tea leaf for its quality ranking prediction. *J. Sep. Science*, 32(13):2296–2304.
<http://onlinelibrary.wiley.com/doi/10.1002/jssc.200900096/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>
- Jumtee, K., Okazawa, A., Harada, K., Fukusaki, E., Takano, M., and Kobayashi, A. (2009b). Comprehensive metabolite profiling of phyA phyB phyC triple mutants to reveal their associated metabolic phenotype in rice leaves. *Journal of Bioscience and Bioengineering*, 108(2):151–159.
<http://www.sciencedirect.com/science/article/pii/S1389172309001522>
- Kajander, K., Myllyluoma, E., Kyrönpalo, S., Rasmussen, M., Sipponen, P., Mattila, I., Seppänen-Laakso, T., Vapaatalo, H., Oresic, M., and Korpeala, R. (2009). Elevated pro-inflammatory and lipotoxic mucosal lipids characterise irritable bowel syndrome. *World journal of gastroenterology : WJG*, 15(48):6068–6074.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2797663/>
- Kind, T., Wohlgemuth, G., Lee, D. Y., Lu, Y., Palazoglu, M., Shahbaz, S., and Fiehn, O. (2009). FiehnLib: Mass spectral and retention index libraries for metabolomics based on quadrupole and Time-of-Flight gas Chromatography/Mass spectrometry. *Anal. Chem.*, 81(24):10038–10048. <http://pubs.acs.org/doi/abs/10.1021/ac9019522>
- Koek, M. M., Bakels, F., Engel, W., van den Maagdenberg, A., Ferrari, M. D., Coulier, L., and Hankemeier, T. (2009). Metabolic profiling of

- ultrasmall sample volumes with GC/MS: From microliter to nanoliter samples. *Anal. Chem.*, 82(1):156–162.
<http://pubs.acs.org/doi/abs/10.1021/ac9015787>
- Koesukwiwat, U., Lehotay, S. J., Mastovska, K., Dorweiler, K. J., and Leepipatpiboon, N. (2009). Extension of the QuEChERS method for pesticide residues in cereals to flaxseeds, peanuts, and doughs†. *J. Agric. Food Chem.*, 58(10):5950–5958.
<http://pubs.acs.org/doi/abs/10.1021/jf902988b>
- Kuhn, F. and Natsch, A. (2009). Body odour of monozygotic human twins: a common pattern of odorant carboxylic acids released by a bacterial aminoacylase from axilla secretions contributing to an inherited body odour type. *Journal of The Royal Society Interface*, 6(33):377–392.
<http://rsif.royalsocietypublishing.org/content/6/33/377>
- Kuksis, A., Suomela, J.-P., Tarvainen, M., and Kallio, H. (2009). Lipidomic analysis of glycerolipid and cholestryl ester autoxidation products. *Molecular Biotechnology*, 42(2):224–268.
<http://www.springerlink.com/content/q7674333w751144k/>
- Lee, J. Y. and Lane, D. A. (2009). Unique products from the reaction of naphthalene with the hydroxyl radical. *Atmospheric Environment*, 43(32):4886–4893.
<http://www.sciencedirect.com/science/article/pii/S1352231009006104>
- Lindinger, C., Pollien, P., de Vos, R. C. H., Tikunov, Y., Hageman, J. A., Lambot, C., Fumeaux, R., Voirol-Baliguet, E., and Blank, I. (2009). Identification of ethyl formate as a quality marker of the fermented off-note in coffee by a nontargeted chemometric approach. *J. Agric. Food Chem.*, 57(21):9972–9978.
<http://pubs.acs.org/doi/abs/10.1021/jf901673d>
- Lommen, A. (2009). MetAlign: Interface-Driven, versatile metabolomics tool for hyphenated Full-Scan mass spectrometry data preprocessing. *Anal. Chem.*, 81(8):3079–3086.
<http://pubs.acs.org/doi/abs/10.1021/ac900036d>
- Maruyama, K., Takeda, M., Kidokoro, S., Yamada, K., Sakuma, Y., Urano, K., Fujita, M., Yoshiwara, K., Matsukura, S., Morishita, Y., Sasaki, R., Suzuki, H., Saito, K., Shibata, D., Shinozaki, K., and Yamaguchi-Shinozaki, K. (2009). Metabolic pathways involved in cold acclimation identified by integrated analysis of metabolites and transcripts regulated by DREB1A and DREB2A. *Plant Physiology*, 150(4):1972–1980. <http://www.plantphysiol.org/content/150/4/1972>
- Meimoun, P., Gousset-Dupont, A., Lebouteiller, B., Ambard-Bretteville, F., Besin, E., Lelarge, C., Mauve, C., Hodges, M., and Vidal, J. (2009). The impact of PEPC phosphorylation on growth and development of arabidopsis thaliana: Molecular and physiological characterization of PEPC kinase mutants. *FEBS Letters*, 583(10):1649–1652.

<http://www.sciencedirect.com/science/article/pii/S0014579309003226>

Nakabayashi, R., Kusano, M., Kobayashi, M., Tohge, T., Yonekura-Sakakibara, K., Kogure, N., Yamazaki, M., Kitajima, M., Saito, K., and Takayama, H. (2009). Metabolomics-oriented isolation and structure elucidation of 37 compounds including two anthocyanins from arabidopsis thaliana. *Phytochemistry*, 70(8):1017–1029.

<http://www.sciencedirect.com/science/article/pii/S003194220900137X>

Nakamichi, N., Kusano, M., Fukushima, A., Kita, M., Ito, S., Yamashino, T., Saito, K., Sakakibara, H., and Mizuno, T. (2009). Transcript profiling of an arabidopsis PSEUDO RESPONSE REGULATOR arrhythmic triple mutant reveals a role for the circadian clock in cold stress response. *Plant and Cell Physiology*, 50(3):447–462.

<http://pcp.oxfordjournals.org/content/50/3/447>

Parker, D., Beckmann, M., Zubair, H., Enot, D. P., Caracuel-Rios, Z., Overy, D. P., Snowdon, S., Talbot, N. J., and Draper, J. (2009). Metabolomic analysis reveals a common pattern of metabolic re-programming during invasion of three host plant species by magnaporthe grisea. *The Plant Journal*, 59(5):723–737.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.03912.x/abstract;jsessionid=967A8D53708A6B7E00D06DD03326E52.d02t03?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

Parveen, I., Moorby, J. M., Fraser, M. D., Erban, A., and Kopka, J. (2009). Relationship between grazing lamb growth rate and blood plasma analytes as profiled by gas chromatography with Time-of-Flight mass spectrometry (GC-TOF/MS). *J. Agric. Food Chem.*, 58(2):913–917.

<http://pubs.acs.org/doi/abs/10.1021/jf902116m>

Patil, S. H., Banerjee, K., Dasgupta, S., Oulkar, D. P., Patil, S. B., Jadhav, M. R., Savant, R. H., Adsule, P. G., and Deshmukh, M. B. (2009). Multiresidue analysis of 83 pesticides and 12 dioxin-like polychlorinated biphenyls in wine by gas chromatography-time-of-flight mass spectrometry. *Journal of Chromatography A*, 1216(12):2307–2319.

<http://www.sciencedirect.com/science/article/pii/S0021967309001502>

Rate, J. and Engel, E. (2009). Determination of benzenic and halogenated volatile organic compounds in animal-derived food products by one-dimensional and comprehensive two-dimensional gas chromatography-mass spectrometry. *Journal of Chromatography A*, 1216(45):7889–7898.

<http://www.sciencedirect.com/science/article/pii/S002196730901348X>

Ryona, I., Pan, B. S., and Sacks, G. L. (2009). Rapid measurement of 3-

Alkyl-2-methoxypyrazine content of winegrapes to predict levels in resultant wines. *J. Agric. Food Chem.*, 57(18):8250–8257.

<http://pubs.acs.org/doi/abs/10.1021/jf9019695>

Skogerson, K., Runnebaum, R., Wohlgemuth, G., de Ropp, J., Heymann, H., and Fiehn, O. (2009). Comparison of gas Chromatography-Coupled Time-of-Flight mass spectrometry and ^1H nuclear magnetic resonance spectroscopy metabolite identification in white wines from a sensory study investigating wine body. *J. Agric. Food Chem.*, 57(15):6899–6907.

<http://pubs.acs.org/doi/abs/10.1021/jf9019322>

Tolstikov, V. V. (2009). Metabolic analysis micro and nano technologies in bioanalysis. volume 544 of *Methods in Molecular Biology*, chapter 22, pages 343–353. Humana Press, Totowa, NJ.

<http://www.springerlink.com/content/u4583t07k1r31492/#section=67800&page=1>

van den Berg, A. K., Perkins, T. D., Isselhardt, M. L., Godshall, M. A., and Lloyd, S. W. (2009). Air injection into concentrated maple sap during processing: impact on syrup composition and flavour. *J. Sci. Food Agric.*, 89(10):1770–1774.

<http://onlinelibrary.wiley.com/doi/10.1002/jsfa.3654/abstract?systemMessage=Wiley+Online+Library+will+be+disrupted+on+27+October+from+10%3A00-12%3A00+BST+%2805%3A00-07%3A00+EDT%29+for+essential+maintenance>

van Dongen, J. T., Fröhlich, A., Ramírez-Aguilar, S. J., Schauer, N., Fernie, A. R., Erban, A., Kopka, J., Clark, J., Langer, A., and Geigenberger, P. (2009). Transcript and metabolite profiling of the adaptive response to mild decreases in oxygen concentration in the roots of arabidopsis plants. *Annals of Botany*, 103(2):269–280.

<http://aob.oxfordjournals.org/content/103/2/269>

Yan, B., JiYe, Hao, H., Wang, G., Zhu, X., Zha, W., Liu, L., Guan, E., Zhang, Y., Gu, S., Huang, Q., and Zheng, Y. (2009a). Metabonomic phenotype and identification of “heart blood stasis obstruction pattern” and “qi and yin deficiency pattern” of myocardial ischemia rat models. *Science in China Series C: Life Sciences*, 52(11):1081–1090.

<http://www.springerlink.com/content/7406495341178x55/>

Yan, B., Jiye, A., Wang, G., Lu, H., Huang, X., Liu, Y., Zha, W., Hao, H., Zhang, Y., Liu, L., Gu, S., Huang, Q., Zheng, Y., and Sun, J. (2009b). Metabolomic investigation into variation of endogenous metabolites in professional athletes subject to strength-endurance training. *Journal of Applied Physiology*, 106(2):531–538.

<http://jap.physiology.org/content/106/2/531>

Ying, Z., Jiye, A., Wang, G., Qing, H., Bei, Y., Weibin, Z., Shenghua, G., Linsheng, L., Hongcan, R., Meiting, R., and Longsheng, S. (2009). Organic solvent extraction and metabonomic profiling of the

- metabolites in erythrocytes. *Journal of Chromatography B*, 877(18-19):1751–1757.
<http://www.sciencedirect.com/science/article/pii/S1570023209003080>
- Zha, W., Jiye, Wang, G., Yan, B., Gu, S., Zhu, X., Hao, H., Huang, Q., Sun, J., Zhang, Y., Cao, B., and Ren, H. (2009). Metabonomic characterization of early atherosclerosis in hamsters with induced cholesterol. *Biomarkers*, 14(6):372–380.
<http://informahealthcare.com/doi/abs/10.1080/13547500903026401>
- Zhang, S.-W., Li, C.-H., Cao, J., Zhang, Y.-C., Zhang, S.-Q., Xia, Y.-F., Sun, D.-Y., and Sun, Y. (2009). Altered architecture and enhanced drought tolerance in rice via the Down-Regulation of Indole-3-Acetic acid by TLD1/OsGH3.13 activation. *Plant Physiology*, 151(4):1889–1901. <http://www.plantphysiol.org/content/151/4/1889>
- Zou, W. and Tolstikov, V. (2009). Pattern recognition and pathway analysis with genetic algorithms in mass spectrometry based metabolomics. *Algorithms*, 2(2):638–666. <http://www.mdpi.com/1999-4893/2/2/638>

2008 – Total-56

- Accettola, F., Guebitz, G. M., and Schoeftner, R. (2008). Siloxane removal from biogas by biofiltration: biodegradation studies. *Clean Technologies and Environmental Policy*, 10(2):211–218.
<http://www.springerlink.com/content/dj0632t65212qgqx/>
- Aginsky, V. N. (2008). *Chapter 27 Writing media and documents*, volume 6, pages 923–941. Elsevier.
<http://www.sciencedirect.com/science/article/pii/S156771920606027X>
- Akihiro, T., Koike, S., Tani, R., Tominaga, T., Watanabe, S., Iijima, Y., Aoki, K., Shibata, D., Ashihara, H., Matsukura, C., Akama, K., Fujimura, T., and Ezura, H. (2008). Biochemical mechanism on GABA accumulation during fruit development in tomato. *Plant and Cell Physiology*, 49(9):1378–1389.
<http://pcp.oxfordjournals.org/content/49/9/1378>
- Beckmann, B., Hofmann, P., März, C., Schouten, S., Sinninghe Damsté, J. S., and Wagner, T. (2008). Coniacian-Santonian deep ocean anoxia/euxinia inferred from molecular and inorganic markers: Results from the demerara rise (ODP leg 207). *Organic Geochemistry*, 39(8):1092–1096.
<http://www.sciencedirect.com/science/article/pii/S0146638008001071>
- Bedair, M. and Sumner, L. W. (2008). Current and emerging mass-spectrometry technologies for metabolomics. *TrAC Trends in Analytical Chemistry*, 27(3):238–250.
<http://www.sciencedirect.com/science/article/pii/S0165993608000071>
- Bougeard Cynthia, M. M., Janmohamed Imran, H. S., Goslan Emma, H.,

- Bruce, J., Watson Jonathan, S., Morgan Geraint, H., and Parsons Simon, A. (2008). Parameters affecting haloacetic acid and trihalomethane concentrations in treated UK drinking waters. 995:95–108. <http://pubs.acs.org/doi/abs/10.1021/bk-2008-0995.ch007>
- Cajka, T., Hajslova, J., Lacina, O., Mastovska, K., and Lehotay, S. J. (2008). Rapid analysis of multiple pesticide residues in fruit-based baby food using programmed temperature vaporiser injection-low-pressure gas chromatography-high-resolution time-of-flight mass spectrometry. *Journal of Chromatography A*, 1186(1-2):281–294. <http://www.sciencedirect.com/science/article/pii/S0021967307021176>
- Chin, S. T., Nazimah, S. A., Quek, S. Y., Che Man, Y. B., Abdul Rahman, R., and Mat Hashim, D. (2008). Changes of volatiles' attribute in durian pulp during freeze- and spray-drying process. *LWT - Food Science and Technology*, 41(10):1899–1905. <http://www.sciencedirect.com/science/article/pii/S0023643808000443>
- Coolong, T. W. and Randle, W. M. (2008). The effects of calcium chloride and ammonium sulfate on onion bulb quality at harvest and during storage. *HortScience*, 43(2):465–471. <http://hortsci.ashpublications.org/content/43/2/465.abstract>
- Dailey, O. D., Prevost, N. T., and Strahan, G. D. (2008). Synthesis and characterization of Branched-Chain derivatives of methyl oleate. *Clean Soil Air Water*, 36(8):687–693. <http://onlinelibrary.wiley.com/doi/10.1002/clen.200800058/abstract>
- Denkert, C., Budczies, J., Weichert, W., Wohlgemuth, G., Scholz, M., Kind, T., Niesporek, S., Noske, A., Buckendahl, A., Dietel, M., and Fiehn, O. (2008). Metabolite profiling of human colon carcinoma - deregulation of TCA cycle and amino acid turnover. *Molecular Cancer*, 7(1):72+. <http://www.molecular-cancer.com/content/7/1/72>
- Ding, M.-J., Zong, Z.-M., Zong, Y., Ou-Yang, X.-D., Huang, Y.-G., Zhou, L., Wang, F., Cao, J.-P., and Wei, X.-Y. (2008). Isolation and identification of fatty acid amides from shengli coal. *Energy Fuels*, 22(4):2419–2421. <http://pubs.acs.org/doi/abs/10.1021/ef700499y>
- Eisenhut, M., Huege, J., Schwarz, D., Bauwe, H., Kopka, J., and Hagemann, M. (2008). Metabolome phenotyping of inorganic carbon limitation in cells of the wild type and photorespiratory mutants of the cyanobacterium *synechocystis* sp. strain PCC 6803. *Plant Physiology*, 148(4):2109–2120. <http://www.plantphysiol.org/content/148/4/2109>
- Fiehn, O., Wohlgemuth, G., Scholz, M., Kind, T., Lee, D. Y., Lu, Y., Moon, S., and Nikolau, B. (2008). Quality control for plant metabolomics: reporting MSI-compliant studies. *The Plant Journal*, 53(4):691–704. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2007.03387.x/abstract>
- Garcia, D. E., Baidoo, E. E., Benke, P. I., Pingitore, F., Tang, Y. J., Villa,

- S., and Keasling, J. D. (2008). Separation and mass spectrometry in microbial metabolomics. *Current Opinion in Microbiology*, 11(3):233–239.
<http://www.sciencedirect.com/science/article/pii/S1369527408000532>
- Geib, S. M., Filley, T. R., Hatcher, P. G., Hoover, K., Carlson, J. E., del Mar Jimenez-Gasco, M., Nakagawa-Izumi, A., Sleighter, R. L., and Tien, M. (2008). Lignin degradation in wood-feeding insects. *Proceedings of the National Academy of Sciences*, 105(35):12932–12937. <http://www.pnas.org/content/105/35/12932>
- Hadorn, R., Eberhard, P., Guggisberg, D., Piccinelli, P., and Schlichtherle-Cerny, H. (2008). Effect of fat score on the quality of various meat products. *Meat Science*, 80(3):765–770.
<http://www.sciencedirect.com/science/article/pii/S0309174008000892>
- Hamers, B., Bäuerlein, P. S., Müller, C., and Vogt, D. (2008). Hydroaminomethylation of n-Alkenes in a biphasic ionic liquid system. *Adv. Synth. Catal.*, 350(2):332–342.
<http://onlinelibrary.wiley.com/doi/10.1002/adsc.200700132/abstract>
- Han, L., Zong, Z.-M., Jin, X., Wang, Y.-Q., Wang, F., Yu, T.-T., Tian, G.-F., Zhao, S.-Q., Bao, X.-J., Ma, X.-X., and Wei, X.-Y. (2008). Solubility of dagang vacuum residue and molecular composition of the soluble fractions in different solvents. *Fuel*, 87(2):260–263.
<http://www.sciencedirect.com/science/article/pii/S0016236107003262>
- Heazell, A. E. P., Brown, M., Dunn, W. B., Worton, S. A., Crocker, I. P., Baker, P. N., and Kell, D. B. (2008). Analysis of the metabolic footprint and tissue metabolome of placental villous explants cultured at different oxygen tensions reveals novel redox biomarkers. *Placenta*, 29(8):691–698. [http://www.placentajournal.org/article/S0143-4004\(08\)00159-8/abstract](http://www.placentajournal.org/article/S0143-4004(08)00159-8/abstract)
- Heftter, J. (2008). Analysis of alkenone unsaturation indices with fast gas Chromatography/Time-of-Flight mass spectrometry. *Anal. Chem.*, 80(6):2161–2170. <http://pubs.acs.org/doi/abs/10.1021/ac702194m>
- Jiye, Huang, Q., Wang, G., Zha, W., Yan, B., Ren, H., Gu, S., Zhang, Y., Zhang, Q., Shao, F., Sheng, L., and Sun, J. (2008). Global analysis of metabolites in rat and human urine based on gas chromatography/time-of-flight mass spectrometry. *Analytical Biochemistry*, 379(1):20–26.
<http://www.sciencedirect.com/science/article/pii/S0003269708002534>
- Jumtee, K., Bamba, T., Okazawa, A., Fukusaki, E., and Kobayashi, A. (2008). Integrated metabolite and gene expression profiling revealing phytochrome a regulation of polyamine biosynthesis of arabidopsis thaliana. *Journal of Experimental Botany*, 59(6):1187–1200.
<http://jxb.oxfordjournals.org/content/59/6/1187>
- Kagan, I. A., Coe, B. L., Smith, L. L., Huo, C.-J., Dougherty, C. T., and Strickland, J. R. (2008). A validated method for gas chromatographic

- analysis of γ-Aminobutyric acid in tall fescue herbage. *J. Agric. Food Chem.*, 56(14):5538–5543.
<http://pubs.acs.org/doi/abs/10.1021/jf8000229>
- Kahandawala, M. S. P., DeWitt, M. J., Corporan, E., and Sidhu, S. S. (2008). Ignition and emission characteristics of surrogate and practical jet fuels. *Energy Fuels*, 22(6):3673–3679.
<http://pubs.acs.org/doi/abs/10.1021/ef800303a>
- Kempa, S., Krasensky, J., Dal Santo, S., Kopka, J., and Jonak, C. (2008). A central role of abscisic acid in Stress-Regulated carbohydrate metabolism. *PLoS ONE*, 3(12):e3935+.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.po ne.0003935>
- Kuhl, J., Moritz, T., Wagner, H., Stenlund, H., Lundgren, K., Båvenholm, P., Efendic, S., Norstedt, G., and Tollet-Egnell, P. (2008). Metabolomics as a tool to evaluate exercise-induced improvements in insulin sensitivity. *Metabolomics*, 4(3):273–282.
<http://www.springerlink.com/content/ew64621695420707/>
- Lee, D. and Fiehn, O. (2008). High quality metabolomic data for chlamydomonas reinhardtii. *Plant Methods*, 4(1):7+.
<http://www.plantmethods.com/content/4/1/7>
- Leung, H.-T., Tseng-Crank, J., Kim, E., Mahapatra, C., Shino, S., Zhou, Y., An, L., Doerge, R. W., and Pak, W. L. (2008). DAG lipase activity is necessary for TRP channel regulation in drosophila photoreceptors. *Neuron*, 58(6):884–896.
<http://www.cell.com/neuron/retrieve/pii/S0896627308004108>
- Lu, H., Liang, Y., Dunn, W. B., Shen, H., and Kell, D. B. (2008a). Comparative evaluation of software for deconvolution of metabolomics data based on GC-TOF-MS. *TrAC Trends in Analytical Chemistry*, 27(3):215–227.
<http://www.sciencedirect.com/science/article/pii/S0165993607002439>
- Lu, Y., Jiye, Wang, G., Hao, H., Huang, Q., Yan, B., Zha, W., Gu, S., Ren, H., Zhang, Y., Fan, X., Zhang, M., and Hao, K. (2008b). Gas chromatography/time-of-flight mass spectrometry based metabonomic approach to differentiating hypertension- and age-related metabolic variation in spontaneously hypertensive rats. *Rapid Commun. Mass Spectrom.*, 22(18):2882–2888.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.3670/abstract>
- May, P., Wienkoop, S., Kempa, S., Usadel, B., Christian, N., Rupprecht, J., Weiss, J., Recuenco-Munoz, L., Ebenhöh, O., Weckwerth, W., and Walther, D. (2008). Metabolomics- and Proteomics-Assisted genome annotation and analysis of the draft metabolic network of chlamydomonas reinhardtii. *Genetics*, 179(1):157–166.
<http://www.genetics.org/content/179/1/157>

- Meesters, R., Duisken, M., Jahnigen, H., and Hollender, J. (2008). Sensitive determination of monoterpene alcohols in urine by HPLC-FLD combined with ESI-MS detection after online-solid phase extraction of the monoterpene-coumarincarbamate derivates. *Journal of Chromatography B*, 875(2):444–450.
<http://www.sciencedirect.com/science/article/pii/S1570023208006995>
- Meyer, A. and Imming, P. (2008). R(-)-Canadaline as first secoberbine alkaloid from corydalis cava. *Phytochemistry Letters*, 1(3):168–170.
<http://www.sciencedirect.com/science/article/pii/S1874390008000530>
- Michell, A. W., Mosedale, D., Grainger, D. J., and Barker, R. A. (2008). Metabolomic analysis of urine and serum in parkinson's disease. *Metabolomics*, 4(3):191–201.
<http://www.springerlink.com/content/y85r820m84510512/>
- Mirhosseini, H., Tan, C. P., Yusof, S., and Hamid, N. S. (2008). Solid-phase microextraction for determining twelve orange flavour compounds in a model beverage emulsion. *Phytochem. Anal.*, 19(5):429–437.
<http://onlinelibrary.wiley.com/doi/10.1002/pca.1068/abstract>
- Niri, V. H., Bragg, L., and Pawliszyn, J. (2008). Fast analysis of volatile organic compounds and disinfection by-products in drinking water using solid-phase microextraction-gas chromatography/time-of-flight mass spectrometry. *Journal of Chromatography A*, 1201(2):222–227.
<http://www.sciencedirect.com/science/article/pii/S0021967308004986>
- Ong, B. T., Nazimah, S. A. H., Tan, C. P., Mirhosseini, H., Osman, A., Mat Hashim, D., and Rusul, G. (2008). Analysis of volatile compounds in five jackfruit (*artocarpus heterophyllus* L.) cultivars using solid-phase microextraction (SPME) and gas chromatography-time-of-flight mass spectrometry (GC-TOFMS). *Journal of Food Composition and Analysis*, 21(5):416–422.
<http://www.sciencedirect.com/science/article/pii/S088915750800029X>
- Pedneault, K., Angers, P., Gosselin, A., and Tweddell, R. J. (2008). Fatty acid profiles of polar and neutral lipids of ten species of higher basidiomycetes indigenous to eastern canada. *Mycological Research*, 112(12):1428–1434.
<http://www.sciencedirect.com/science/article/pii/S0953756208001846>
- Peiris, D., Dunn, W. B., Brown, M., Kell, D. B., Roy, I., and Hedger, J. N. (2008). Metabolite profiles of interacting mycelial fronts differ for pairings of the wood decay basidiomycete fungus, *Stereum hirsutum* with its competitors *Coprinus micaceus* and *Coprinus disseminatus*. *Metabolomics*, 4(1):52–62.
<http://www.springerlink.com/content/485081w52056g860/>
- Pettersson, M., Unelius, C. R., Valterová, I., and Borg-Karlson, A.-K. (2008). Semiochemicals related to the aphid cinara pilicornis and its host, picea abies: A method to assign nepetalactone diastereomers.

- Journal of Chromatography A*, 1180(1-2):165–170.
<http://www.sciencedirect.com/science/article/pii/S0021967307021747>
- Riewe, D., Grosman, L., Fernie, A. R., Wucke, C., and Geigenberger, P. (2008a). The Potato-Specific apyrase is apoplastically localized and has influence on gene expression, growth, and development. *Plant Physiology*, 147(3):1092–1109.
<http://www.plantphysiol.org/content/147/3/1092>
- Riewe, D., Grosman, L., Zauber, H., Wucke, C., Fernie, A. R., and Geigenberger, P. (2008b). Metabolic and developmental adaptations of growing potato tubers in response to specific manipulations of the adenylate energy status. *Plant Physiology*, 146(4):1579–1598.
<http://www.plantphysiol.org/content/146/4/1579>
- Scarlett, A., Rowland, S. J., Galloway, T. S., Lewis, A. C., and Booth, A. M. (2008). Chronic sublethal effects associated with branched alkylbenzenes bioaccumulated by mussels. *Environmental Toxicology and Chemistry*, 27(3):561–567.
<http://onlinelibrary.wiley.com/doi/10.1897/07-347.1/abstract>
- Schantz, M. M., Bedner, M., Long, S. E., Molloy, J. L., Murphy, K. E., Porter, B. J., Putzbach, K., Rimmer, C. A., Sander, L. C., Sharpless, K. E., Thomas, J. B., Wise, S. A., Wood, L. J., Yen, J. H., Yarita, T., NguyenPho, A., Sorenson, W. R., and Betz, J. M. (2008). Development of saw palmetto (*Serenoa repens*) fruit and extract standard reference materials. *Analytical and Bioanalytical Chemistry*, 392(3):427–438.
<http://www.springerlink.com/content/j631551163736k52/>
- Sellick, C. A., Hansen, R., Maqsood, A. R., Dunn, W. B., Stephens, G. M., Goodacre, R., and Dickson, A. J. (2008). Effective quenching processes for physiologically valid metabolite profiling of suspension cultured mammalian cells. *Anal. Chem.*, 81(1):174–183.
<http://pubs.acs.org/doi/abs/10.1021/ac8016899>
- Siripatrawan, U. (2008). Rapid differentiation between *e. coli* and *salmonella typhimurium* using metal oxide sensors integrated with pattern recognition. *Sensors and Actuators B: Chemical*, 133(2):414–419.
<http://www.sciencedirect.com/science/article/pii/S0925400508001846>
- Son, S.-H., Lee, J.-H., Byeon, S.-H., and Lee, C.-H. (2008). Surface chemical analysis of corroded alloys in subcritical and supercritical water oxidation of 2-Chlorophenol in continuous anticorrosive reactor system. *Ind. Eng. Chem. Res.*, 47(7):2265–2272.
<http://pubs.acs.org/doi/abs/10.1021/ie0709281>
- Strehmel, N., Hummel, J., Erban, A., Strassburg, K., and Kopka, J. (2008). Retention index thresholds for compound matching in GC-MS metabolite profiling. *Journal of Chromatography B*, 871(2):182–190.
<http://www.sciencedirect.com/science/article/pii/S1570023208002511>

- Tianniam, S., Tarachiwin, L., Bamba, T., Kobayashi, A., and Fukusaki, E. (2008). Metabolic profiling of angelica acutiloba roots utilizing gas chromatography-time-of-flight-mass spectrometry for quality assessment based on cultivation area and cultivar via multivariate pattern recognition. *Journal of Bioscience and Bioengineering*, 105(6):655–659.
<http://www.sciencedirect.com/science/article/pii/S1389172308701245>
- Wihlborg, R., Pippitt, D., and Marsili, R. (2008). Headspace sorptive extraction and GC-TOFMS for the identification of volatile fungal metabolites. *Journal of Microbiological Methods*, 75(2):244–250.
<http://www.sciencedirect.com/science/article/pii/S0167701208002303>
- Wiklund, S., Johansson, E., Sjostrom, L., Mellerowicz, E. J., Edlund, U., Shockcor, J. P., Gottfries, J., Moritz, T., and Trygg, J. (2007). Visualization of GC/TOF-MS-based metabolomics data for identification of biochemically interesting compounds using OPLS class models. *Anal. Chem.*, 80(1):115–122.
<http://pubs.acs.org/doi/abs/10.1021/ac0713510>
- Winder, C. L., Dunn, W. B., Schuler, S., Broadhurst, D., Jarvis, R., Stephens, G. M., and Goodacre, R. (2008). Global metabolic profiling of escherichia coli cultures: an evaluation of methods for quenching and extraction of intracellular metabolites. *Anal. Chem.*, 80(8):2939–2948. <http://pubs.acs.org/doi/abs/10.1021/ac7023409>
- Wunschel, D. S., Colburn, H. A., Fox, A., Fox, K. F., Harley, W. M., Wahl, J. H., and Wahl, K. L. (2008). Detection of agar, by analysis of sugar markers, associated with bacillus anthracis spores, after culture. *Journal of Microbiological Methods*, 74(2-3):57–63.
<http://www.sciencedirect.com/science/article/pii/S0167701208001097>
- Zelinková, Z., Novotný, O., Schůrek, J., Velísek, J., Hajslová, J., and Dolezal, M. (2008). Occurrence of 3-MCPD fatty acid esters in human breast milk. *Food Additives & Contaminants: Part A*, 25(6):669–676.
<http://www.tandfonline.com/doi/abs/10.1080/02652030701799375>
- Zhao, X., Zong, Z., Cao, J., Ma, Y., Han, L., Liu, G., Zhao, W., Li, W., Xie, K., and Bai, X. (2008). Difference in chemical composition of carbon disulfide-extractable fraction between vitrinite and inertinite from Shenfu-Dongsheng and pingshuo coals. *Fuel*, 87(4-5):565–575.
<http://www.sciencedirect.com/science/article/pii/S0016236107001007>



Delivering the Right Results

LECO Corporation

3000 Lakeview Avenue St. Joseph, MI 49085 Phone: 800-292-6141 Fax: 269-982-8977
info@leco.com www.leco.com ISO-9001:2000 No. FM 24045 LECO is a registered trademark of LECO Corporation.

LECO Japan Corporation

Sumitomo Fudosan Shiba Building 4,13-4 Shiba 2-chome, Minato-ku Tokyo Phone: 03-6891-5800 Fax: 03-6891-5801
company_jp@leco.com | www.leco.co.jp