



GC-HRT or GCxGC-HRT Articles & Reference Materials



Delivering the Right Results

GC-HRT or GCxGC-HRT

2018

Blum, K. M., Andersson, P. L., Ahrens, L., Wiberg, K., & Haglund, P. (2018). Persistence, mobility and bioavailability of emerging organic contaminants discharged from sewage treatment plants. *Science of the Total Environment*, 612, 1532-1542.

<https://www.sciencedirect.com/science/article/pii/S0048969717323483>

Piotrowski, P. K., Weggler, B. A., Barth-Naftilan, E., Kelly, C. N., Zimmermann, R., Saiers, J. E., & Dorman, F. L. (2018). Non-Targeted chemical characterization of a Marcellus shale gas well through GC× GC with scripting algorithms and high-resolution time-of-flight mass spectrometry. *Fuel*, 215, 363-369.

<https://www.sciencedirect.com/science/article/pii/S001623611731428X>

2017

Anstett, A., Chu, F., Alonso, D. E., & Smith, R. W. (2017). Characterization of 2C-Phenethylamines using High-Resolution Mass Spectrometry and Kendrick Mass Defect Filters. *Forensic Chemistry*.

<https://www.sciencedirect.com/science/article/pii/S2468170917301169>

Anstett, A. L. (2017). *Characterization of Synthetic Phenethylamines Using Low-Resolution and High-Resolution Mass Spectrometry* (Doctoral dissertation, Michigan State University).

<https://search.proquest.com/openview/1bde35245f182d28d4b70c24e0395a93/1?pq-origsite=gscholar&cbl=18750&diss=y>

Brits, M., Gorst-Allman, P., Rohwer, E. R., De Vos, J., de Boer, J., & Weiss, J. M. (2017). Comprehensive two-dimensional gas chromatography coupled to high resolution time-of-flight mass spectrometry for screening of organohalogenated compounds in cat hair. *Journal of Chromatography A*.

<http://www.sciencedirect.com/science/article/pii/S0021967317312360>

Daygon, V. D., Calingacion, M., Forster, L. C., De Voss, J. J., Schwartz, B. D., Ovenden, B., ... & Fitzgerald, M. A. (2017). Metabolomics and genomics combine to unravel the pathway for the presence of fragrance in rice. *Scientific Reports*, 7.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5562744/>

Cho, S. H., Lee, S. K., & Kim, C. H. (2017). The determination of polycyclic aromatic hydrocarbons (PAHs) in human urine by high-resolution gas chromatography-mass spectrometry. *Biomedical Chromatography*.

<http://onlinelibrary.wiley.com/doi/10.1002/bmc.4166/full>

Gross, J. (2017). Practical aspects of electron ionization. In *Mass Spectrometry*, pages 293–324. Springer International Publishing.

https://link.springer.com/chapter/10.1007%2F978-3-319-54398-7_5

- Jennerwein, M. K., Eschner, M. S., Wilharm, T., Zimmermann, R., and Gröger, T. M. (2017). Proof of concept of High-Temperature comprehensive Two-Dimensional gas chromatography Time-of-Flight mass spectrometry for Two-Dimensional simulated distillation of crude oils. *Energy Fuels*, 31(11):11651–11659.
<http://pubs.acs.org/doi/10.1021/acs.energyfuels.7b01799>
- Kralj, M. B., Divanović, H., Košenina, S., Kete, M., Lebedev, A. T., Artaev, V. B., & Trebše, P. (2017). Effect of humic acids, nitrate and oxygen on the photodegradation of the flubendiamide insecticide: identification of products. *Environmental Chemistry Letters*, 1-7.
<https://link.springer.com/article/10.1007/s10311-017-0691-6>
- Luning Prak, D. J., Romanczyk, M., Wehde, K. E., Ye, S., McLaughlin, M. E., Luning Prak, P. J., Foley, M. P., Kenttamaa, H. I., Trulove, P. C., Kilaz, G., Xu, L., and Cowart, J. S. (2017). Analysis of catalytic hydrothermal conversion jet fuel and surrogate mixture formulation: Components, properties, and combustion. *Energy Fuels*.
<http://pubs.acs.org/doi/abs/10.1021/acs.energyfuels.7b02960>
- Martin, Schober, Nikolayev, A., Tolstikov, Anderson, Higgs, Kuo, M.-S., Laksmanan, A., Catlow, Li, X., Felder, and Witkin (2017). Further evaluation of mechanisms associated with the antidepressantlike signature of scopolamine in mice. *CNS & Neurological Disorders - Drug Targets (Formerly Current Drug Targets - CNS & Neurological Disorders)*, pages 492–500. <http://www.eurekaselect.com/150787/article>
- Mazur, D. M., Polyakova, O. V., Artaev, V. B., & Lebedev, A. T. (2017). Novel pollutants in the Moscow atmosphere in winter period: Gas chromatography-high resolution time-of-flight mass spectrometry study. *Environmental Pollution*, 222, 242-250.
<http://www.sciencedirect.com/science/article/pii/S0269749116316608>
- Mazur, D. M., Grishina, G. V., and Lebedev, A. T. (2017). Molecular recognition of pseudodistamine isomeric precursors trans-3(4)-aminopiperidin-4(3)-ols by EI mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 140:322–326.
<http://www.sciencedirect.com/science/article/pii/S0731708517303138>
- Prebihalo, S. E., Berrier, K. L., Freye, C. E., Bahaghighat, H. D., Moore, N. R., Pinkerton, D. K., and Synovec, R. E. (2017). Multidimensional gas chromatography: Advances in instrumentation, chemometrics, and applications. *Anal. Chem*.
<http://pubs.acs.org/doi/10.1021/acs.analchem.7b04226>
- Schwemer, T., Schäffer, M., Ahrens, B., Rössler, T., Hasselbach-Minor, A., Pütz, M., Sklorz, M., Gröger, T., and Zimmermann, R. (2017). Characterization of a heroin manufacturing process based on acidic extracts by combining complementary information from two-dimensional gas chromatography and high resolution mass spectrometry. *Forensic Chemistry*.
<http://www.sciencedirect.com/science/article/pii/S2468170916300716>

- Wanda, E., Nyoni, H., Mamba, B., and Msagati, T. (2017). Occurrence of emerging micropollutants in water systems in gauteng, mpumalanga, and north west provinces, south africa. *International Journal of Environmental Research and Public Health*, 14(1):79+.
<http://www.mdpi.com/1660-4601/14/1/79>
- Wang, C., Bavcon Kralj, M., Košmrlj, B., Yao, J., Košenina, S., Polyakova, O. V., Artaev, V. B., Lebedev, A. T., and Trebše, P. (2017). Stability and removal of selected avobenzene's chlorination products. *Chemosphere*, 182:238–244.
<http://www.sciencedirect.com/science/article/pii/S0045653517306203>

2016

- Byer, J. D., Siek, K., & Jobst, K. (2016). Distinguishing the C3 vs SH4 Mass Split by Comprehensive Two-Dimensional Gas Chromatography–High Resolution Time-of-Flight Mass Spectrometry. *Analytical chemistry*.
<http://pubs.acs.org/doi/abs/10.1021/acs.analchem.6b01137>
- Carlisle, S., Trainor, P., Yin, X., Doll, M., Stepp, M., States, Zhang, X., and Hein, D. (2016). Untargeted polar metabolomics of transformed MDA-MB-231 breast cancer cells expressing varying levels of human arylamine n-acetyltransferase 1. 12(7):1–12.
<http://link.springer.com/article/10.1007%2Fs11306-016-1056-z>
- Gorst-Allman, C. P. and Naude, Y. (2016). Fynbos products: what's in the bottle? an investigation of terpenoid constituents in fynbos products by GCxGC-TOFMS and GC-HRT. *South African Journal of Chemistry*, 69.
http://www.scielo.org.za/scielo.php?script=sci_abstract&pid=S0379-43502016000100027&lng=en&nrm=iso&tlng=en
- Joe, D. E. A. C. K. (2016). Light and Medium Petroleum Distillate Characterization Using Two-Dimensional Gas Chromatography–High-Resolution Time-of-Flight Mass Spectrometry and Enhanced Software Processing.
<http://www.spectroscopyonline.com/molecular-characterization-lco-and-vg-o-using-two-dimensional-gas-chromatography-high-resolution-time>
- Lebedev, A. T., Mazur, D. M., Kudelin, A. I., Fedotov, A. N., Gloriov, I. P., Ustynyuk, Y., and Artaev, V. B. (2016). Cyclization of n-arylcyclopropanecarboxamides into n-arylpyrrolidinones-2 under electron ionization and in the condensed phase. *Rapid Commun. Mass Spectrom.*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/rcm.7717/abstract?systemMessage=Wiley+Online+Library+will+be+unavailable+on+Saturday+3rd+September+2016+at+08.30+BST%2F+03%3A30+EDT%2F+15%3A30+SGT+for+5+hours+and+Sunday+4th+September+at+10%3A00+BST%2F+05%3A00+EST%2F+17%3A00+SGT+for+1+hour++for+essential+maintenance.+Apologies+for+the+inconvenience>

- Mazur, D. M., Polyakova, O. V., Artaev, V. B., and Lebedev, A. T. (2016). Novel pollutants in the moscow atmosphere in winter period: Gas chromatography-high resolution time-of-flight mass spectrometry study. *Environmental Pollution*.
<http://www.sciencedirect.com/science/article/pii/S0269749116316608>
- Sampat, A. A. S., Lopatka, M., Vivó-Truyols, G., Schoenmakers, P. J., and van Asten, A. C. (2016). Towards chemical profiling of ignitable liquids with comprehensive two-dimensional gas chromatography: Exploring forensic application to neat white spirits. *Forensic Science International*, 267:183–195.
[http://www.fsijournal.org/article/S0379-0738\(16\)30336-X/abstract](http://www.fsijournal.org/article/S0379-0738(16)30336-X/abstract)
- Stefanuto, P.-H. and Focant, J.-F. (2016). GC×GC-TOFMS, the swiss knife for VOC mixtures analysis in soil forensic investigations. In Kars, H. and van den Eijkel, L., editors, *Soil in Criminal and Environmental Forensics*, Soil Forensics, pages 317–329. Springer International Publishing.
http://link.springer.com/chapter/10.1007%2F978-3-319-33115-7_20

2015

- Fanali, C., Beccaria, M., Salivo, S., Tranchida, P., Tripodo, G., Farnetti, S., Dugo, L., Dugo, P., and Mondello, L. (2015). Non-polar lipids characterization of quinoa (*chenopodium quinoa*) seed by comprehensive two-dimensional gas chromatography with flame ionization/mass spectrometry detection and non-aqueous reversed-phase liquid chromatography with atmospheric pressure chemical ionization mass spectrometry detection. *J. Sep. Science*, page n/a.
<http://onlinelibrary.wiley.com/doi/10.1002/jssc.201500466/abstract;jsessionid=16AB4499E2E00EC28C920D7A035D715B.f01t04>
- Llewellyn, G. T., Dorman, F., Westland, J. L., Yoxtheimer, D., Grieve, P., Sowers, T., Humston-Fulmer, E., and Brantley, S. L. (2015). Evaluating a groundwater supply contamination incident attributed to marcellus shale gas development. *Proceedings of the National Academy of Sciences*, 112(20):6325–6330. <http://www.pnas.org/content/112/20/6325.short>
- Naudé, Y., Gorst-Allman, P., and Rohwer, E. (2015). A cheap and simple passive sampler using silicone rubber for the analysis of surface water by gas chromatography–time of flight mass spectrometry. *Water SA*, 41(2):182+. <http://www.ajol.info/index.php/wsa/article/view/115242>
- Polyakova, O., Mazur, D., Artaev, V., and Lebedev, A. (2015). Rapid liquid–liquid extraction for the reliable GC/MS analysis of volatile priority pollutants. pages 1–7.
<http://link.springer.com/article/10.1007%2Fs10311-015-0544-0>
- Thaxton, A., Belal, T. S., Smith, F., DeRuiter, J., Abdel-Hay, K. M., and Clark, C. R. (2015). Mass spectral studies on 1-n-pentyl-3-(1-naphthoyl)indole (JWH-018), three deuterium-labeled analogues and the inverse isomer

1-naphthoyl-3-n-pentylindole. *Rapid Commun. Mass Spectrom.*, 29(9):871–877.

<http://onlinelibrary.wiley.com/doi/10.1002/rcm.7171/abstract?deniedAccessCustomisedMessage=&userIsAuthenticated=true>

Tranchida, P. Q., Salivo, S., Franchina, F. A., and Mondello, L. (2015).

Flow-Modulated comprehensive Two-Dimensional gas chromatography combined with a High-Resolution Time-of-Flight mass spectrometer: A Proof-of-Principle study. *Anal. Chem.*, 87(5):2925–2930.

<http://pubs.acs.org/doi/abs/10.1021/ac5044175>

Xie, X., Backman, D., Lebedev, A. T., Artaev, V. B., Jiang, L., Ilag, L. L., and

Zubarev, R. A. (2015). Primordial soup was edible: abiotically produced Miller-Urey mixture supports bacterial growth. *Scientific reports*, 5:14338+.

<http://www.nature.com/articles/srep14338>

2014

Mahieu, N. G., Huang, X., Chen, Y.-J., and Patti, G. J. (2014). Credentialed features: A platform to benchmark and optimize untargeted metabolomic methods. *Anal. Chem.* <http://pubs.acs.org/doi/abs/10.1021/ac503092d>

Polyakova, O., Mazur, D., and Lebedev, A. (2014). Improved sample preparation and GC–MS analysis of priority organic pollutants. pages 1–9.

<http://link.springer.com/article/10.1007%2Fs10311-014-0464-4>

Tolstikov, V., Nikolayev, A., Dong, S., Zhao, G., and Kuo, M.-S. (2014).

Metabolomics analysis of metabolic effects of nicotinamide phosphoribosyltransferase (NAMPT) inhibition on human cancer cells.

PLoS ONE, 9(12):e114019+.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0114019>

Tranchida, P. Q., Franchina, F. A., Dugo, P., and Mondello, L. (2014).

Comprehensive two-dimensional gas chromatography-mass spectrometry: Recent evolution and current trends. *Mass Spec Rev*, page n/a. <http://onlinelibrary.wiley.com/doi/10.1002/mas.21443/abstract>

2013

Cajka, T. (2013). Gas Chromatography–Time-of-Flight Mass Spectrometry in Food and Environmental Analysis.

de Vos, J., Cochran, J., Reiner, E. J., & Gorst-Allman, P. (2013). Applying Comprehensive Analysis to EPA Method 1613B Samples-Discover Those Compounds Usually Discounted in Environmental Samples. *LC GC NORTH AMERICA*, 42-48.

<http://www.spectroscopyonline.com/spectroscopy/article/articleDetail.jsp?id=817655&sk=&date=&pageID=3>

- Hsu, C. and Shi, Q. (2013). Prospects for petroleum mass spectrometry and chromatography. *56*(7):833–839.
<http://link.springer.com/article/10.1007%2Fs11426-013-4896-7>
- Lebedev, A. T., Polyakova, O. V., Mazur, D. M., and Artaev, V. B. (2013). The benefits of high resolution mass spectrometry in environmental analysis. *Analyst*, *138*(22):6946–6953.
<http://pubs.rsc.org/en/Content/ArticleLanding/2013/AN/c3an01237a>
- Polyakova, O. V., Mazur, D. M., Artaev, V. B., and Lebedev, A. T. (2013). Determination of polycyclic aromatic hydrocarbons in water by gas chromatography/mass spectrometry with accelerated sample preparation. *68*(13):1099–1103.
<http://link.springer.com/article/10.1134%2FS106193481313008X>
- Ripszam, M., Grabic, R., and Haglund, P. (2013). Elimination of interferences caused by simultaneous use of deuterated and carbon-13 standards in GC-MS analysis of polycyclic aromatic hydrocarbons (PAHs) in extracts from passive sampling devices. *Anal. Methods*, *5*(12):2925–2928.
<http://pubs.rsc.org/en/Content/ArticleLanding/2013/AY/c3ay40419f#!divAbstract>
- S Haglund, P., Löfstrand, K., Siek, K., and Asplund, L. (2013). Powerful GC-TOF-MS techniques for screening, identification and quantification of halogenated natural products. *Mass spectrometry (Tokyo, Japan)*, *2*(Spec Iss).
https://www.jstage.jst.go.jp/article/massspectrometry/2/Special_Issue/2_S0018/article
- Schäffer, M., Gröger, T., Pütz, M., and Zimmermann, R. (2013). Assessment of the presence of damiana in herbal blends of forensic interest based on comprehensive two-dimensional gas chromatography. *31*(2):251–262.
<http://link.springer.com/article/10.1007%2Fs11419-013-0186-5>
- Siek, K., Binkley, J., & Patrick, J. S. (2013). High-Resolution Time-of-Flight Mass Spectrometry for Rapid Petroleum Characterization.
<http://www.spectroscopyonline.com/spectroscopy/Articles/High-Resolution-Time-of-Flight-Mass-Spectrometry-f/ArticleStandard/Article/detail/807692>
 CITIUS
- Tranchida, P. Q., Salivo, S., Bonaccorsi, I., Rotondo, A., Dugo, P., and Mondello, L. (2013). Analysis of the unsaponifiable fraction of lipids belonging to various milk-types by using comprehensive two-dimensional gas chromatography with dual mass spectrometry/flame ionization detection and with the support of high resolution time-of-flight mass spectrometry for structural elucidation. *Journal of Chromatography A*, *1313*:194–201.
<http://www.sciencedirect.com/science/article/pii/S0021967313011680>
- Wei, X., Shi, X., Merrick, M., Willis, P., Alonso, D., and Zhang, X. (2013). A method of aligning peak lists generated by gas chromatography high-resolution mass spectrometry. *Analyst*, *138*(18):5453–5460.
<http://pubs.rsc.org/en/Content/ArticleLanding/2013/AN/c3an00667k#!divAbstract>

2012

- Klitzke, C. F., Corilo, Y. E., Siek, K., Binkley, J., Patrick, J., and Eberlin, M. N. (2012). Petroleomics by Ultrahigh-Resolution Time-of-Flight mass spectrometry. *Energy Fuels*, 26(9):5787–5794. **CITIUS**
- Lebedev, A. T., Polyakova, O. V., Mazur, D. M., Bol'shov, M. A., and Seregina, I. F. (2012). Estimation of contamination of atmosphere of moscow in winter. 67(14):1039–1049.
<http://link.springer.com/article/10.1134%2FS1061934812140079>

2005

- Verentchikov, A. N., Yavor, M. I., Hasin, Y., and Gavrik, M. A. (2005). Multireflection planar time-of-flight mass analyzer. i: An analyzer for a parallel tandem spectrometer. 50(1):73–81.
<http://link.springer.com/article/10.1134/1.1854827>
- Verentchikov, A. N., Yavor, M. I., Hasin, Y. I., & Gavrik, M. A. (2005). Multi-reflecting TOF analyzer for high resolution MS and parallel MS-MS. *Mass Spectrometry*, 2(1), 11-20.
http://www.vmso.ru/datadocs/vmso_ms_1_2.pdf#page=11
- Verentchikov, A. N., Yavor, M. I., Hasin, Y., and Gavrik, M. A. (2005). Multireflection planar time-of-flight mass analyzer. II: The high-resolution mode. 50(1):82–86. <http://link.springer.com/article/10.1134%2F1.1854828>

2004

- Robinson, J. W., Frame, E. M. S., & Frame II, G. M. (2004). *Undergraduate instrumental analysis*. CRC Press. Pg738



Delivering the Right Results

LECO Corporation

3000 Lakeview Avenue St. Joseph, MI 49085 Phone: 800-292-6141 Fax: 269-982-8977
info@leco.com www.leco.com ISO-9001:2000 No. FM 24045 *LECO is a registered trademark of LECO Corporation.*

LECO Japan Corporation

Sumitomo Fudosan Shiba Building 4, 13-4 Shiba 2-chome, Minato-ku Tokyo Phone: 03-6891-5800 Fax: 03-6891-5801
company_jp@leco.com | www.leco.co.jp